

Report from Nov 16, 2025, 12:06:13AM

[Analyze](#)

Discover what your real users are experiencing

No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49




50–89



90–100

[Learn More.](#) [Ok, Got it.](#)



METRICS

[Expand view](#)█ First Contentful Paint**1.0 s**█ Total Blocking Time**0 ms**█ Speed Index**1.6 s**▲ Largest Contentful Paint**3.6 s**█ Cumulative Layout Shift**0.022**📅 Captured at Nov 16, 2025, 12:06 AM


CST

⌚ Initial page load🕒 Emulated Desktop with Lighthouse

13.0.1

📶 Custom throttling🌐 Single page session🌐 Using HeadlessChromium

137.0.7151.119 with lr

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)


INSIGHTS

▲ Improve image delivery — Est savings of 258 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) [LCP](#) [FCP](#) [Unscored](#)

[Learn More.](#) [Ok, Got it.](#)



| URL | Resource Size | Est Savings |
|---|---------------|-------------|
|  & Stuff This image file is larger than it needs to be (6912x1152) for its displayed dimensions (336x56). Use responsive images to reduce the image download size.  Vape Cave - Smoke & Stuff <img src="/as BB07mYJA.png" alt="Vape Cave - Smoke & Stuff" class="w- r200v1 md:w-r250v1 lg:w-r300v1 This image file is larger than it needs to be (2000x933) for its displayed dimensions (380x177). Use responsive images to reduce the image download size. | 177.7 KiB | 177.3 KiB |
| URL | Resource Size | Est Savings |
| This image file is larger than it needs to be (2000x933) for its displayed dimensions (380x177). Use responsive images to reduce the image download size. | 80.5 KiB | |

⚠️ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. [\[Unscored\]](#)

| Top function call | Total reflow time |
|--|-------------------|
| /assets/App-DRFBpw3O.js:257:13737 (vapecavetx.com) | 36 ms |
| [unattributed] | 19 ms |
| Source | Total reflow time |


⚠️ Network dependency tree

[Learn More](#) [Ok, Got it.](#)



maximum critical path latency: **1,560 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Document request latency — Est savings of 4 KiB ^

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. LCP FCP Unscored

✓ Avoids redirects

✓ Server responds quickly (observed 1 ms)

✗ No compression applied

Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

[Learn More.](#) [Ok, Got it.](#)



mx-4 p-6 md:p-8 border-2 bo...">

1 LCP breakdown

Layout shift

score the

resources, not within delays. LCP Unscored

Time to first byte 0 ms

| Subpart | Duration |
|---------|----------|
|---------|----------|

| | |
|--|---|
| | Your One Stop Vape Shop for Disposables E-Liquids Salts Delta THC - A ... <h2 class="text-xl md:text-2xl lg:text-3xl mb-8 text-white/90 font-medium max-w-[1100...]" style="opacity: 1; transform: none;"> |
|--|---|

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

| 3rd party | Transfer size | Main thread time |
|---|---------------|------------------|
| Google Tag Manager Tag-Manager | 141 KiB | 89 ms |
| /gtag/js?id=G-9S39LGLQYG (www.googletagmanager.com) | 141 KiB | 89 ms |
| Google Fonts Cdn | 37 KiB | 0 ms |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com) | 9 KiB | 0 ms |
| ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com) | 9 KiB | 0 ms |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com) | 8 KiB | 0 ms |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com) | 8 KiB | 0 ms |
| /css2?family=... (fonts.googleapis.com) | 3 KiB | 0 ms |
| Google Analytics Analytics | 1 KiB | 0 ms |

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

 Show 3rd-party resources (1)

| URL | Transfer Size | Est Savings |
|---|------------------|------------------|
| vapecavetx.com 1st Party | 724.5 KiB | 390.6 KiB |
| /assets/App-DRFBpw3O.js (vapecavetx.com) | 583.1 KiB | 358.2 KiB |
| /assets/index-BBs9f2Xa.js (vapecavetx.com) | 141.3 KiB | 32.3 KiB |
| Google Tag Manager Tag-Manager | 140.2 KiB | 56.0 KiB |
| URL | | |

▲ Reduce unused CSS — Est savings of 90 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP Unscored

| URL | Transfer Size | Est Savings |
|---------------------------------------|------------------|-----------------|
| vapecavetx.com 1st Party | 108.5 KiB | 89.8 KiB |
| URL | | |

■ Image elements do not have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

| URL | Image Preview | Code Snippet | File Size | Estimated Savings |
|---------------------------------------|---|--|---|-------------------|
| vapecavetx.com 1st Party |  | Vape Cave - Smoke & Stuff <code></code> | /assets/vapecave-....png (vapecavetx.com) | |
| |  | Vape Cave - Smoke & Stuff <code></code> | /assets/age_verif....png (vapecavetx.com) | |

[Learn More.](#) [Ok, Got it.](#)



Large network payloads cost users money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) (Unscored)

Show 3rd-party resources (4)

| | | Transfer Size |
|----------------------------|----------------------------|--------------------|
| vapecavetx.com | 1st Party | 3,244.1 KiB |
| /api/featured-brands | (vapecavetx.com) | 2,143.2 KiB |
| /assets/App-DRFBpw3O.js | (vapecavetx.com) | 584.6 KiB |
| /assets/vapecave-....png | (vapecavetx.com) | 179.0 KiB |
| /assets/index-BBs9f2Xa.js | (vapecavetx.com) | 142.7 KiB |
| /assets/index-BEKaEB1g.css | (vapecavetx.com) | 109.8 KiB |
| /assets/age_verif....png | (vapecavetx.com) | 84.8 KiB |
| Google Tag Manager | Tag-Manager | 140.9 KiB |
| /gtag/js?id=G-9S39LGLQYG | (www.googletagmanager.com) | 140.9 KiB |
| Google Fonts | Cdn | 25.5 KiB |
| ...v24/pxiByp8kv....woff2 | (fonts.gstatic.com) | 8.6 KiB |
| ...v24/pxiEyp8kv....woff2 | (fonts.gstatic.com) | 8.5 KiB |
| URL | | Transfer Size |

Avoid long main-thread tasks — 3 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) (TBT) (Unscored)

Show 3rd-party resources (1)

| | | Long Task | Task Type | Transfer Size |
|---------------------------|------------------------|---------------|-----------|---------------|
| vapecavetx.com | 1st Party | 102 ms | | |
| /assets/index-BBs9f2Xa.js | (vapecavetx.com) | 1,218 ms | Network | 52 ms |
| /assets/App-DRFBpw3O.js | (vapecavetx.com) | 1,337 ms | Network | 50 ms |

[Learn More.](#) [Ok, Got it.](#)

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (15)

[Hide](#)

| URL | Start Time | Duration |
|------------------------------------|------------|----------|
| Use efficient cache mechanics | | |
| Optimize DOM size | | |
| Duplicated JavaScript | | |
| Font display | | |
| INP breakdown | | |
| LCP request discovery | | |
| Legacy JavaScript | | |
| Render blocking requests | | |
| Optimize viewport for mobile | | |
| Minify CSS | | |
| Minify JavaScript | | |
| User Timing marks and measures | | |
| JavaScript execution time — 0.4 s | | |
| Minimizes main-thread work — 0.8 s | | |
| Avoid non-composited animations | | |



[Learn More.](#) [Ok, Got it.](#)




Web app: Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

- ⚠ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).



Sign Up

```
<div class="bg-primary hover:bg-primary/90 text-white font-bold py-4 px-10 rounded-lg ..." data-testid="button-shop-now">
```



Find us on Google Maps

```
<span class="text-primary/80 hover:text-primary text-xs mt-1 block">
```




Connect With Us Follow us on social media for the latest updates, promotions, ...

```
<footer class="bg-dark text-white">
```



View on Apple Maps

```
<a href="https://maps.apple.com/?address=6958%20Main%20St,%20Unit%20200,%20Frisco,%..." target="_blank" rel="noopener noreferrer" class="text-primary/80 hover:text-primary text-xs mt-1 block">
```



Connect With Us Follow us on social media for the latest updates, promotions, ...

```
<footer class="bg-dark text-white">
```



6958 Main St #200


```
<span itemprop="streetAddress">
```



Age Verification You must be at least 21 years old to enter this website. Plea...

```
<div class="bg-black rounded-xl shadow-2xl max-w-md w-full mx-4 p-6 md:p-8 border-2 border-yellow-500">
```

[Learn More](#). [Ok, Got it.](#)



Age Verification You must be at least 21 years old to enter this website. Plea...

```
<div class="bg-black rounded-xl shadow-2xl max-w-md w-full mx-4 p-6 md:p-8 border-2  
bo...">
```



TX

```
<span itemprop="addressRegion">
```



75033

```
<span itemprop="postalCode">
```

Failing Elements



```
<div class="bg-black rounded-xl shadow-2xl max-w-md w-full mx-4 p-6 md:p-8 border-2  
bo...">
```


These are opportunities to improve the legibility of your content.

NAMES AND LABELS

⚠ Links do not have a discernible name

^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)



Home


```
<a href="/" role="menu">
```



Products

```
<a href="/products" role="menu">
```

[Learn More.](#) Ok, Got it.



```
<a href="/delivery" role="menu">
```

Failing Elements



FAQs

```
<a href="/faq" role="menu">
```

Contact

Failing Elements



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Failing Elements

Navigate and understand when using assistive technologies. [Learn more about heading order.](#)



Connect With Us

```
<h4 class="font-[Poppins] font-semibold text-xl mb-4">
```

Failing Elements


These are opportunities to improve keyboard navigation in your application.

[Learn More.](#) [Ok, Got it.](#)



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can


interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) Unscored




Home

``


Products

``


Delivery

``

Blog

``

FAQs

``

Contact

``

Failing Elements

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Hide](#)

- Interactive controls are keyboard focusable

[Learn More.](#) [Ok, Got it.](#)



Visual order on the page follows DOM order

- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24)

[Hide](#)

- [aria-*] attributes match their roles
- [aria-hidden="true"] is not present on the document <body>
- [role]s have all required [aria-*] attributes
- Elements with an ARIA [role] that require children to contain a specific [role] have all required children.
- [role]s are contained by their required parent element
- [role] values are valid
- [aria-*] attributes have valid values
- [aria-*] attributes are valid and not misspelled
- Buttons have an accessible name
- Image elements have [alt] attributes
- Form elements have associated labels
- [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

 ELEMENTS USE ONLY PERMITTED ARIA ATTRIBUTES

- Document has a `<title>` element 
- `<html>` element has a `[lang]` attribute 
- `<html>` element has a valid value for its `[lang]` attribute 
- Lists contain only `` elements and script supporting elements (`<script>` and `<template>`). 
- List items (``) are contained within ``, `` or `<menu>` parent elements 
- No element has a `[tabindex]` value greater than 0 
- Touch targets have sufficient size and spacing. 
- Document has a main landmark. 
- Deprecated ARIA roles were not used 

NOT APPLICABLE (32)

[Hide](#)

- `[accesskey]` values are unique 
- Elements with `role="dialog"` or `role="alertdialog"` have accessible names. 
- `[aria-hidden="true"]` elements do not contain focusable descendants 
- ARIA input fields have accessible names 
- ARIA `meter` elements have accessible names 
- ARIA `progressbar` elements have accessible names 
- Elements with the `role=text` attribute do not have focusable descendants. 
- ARIA toggle fields have accessible names 
- ARIA `tooltip` elements have accessible names 
- ARIA `treeitem` elements have accessible names 



ANALYSIS ARE UNIQUE

- No form fields have multiple labels
- `<frame>` or `<iframe>` elements have a title
- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.
- Input buttons have discernible text.



Mobile



Desktop

- Links are distinguishable without relying on color.
- The document does not use `<meta http-equiv="refresh">`
- `<object>` elements have alternate text
- Select elements have associated label elements.
- Skip links are focusable.
- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.
- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.
- `[lang]` attributes have a valid value
- `<video>` elements contain a `<track>` element with `[kind="captions"]`
- Tables have different content in the summary attribute and `<caption>`.
- All heading elements contain content.
- Image elements do not have `[alt]` attributes that are redundant text.
- Identical links have the same purpose.

Best Practices

GENERAL

⚠ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

| Source | Description |
|--|---|
| vapecavetx.com 1st Party | Refused to load the stylesheet ' https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.4.0/css/all.min.css ' because it violates the following Content Security Policy directive: "style-src 'self' 'unsafe-inline' https://fonts.googleapis.com ". Note that 'style-src-elem' was not explicitly set, so 'style-src' is used as a fallback. |

⚠ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

| |
|-------------------------|
| Issue type |
| Content security policy |

...css/all.min.css (cdnjs.cloudflare.com)

⚠ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) [Unscored](#)

| | |
|-----|---------|
| URL | Map URL |
|-----|---------|

[Learn More.](#) [Ok, Got it.](#)



Large JavaScript file is missing a source map

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

| Description | Directive | Severity |
|---|------------|----------|
| Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with "strict-dynamic" if necessary. | script-src | High |
| "unsafe-inline" allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually. | script-src | High |

○ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types](#). Unscored

| Description | Severity |
|--|----------|
| No `Content-Security-Policy` header with Trusted Types directive found | High |

PASSED AUDITS (10)

Hide

● Uses HTTPS ▼

● Avoids deprecated APIs ▼

● Avoids third-party cookies ▼

● Allows users to paste into input fields ▼

● Avoids requesting the geolocation permission on page load ▼

● Avoids using the navigator.cookieEnabled API ▼

[Learn More.](#) [Ok, Got it.](#)

Page has the right doctype

- Properly defines charset

NOT APPLICABLE (5)

[Hide](#)

- Redirects HTTP traffic to HTTPS
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Detected JavaScript libraries



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). Learn more about [Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Hide](#)

- Structured data is valid

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices:

[Learn More](#) [Ok, Got it](#)

- Document has a `<title>` element ▼
- Document has a meta description ▼
- Page has successful HTTP status code ▼
- Links have descriptive text ▼
- Links are crawlable ▼
- robots.txt is valid ▼
- Image elements have `[alt]` attributes ▼
- Document has a valid `hreflang` ▼
- Document has a valid `rel=canonical` ▼

More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

[Mailing list](#)

Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

Connect

[Twitter](#)

[Youtube](#)

Google for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

[Terms and Privacy Policy](#)

For details, see the [Google Developers Site Policies](#).

[Learn More.](#) [Ok, Got it.](#)