

START

```
graph TD; START((START)) --> Preprocessing; subgraph Preprocessing; direction TB; P1["1. Parse Question<br/>Extract company, product,<br/>intent"]; P2["2. Rewrite Query<br/>Generate search queries"]; P1 --> P2; end; Preprocessing --> Retrieval; subgraph Retrieval; direction TB; R3["3. Retrieve<br/>Vector search across<br/>indexes"]; R4["4. Rerank<br/>Cross-encoder re-scoring"]; R5["5. Evidence Selector<br/>Pick strongest clauses"]; R3 --> R4; R4 --> R5; end; Retrieval --> Generation; subgraph Generation; direction TB; G6["6. Select Prompt<br/>Choose template by intent"]; G7["7. Make Citations<br/>Attach source references"]; G8["8. Generate Answer<br/>LLM synthesises response"]; G6 --> G7; G7 --> G8; end; Generation --> END((END));
```

Preprocessing

1. Parse Question

Extract company, product,
intent

2. Rewrite Query

Generate search queries

Retrieval

3. Retrieve

Vector search across
indexes

4. Rerank

Cross-encoder re-scoring

5. Evidence Selector

Pick strongest clauses

Generation

6. Select Prompt

Choose template by intent

7. Make Citations

Attach source references

8. Generate Answer

LLM synthesises response

END