


QC Report - Agilent Technologies : 2 Color Gene Expression

Date	Thursday, May 24, 2018 - 11:35	BG Method	No Background
Image	SG15074465_257480913948_S001 [1_3]	Background Detrend	On(FeatNCRRange, LoPass)
Protocol	GE2_1200_Jun14_PEG200_JRmod	Multiplicative Detrend	True
	(Editable)		
User Name	Admin	Dye Norm	Linear
Grid	ExternalFullGEML_074809_D_F_20171030	Linear DyeNorm Factor	11(Red) 21.1(Green)
FE Version	12.0.1.1	Additive Error	26(Red)37(Green)
Sample(red/green)		Saturation Value	776684 (r), 777880 (g)
DyeNorm List	NA		
No of Probes in DyeNorm List	NA		

Spot Finding of the Four Corners of the Array



Grid Normal

	Feature		Local Background	
	Red	Green	Red	Green
Non Uniform	7	7	1800	0
Population	273	270	2725	2829


Net Signal Statistics

	Non-Control probes:	
	Red	Green
# Saturated Features	0	0
99% of Sig. Distrib.	55395	11534
50% of Sig. Distrib.	59	45
1% of Sig. Distrib.	11	17


	Negative Control Stats	
	Red	Green
Average Net Signals	12.75	18.78
StdDev Net Signals	2.56	1.84
Average BG Sub Signal	-2.70	-2.47
StdDev BG Sub Signal	1.84	1.63

Spatial Distribution of All Outliers on the Array


384 rows x 164 columns



Red and Green Background Corrected Signals (Non-Control Inliers)



Features (NonCtrl) with BGSubSignals < 0: 5571 (Red); 5998 (Green)



FeatureNonUnif (Red or Green) = 8(0.01%)

GeneNonUnif (Red or Green) = 7 (0.012 %)

- BG NonUniform
- Red FeaturePopulation
- Green FeaturePopulation
- BG Population
- Red Feature NonUniform
- Green Feature NonUniform

Local Bkg (inliers)

Red

Green

Number	60017	60147
Avg	24.29	24.28
SD	2.62	1.10

Foreground Surface Fit

Red

Green

RMS_Fit	2.11	0.90
RMS_Resid	2.41	1.75
Avg_Fit	25.48	31.26

Reproducibility: %CV for Replicated Probes

Median %CV Signal (inliers)


Non-Control probes

Red

Green

BGSubSignal	8.54	4.91
ProcessedSignal	3.59	3.29

Spatial Distribution of Significantly Up-Regulated and Down-Regulated Features



#Up-Regulated:15071 (Red) ; #Down-Regulated:12496 (Green)

● Up-Regulated ● Down-Regulated

Up Reg: 25.41% of NonCtrl Features : Random (Value 0.95)
Down Reg: 21.07% of NonCtrl Features : Random (Value 0.92)

LogRatio Versus Log Processed Signal



Array Uniformity: LogRatios

Non-Control

AbsAvgLogRatio	0.57
AverageS/N	41.22

Evaluation Metrics for GE2_QCMT_Jun14

Good (8) ; Evaluate (1)

Metric Name	Value	Excellent	Good	Evaluate
IsGoodGrid	1.00		>1	<1
AnyColorPrcntFeatNonU...	0.01		<1	>1
gNegCtrlAveBGSubSig	-2.47		-20 to 10	<-20 or >10
gNegCtrlSDevBGSubSig	1.63		<15	>15
rNegCtrlAveBGSubSig	-2.70		-20 to 4	<-20 or >4
rNegCtrlSDevBGSubSig	1.84		<6	>6
gNonCntrlMedCVBkSubSi..	4.91		0 to 18	<0 or >18
rNonCntrlMedCVBkSubSi...	8.54		0 to 18	<0 or >18
gE1aMedCVBkSubSignal	-		0 to 18	<0 or >18
rE1aMedCVBkSubSignal	-		0 to 18	<0 or >18
absE1aObsVsExpCorr	-		>0.86	<0.86
absE1aObsVsExpSlope	-		>0.85	<0.85
LogRatioImbalance	-17.78	-0.26 to 0.26	(-0.75 to -0.2...	<-0.75 or >0.75

● Excellent ● Good ● Evaluate