SD5976 – AI TOOLS FOR X

Giovanni Lion, PhD

Why are we here today?

- **Talk $$$ credits!**
- **Explore** speech and music generation
- **Showcase** openclaw
- Group projects discussions

Group Project - Rubric

- **Value/Novelty: 25%**
  - *Your project uses state of the art technology and original code to do something that has not been done before*
- **Github repository: 50%**
  - *Your code works*
    - *For video projects, repo should contain your worfkflow*
  - *Your code makes use of our characters' repo (venetanji/polyu-storyworld) or the mcp*
  - *Your repository is well documented and shows contributions from all members*
- **Document your process (reflection inaction): 25%**

[group project pitch]

- 1 minute pitch
- 1 visual aid

Upload here:

https://excalidraw.com/#room=063ac9c15bfe123fbaeb,Lz3cCxFQ2nO-zRbWhOcJ_w



Command line (CLI) agents

- claude
- codex
- copilot
- opencode
- pi
- openclaw



Modern agents…

- Have access to multiple tools and communication channels
- Are designed for long running tasks
- Read and store project instructions from AGENTS.md or similar (CLAUDE.md…)
- Use SKILLS to accomplish tasks
  - *Meta-skill to create skills: https://github.com/anthropics/skills/blob/main/skills/skill-creator/SKILL.md*

CREDITS!

How do we spend our budget?

Options (API keys or Account?)

- https://openrouter.ai/
- https://fal.ai/
- https://replicate.com/
- https://higgsfield.ai/
- https://elevenlabs.io/

- Suggestions?

How to get funded…

- Option 1: Ask Gio for api key with credit limit on one of the platforms
- Option 2: Create an account and Gio can pay
- Option 3: You pay and get reimbursed

PRICES for personal use on websites are often different from API usage prices

AUDIO TOOLS

Stems and Vocals separation



STT with qwenSTT

- Explore templates in comfyui



Singing Voice Conversion

- Prepare a dataset of “a cappella” singing (UVR5)
  - *No background instruments*
  - *No echo/reverb*
- Train a voice model (applio)
  - *Upload dataset*
  - *Run training*
- Change original song vocal to our trained voice!

Output examples

Dataset preparation

- 5-10 minutes of singing is recommended but works with less as well.
- Your voice:
  - *Clean recording (use headphones for background)*
  - *Quiet room (v133 sound studio?)*
- An other artist's voice
  - *Separate vocals from audio track*
  - *Separate/cut back vocals*

UVR5

- https://github.com/Anjok07/ultimatevocalremovergui/releases/tag/v5.6

- A tool that separates vocals from instrumental track
  - *Can also remove noise and reverb from vocal tracks*

- Select input files (5 songs from the chosen artist) and output folder:

Settings

- Use GPU



- Vocal splitter options





Select your dataset files

- Listen to the deverbed vocal tracks and put them in a folder
- Repeat the same process for your target track[s] (the track[s] you want your voice to sing). Keep both the instrumental track and the vocal track for later.
- [IMPORTANT] Your files sample rate should be at 48000. Use Audacity or any other software to resample: https://forum.audacityteam.org/t/saving-wav-as-48000hz/28305

Start Applio

- Clone the repo:
  - *https://github.com/IAHispano/Applio*
- Run the installer

Select training tab and create a new voice model



Click dataset creator and upload your files



Preprocess dataset



Extract features



Start training! Check logs for loss values



When to stop training?

```
epoch 10 and step 70)
giovoice-flac-clean | epoch=10 | step=70 | time=20:50:08 | training_speed=0:00:19 | lowest_value=22.062 (epoch 8 and
step 52)
giovoice-flac-clean | epoch=11 | step=77 | time=20:50:17 | training_speed=0:00:09 | lowest_value=22.062 (epoch 8 and
step 52)
giovoice-flac-clean | epoch=12 | step=84 | time=20:50:26 | training_speed=0:00:08 | lowest_value=22.062 (epoch 8 and
step 52)
giovoice-flac-clean | epoch=13 | step=91 | time=20:50:36 | training_speed=0:00:09 | lowest_value=22.062 (epoch 8 and
step 52)
giovoice-flac-clean | epoch=14 | step=98 | time=20:50:45 | training_speed=0:00:09 | lowest_value=21.968 (epoch 14 and
 step 93)
giovoice-flac-clean | epoch=15 | step=105 | time=20:50:54 | training_speed=0:00:09 | lowest_value=21.968 (epoch 14 an
d step 93)
```

- As soon as your loss value stops decreasing.
- Test your model at different stages

Inference

- Select Inference tab and hit refresh



You should now see your trained checkpoints in the list

Upload target audio
(The vocal track of the song you want)



Explore Advanced settings



Convert



- After converting listen to the output and check quality
- Repeat until happy!

Finalize your mix

- Use Audacity or any other DAW to combine together the instrumental track and the new vocal track that you just generated
- Combine different voices! Try transposing the voice +12 or -12 to get interesting duets!



SONG GENERATORS

Continued…

Options:

ComfyUI

- https://github.com/smthemex/ComfyUI_YuE

Pinokio

- https://pinokio.computer/item?uri=https://github.com/pinokiofactory/yue

Manual (Best UI)

- https://github.com/joeljuvel/YuE-UI

Docker

- https://github.com/alisson-anjos/YuE-exllamav2-UI/

Download model repo from huggingface:

[make sure you are in the correct directory for YuE-UI]

- git clone https://huggingface.co/Alissonerdx/YuE-s1-7B-anneal-en-cot-exl2-8.0bpw
- git clone https://huggingface.co/Alissonerdx/YuE-s2-1B-general-exl2-8.0bpw

Additional manual downloads for comfyui documented in readme:

https://github.com/smthemex/ComfyUI_YuE/

Set Model parameters



ComfyUI - YUE


YUE_Stage_A_Loader
stage_A_repo C:\Users\giova\dev\ComfyUI\mod
xcodec_ckpt ckpt_00360000.pth
quantization_model fp16
use_mmgp true
stage1_cache_size 16384
exllamav2_cache_mode FP16
mmgp_profile 1
YUE_Stage_A_Sampler
genres_prompt inspiring female uplifting pop
Staring at the sunset, colors paint the sky.
Thoughts of you keep swirling, can't deny.
I know I let you down, I made mistakes.
But I'm here to mend the heart I didn't break.
[chorus]
Every road you take, I'll be one step behind.
Every dream you chase, I'm reaching for the light.
You can't fight this feeling now.
I won't back down.
You know you can't deny it now.
I won't back down
[verse]
They might say I'm foolish, chasing after you.
But they don't feel this love the way we do.
My heart beats only for you, can't you see?
I won't let you slip away from me.
[chorus]
Every road you take, I'll be one step behind.
Every dream you chase, I'm reaching for the light.
You can't fight this feeling now.
I won't back down.
You know you can't deny it now.
I won't back down
[bridge]
No, I won't back down, won't turn around.
Until you're back where you belong.
I'll cross the oceans wide, stand by your side.
Together we are strong.
[outro]
Every road you take, I'll be one step behind.
Every dream you chase, love's the tie that binds.
You can't fight this feeling now.
I won't back down.
seed 340395166
control_after_generate randomize
run_n_segment 2
repetition_penalty 1.1
prompt_start_time 0.0
prompt_end_time 30.0
max_new_tokens 3000
use_dual_tracks_prompt true
use_audio_prompt true
offload_model true
stage1_no_guidance true
YUE_Stage_B_Sampler
vocal_decoder_ckpt decoder_131000.pth
inst_decoder_ckpt decoder_151000.pth
rescale true
YUE_Stage_B_Loader
stage_B_repo C:\Users\giova\dev\ComfyUI\mod
stage2_cache_size 8192
stage2_batch_size 2
exllamav2_cache_mode FP16
use_mmgp false

ComfyUI – Ace Step 1.5



OPENCLAW

Why all the fuzz?

Clawdbot

- Open source project by Peter Steinberger, an Austrian developer
- Main idea: **connect existing messaging platforms to agents**
- Clawd sounds like Claude so Anthropic enforced the trademark
- It became…

Moltbot

But even the creator didn’t like this name…

Openclaw!


Peter Steinberger @steipete · 3h
Some folks said Molt was growing on them.
Respectfully: not on me
OpenClaw @openclaw · 3h
The lobster has molted into its final form
Clawd → Moltbot → OpenClaw
100k+ GitHub stars. 2M visitors in a week....

Features

- Multiple supported **channels** (Whatsapp, telegram, Teams, line, signal and many more, https://docs.openclaw.ai/channels)
- SKILLS
- Agent / Sub-agent support out of the box
- Persistent workspace
- Sandbox mode
- Scheduled tasks
- Memory

Channels

- Support for /command (slash commands) to control different settings
  - *Example: /new*
- Support media inbound/outbound



Skills

- A folder with skills inside.
- By default, the bot has a skill-creator skill that can create new skills
- Pratical use:
  - *You work together with the bot to do something complex and you finally figure it out*
  - *When a new session starts, the bot will forget everything…*
  - *Solution: Before the context is full, ask the bot to create a skill so that knowledge you accumulated is preserved.*
  - *You can improve or fix a skill at any time!*

TUTORIAL

Install openclaw

- Use our installer at https://github.com/venetanji/ltx2-comfy-v915
- Follow onboarding steps

```
- Sandbox + least-privilege tools.
- Shared inboxes: isolate DM sessions (`session.dmScope: per-channel-peer`) and keep
  tool access minimal.
- Keep secrets out of the agent's reachable filesystem.
- Use the strongest available model for any bot with tools or untrusted inboxes.

Run regularly:
openclaw security audit --deep
openclaw security audit --fix

Must read: https://docs.openclaw.ai/gateway/security

I understand this is personal-by-default and shared/multi-user use requires lock-down. Continue?
● Yes / ○ No
```

Model providers

```
Onboarding mode
● QuickStart (Configure details later via openclaw configure.)
○ Manual
```

```
Model/auth provider
○ OpenAI
○ Anthropic
○ Chutes
○ vLLM
○ MiniMax
○ Moonshot AI (Kimi K2.5)
○ Google
○ xAI (Grok)
○ Mistral AI
○ Volcano Engine
○ BytePlus
○ OpenRouter
○ Kilo Gateway
○ Qwen
○ Z.AI
○ Qianfan
● Copilot (GitHub + local proxy)
○ Vercel AI Gateway
○ OpenCode Zen
○ Xiaomi
○ Synthetic
○ Together AI
○ Hugging Face
○ Venice AI
...
```

- Select **copilot** for model/auth provider
- Enter code at https://github.com/login/device

```
Copilot auth method
● GitHub Copilot (GitHub device login)
○ Copilot Proxy (local)
○ Back
```

```
GitHub Copilot login

Device code ready

Authorize

Visit: https://github.com/login/device
Code: D1A4-044C

Waiting for GitHub authorization...
```

Complete authorization and select model gpt-5-mini is unlimited, claude-sonnet-4.6 is smarter (premium req)



Telegram bot

- Install telegram and chat with @BotFather
- Paste the token back into openclaw

```
Select channel (QuickStart)
● Telegram (Bot API) (recommended · ne
○ WhatsApp (QR link)
○ Discord (Bot API)
```

```
Select channel (QuickStart)
Telegram (Bot API)

Telegram bot token

1) Open Telegram and chat with @BotFather
2) Run /newbot (or /mybots)
3) Copy the token (looks like 123456:ABC...)
Tip: you can also set TELEGRAM_BOT_TOKEN in your env.
Docs: https://docs.openclaw.ai/telegram
Website: https://openclaw.ai

How do you want to provide this Telegram bot token?
● Enter Telegram bot token (Stores the credential directly in OpenClaw config)
○ Use external secret provider
```

Skills

Adding skills often requires installing programs on the gateway. Works best on macos with brew

```
Skills status

Eligible: 7
Missing requirements: 36
Unsupported on this OS: 8
Blocked by allowlist: 0

Configure skills now? (recommended)
● Yes / ○ No
```

```
Install missing skill dependencies
□ Skip for now
□ 1password
□ blogwatcher
□ blucli
□ camsnap
□ clawhub
□ eightctl
□ gemini
□ gifgrep
□ gog
□ goplaces
□ himalaya
```

```
Install missing skill dependencies
clawhub

Preferred node manager for skill installs
npm

Installing clawhub…..
```

Other API keys

- For integrations with other APIs
- This can be done at a later stage with openclaw configure

```
◇ Set GOOGLE_PLACES_API_KEY for goplaces?
  No

◇ Set GEMINI_API_KEY for nano-banana-pro?
  No

◇ Set NOTION_API_KEY for notion?
  No

◆ Set OPENAI_API_KEY for openai-image-gen?
  ○ Yes / ● No
```

Hooks

```
◇ Hooks

  Hooks let you automate actions when agent commands are issued.
  Example: Save session context to memory when you issue /new or /reset.

  Learn more: https://docs.openclaw.ai/automation/hooks


◆ Enable hooks?
  ◻ Skip for now
  ◻ 🚀 boot-md
  ◻ 📎 bootstrap-extra-files
  ◻ 📝 command-logger
  ◻ 💾 session-memory
```



Pairing (one time only)

```
›› ~  ☹ 10:31 openclaw pairing list

🦞 OpenClaw 2026.3.2 (85377a2) — Your task has been queued; your dignity has been deprecated.

│
◇  Doctor warnings ──────────────
```

Approve pairing

- Run openclaw pairing approve [code] to start chatting!

```
Pairing requests (1)
```

Code	telegramUserId	Meta
FTRQHADZ	523910944	{"username":"venet lt"}

```
›› ~  10:31 openclaw pairing approve FTRQHADZ
```

```
Approved telegram sender 523910944.
›› ~  10:33
```

hi there! whats' in your agents.md? 10:34 am

Here's what's in AGENTS.md:

It serves as a guide for the workspace's organization and practices, emphasizing the importance of memory files (SOUL.md, USER.md, and daily/long-term logs) and rules for proactive and respectful behavior. It includes:

- Reading context files on session start.
- Clear boundaries for actions (safe vs needing permission).
- Conduct in group chats.
- Using heartbeats and crons effectively.
- An emphasis on memory curation and proactive improvement.

What do you need from it? 10:34 am

Bootstrap the agent!

- Just say bootstrap....