

☐ Bootstrap basic setup:

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title></title>
<link href="https://fonts.googleapis.com/css?family=Roboto:300, 400, 500, 700" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Roboto+Slab:400, 700" rel="stylesheet">
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.0.10/css/all.css" integrity="sha384-
+d0P83n9kaQMCwj8F4RJB66tzlwOKmrb46+porD/OvrJ+37WqIM7UoBtwHO6Nlg"
crossorigin="anonymous">
<script src="JS/jquery.min.js"></script>
<script src="JS/bootstrap.bundle.min.js"></script>
<script src="JS/bootstrap.js"></script>
<script src="JS/popper.min.js"></script>
<!-- Bootstrap core CSS -->
<link href="CSS/bootstrap.min.css" rel="stylesheet">
<!-- Custom styles for this template -->
<link href="CSS/custom.css" rel="stylesheet">
</head>
```

☐ Google Fonts properly called from <head>

Example:

```
<link href="https://fonts.googleapis.com/css?family=Roboto:300, 400, 500, 700" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Roboto+Slab:400, 700" rel="stylesheet">
```

☐ Font Awesome properly called from <head>

Example:

```
<link rel="stylesheet" type="text/css" href="/css/font-awesome.min.css">
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.0.10/css/all.css"
integrity="sha384-+d0P83n9kaQMCwj8F4RJB66tzlwOKmrb46+porD/OvrJ+37WqIM7UoBtwHO6Nlg"
crossorigin="anonymous">
```

☐ .svg files used for images when available

☐ Only approved color palette used

☐ Text and color palette combinations are 508 compliant




☐ IV branding/header meets style guide criteria

☐ Icons that are needed but not found within the Font Awesome bundle must be requested and approved

☐ Properly use the Bootstrap Grid System

Example:

```
<div class="container">
  <div class="row">
    <div class="col">
      1 of 2
    </div>
    <div class="col">
      1 of 2
    </div>
  </div>
  <div class="row">
    <div class="col">
      1 of 3
    </div>
    <div class="col">
      1 of 3
    </div>
    <div class="col">
      1 of 3
    </div>
  </div>
</div>
```

- ☐ Send as email <button>  used <fa-envelope-o>
- ☐ Save current filter selections <button>  used <fa-save>
- ☐ Reset all filters <button>  used <fa-refresh>

Date last refreshed 11/20/2017

For delivery dates 11/08/2017 to 11/16/2017

- ☐ Included last update/refreshed date 497,824,334 selected out of 497,824,334   

- ☐ Select menu (or dropdown) is used when a number of options is greater than 4 (with some exceptions*) and fewer than 15**.

* In filters with a parent-child relationship (when a number of options in one filter determined by a selection made in another filter).

** If more than 15 options, use a text field with autocomplete suggestions.”