

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715112612

अनुबंध तिथि | Generated Date : 19-Sep-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	Professor			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Agriculture Education and Research Department Uttar Pradesh	ईमेल आईडी Email ID :	deepak.sisodiasvp@gov.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	Meerut	पता Address :	Modipuram, Roorkee Road, NH 58, MEERUT, UTTAR PRADESH-250110, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	vice-chancellor	भुगतान का तरीका Payment Mode:	Internet Banking			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	vice-chancellor	पद Designation :	Comptroller			
		ईमेल आईडी Email ID :	fcsvp.me-up@gov.in			
		जीएसटीआईएन GSTIN :	N			
		पता Address:	Modipuram, Roorkee Road, NH 58, MEERUT, UTTAR PRADESH-250110, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA543 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	24,100	NA	24,100
कुल ऑर्डर मूल्य Total Order Value (in INR)						24,100
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Officer Incharge, Store ईमेल आईडी Email ID : storesvp.me-up@gov.in संपर्क Contact : 0121-2888502-	khosla scientific				

1	जीएसटीआईएन GSTIN : 09AAAGSD405G1ZL पता Address : Sardar Vallabhbhai Patel University of Agriculture and Technology, Modipuram, Roorkee Road, Meerut., MEERUT, UTTAR PRADESH-250110, India	instruments (KSI) Vertical Autoclave	-	1	19-Sep-2025	04-Oct-2025
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	Brass				
	Sterilizer chamber capacity (usable volume) (Litres)	20 to 30				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Outer wall				
	Sterilizer chamber material	Outer wall made of mild steel, inside & lid with SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Swing nut				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Neoprene Rubber Gasket				
	Controller type	PID temperature controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	NA				
	Manual Water Filling & Removal	NA				
	Unit having a heater fitted at the bottom and with capacity	NA				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/604				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year				

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687720251921

अनुबंध तिथि | Generated Date : 29-Jan-2026

संगठन विवरण Organisation Details प्ररूप Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Agriculture Department Maharashtra संगठन का नाम Organisation Name : Mahatma Phule Krishi College of Agriculture Pune कार्यालय क्षेत्र Office Zone: Comptroller MPKV Rahuri		खरीदार विवरण Buyer Details पद Designation : PROGRAMME COORDINATOR संपर्क नंबर Contact No. : 02189-233001- ईमेल आईडी Email ID : kvkmohol.mpkv@gov.in जीएसटीआईएन GSTIN : 27PNEK10498F1DL पता Address : PUNE ROAD, NEAR BHARAT PETROLEUM, MOHOL, Solapur, MAHARASHTRA-413213, India				
वित्तीय स्वीकृति विवरण Financial Approval Detail आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Vice Chancellor, MPKV, Rahuri वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Vice Chancellor, MPKV, Rahuri		भुगतान प्राधिकरण विवरण Paying Authority Details Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Pay and Accounts Officer ईमेल आईडी Email ID : paopune.mpkv@gov.in जीएसटीआईएन GSTIN : - पता Address: University Road, Shivajinagar, Pune, MAHARASHTRA-411005, India				
विक्रेता विवरण Seller Details जेम विक्रेता आईडी GeM Seller ID : 9251180000408248 कंपनी का नाम Company Name : KHOSLA SCIENTIFIC INSTRUMENTS संपर्क नंबर Contact No. : 09811028260 ईमेल आईडी Email ID : khoslascientificinstrument25@gmail.com पता Address : C-39, SWAMI DAYANAND COLONY , sarai rohilla, khosla scientific instruments, c-39, swami dayanand colony , sarai rohilla , delhi, NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-04-0012831 जीएसटीआईएन GSTIN: 07BCGPK6172A1ZV (B) , (R) , (M) , (M)						
एमएसई सामाजिक श्रेणी MSE Social Category : General		एमएसई लिंग श्रेणी MSE Gender : Male				
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : Give delivery on time.						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA6513 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	45,600	NA	45,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						45,600
प्रेषिती विवरण Consignee Detail						
					दिनांक के बाद	वितरण पूरा कब तक करना है।

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	डिलीवरी शुरू करना है Delivery Start After	Delivery To Be Completed By
1	पद Designation : PROGRAMME COORDINATOR ईमेल आईडी Email ID : kvkmohol.mpkv@gov.in संपर्क Contact : 02189-233001- जीएसटीआईएन GSTIN : 27PNEK10498F1DL पता Address : PUNE ROAD, NEAR BHARAT PETROLEUM, MOHOL, Solapur, MAHARASHTRA-413213, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	29-Jan-2026	13-Feb-2026
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	20 to 30				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Outer wall				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Hinged door				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Digital timer controller with END cycle buzzer				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/64				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				

	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. Special terms and conditions- Version:1 effective from 16-01-2025		
1.1	1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard. 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc. 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them. 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any. 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions. 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period. 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies. 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them. 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details. 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied. 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable. 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call. 13. Software: All software updates should be provided free of cost during warranty period.	
2. General Terms and Conditions-		
2.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.		
Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.		

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687725495826

अनुबंध तिथि | Generated Date : 19-Dec-2025

संगठन विवरण Organisation Details प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Agriculture Development and Farmers Welfare Department संगठन का नाम Organisation Name : Kerala Agricultural University कार्यालय क्षेत्र Office Zone: Headquarters		खरीदार विवरण Buyer Details पद Designation : COAPADBUYER संपर्क नंबर Contact No. : 0467-2280616- ईमेल आईडी Email ID : buycon1.cap.kl@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Padannakkad (P.O), Kasaragod Dt. Kerala 0467-2280616, 0467-2282699, Kasargod, KERALA-671314, India																						
वित्तीय स्वीकृति विवरण Financial Approval Detail आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Dean, College of Agriculture, Padannakkad वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Dean, College of Agriculture, Padannakkad		भुगतान प्राधिकरण विवरण Paying Authority Details Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : COAPAD ईमेल आईडी Email ID : pay12.kau.kl@gembuyer.in जीएसटीआईएन GSTIN : 32AAAGC0092B2ZA पता Address: Padannakkad (P.O), Kasaragod Dt. Kerala 0467-2280616, 0467-2282699, Kasargod, KERALA-671314, India																						
विक्रेता विवरण Seller Details जेम विक्रेता आईडी GeM Seller ID : 9251180000408248 कंपनी का नाम Company Name : KHOSLA SCIENTIFIC INSTRUMENTS संपर्क नंबर Contact No. : 09811028260 ईमेल आईडी Email ID : khoslascientificinstrument25@gmail.com पता Address : C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-04-0012831 जीएसटीआईएन GSTIN: 07BCGPK6172A1ZV (B) , (R) , (M) , (M) एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male																								
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee																								
वितरण निर्देश Delivery Instructions : NA																								
उत्पाद विवरण Product Details <table border="1"> <thead> <tr> <th>#</th> <th>आइटम विवरण Item Description</th> <th>आइटम विवरण Ordered Quantity</th> <th>इकाई Unit</th> <th>इकाई मूल्य (INR) Unit Price (INR)</th> <th>कर विभाजन (INR) Tax Bifurcation (INR)</th> <th>मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td> उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA45L एचएसएन कोड HSN Code: 8419 </td> <td>1</td> <td>pieces</td> <td>99,995</td> <td>NA</td> <td>99,995</td> </tr> <tr> <td colspan="6">कुल ऑर्डर मूल्य Total Order Value (in INR)</td> <td>99,995</td> </tr> </tbody> </table>				#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)	1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA45L एचएसएन कोड HSN Code: 8419	1	pieces	99,995	NA	99,995	कुल ऑर्डर मूल्य Total Order Value (in INR)						99,995
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)																		
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA45L एचएसएन कोड HSN Code: 8419	1	pieces	99,995	NA	99,995																		
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,995																		
परेषिती विवरण Consignee Detail <table border="1"> <thead> <tr> <th>क्र.सं. S.No</th> <th>परेषिती Consignee</th> <th>वस्तु Item</th> <th>लॉट नंबर Lot No.</th> <th>मात्रा Quantity</th> <th>दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After</th> <th>वितरण पूरा कब तक करना है Delivery To Be Completed By</th> </tr> </thead> <tbody> <tr> <td></td> <td> पद Designation : COAPADBUYER ईमेल आईडी Email ID : buycon1.cap.kl@gembuyer.in </td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By		पद Designation : COAPADBUYER ईमेल आईडी Email ID : buycon1.cap.kl@gembuyer.in												
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By																		
	पद Designation : COAPADBUYER ईमेल आईडी Email ID : buycon1.cap.kl@gembuyer.in																							

1	संपर्क Contact : 0467-2280616- जीएसटीआईएन GSTIN : - पता Address : Padannakkad (P.O), Kasaragod Dt. Kerala 0467-2280616, 0467-2282699, Kasargod, KERALA-671314, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	19-Dec-2025	03-Jan-2026
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	41 to 50				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Hinged door				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Automatic				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Microprocessor PID Controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/64				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year				

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687726008211

अनुबंध तिथि | Generated Date : 04-Feb-2026

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Autonomous	पद Designation :	UDC			
मंत्रालय Ministry :	Ministry of Education	संपर्क नंबर Contact No. :	01672-253533-			
विभाग Department :	Department of Higher Education	ईमेल आईडी Email ID :	buyer1.sliets.pb@gembuyer.in			
संगठन का नाम Organisation Name :	Sant Longowal Institute of Engineering and Technology (SLIET)	जीएसटीआईएन GSTIN :	03AAAAL6685R1ZZ			
कार्यालय क्षेत्र Office Zone:	Punjab	पता Address :	Sant Longowal Institute of Engineering & Technology, Longowal, SANGRUR, PUNJAB-148106, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Director	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Director	पद Designation :	Junior Accountant			
		ईमेल आईडी Email ID :	pao1.sliet.sag@gembuyer.in			
		जीएसटीआईएन GSTIN :	N			
			Sant Longowal Institute of Engineering & Technology, Longowal, SANGRUR, PUNJAB-148106, India			
		पता Address:	Longowal, SANGRUR, PUNJAB-148106, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions :						
As per terms & conditions of contract. Mobile No. of consignee is 9417491328						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA543 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	24,100	NA	24,100
कुल ऑर्डर मूल्य Total Order Value (in INR)						24,100
परेषिती विवरण Consignee Detail						

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Accountant Central Store ईमेल आईडी Email ID : con2.sliet.sag@gembuyer.in संपर्क Contact : 01672-253536- जीएसटीआईएन GSTIN : 03AAAL6685R1ZZ पता Address : Sant Longowal Institute of Engineering & Technology, Longowal, SANGRUR, PUNJAB-148106, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	04-Feb-2026	19-Feb-2026
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	Brass				
	Sterilizer chamber capacity (usable volume) (Litres)	20 to 30				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Outer wall				
	Sterilizer chamber material	Outer wall made of mild steel, inside & lid with SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Swing nut				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Neoprene Rubber Gasket				
	Controller type	PID temperature controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	NA				
	Manual Water Filling & Removal	NA				
	Unit having a heater fitted at the bottom and with capacity	NA				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/604				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the					

	buyer at the time of bid submission or along with supplies as per buyer requirement	Yes
	Electrical Safety standards	IEC-60601 or equivalent BIS
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687736794513

अनुबंध तिथि | Generated Date : 24-Sep-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Autonomous	पद Designation :	Assistant Administrative officer			
मंत्रालय Ministry :	Ministry of Agriculture and Farmers Welfare	संपर्क नंबर Contact No. :	-			
विभाग Department :	Department of Agricultural Research and Education (DARE)	ईमेल आईडी Email ID :	sanjoo.verma-icar@nic.in			
संगठन का नाम Organisation Name :	Indian Council of Agricultural Research (ICAR)	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	National Bureau Of Plant Gentic Resources, New Delhi	पता Address :	ICAR-NBPGR, Pusa Campus, New Delhi -110012, CENTRAL DELHI, DELHI-110012, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Director, icar-nbpgr	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Director, icar-nbpgr	पद Designation :	Finance and accounts officer			
		ईमेल आईडी Email ID :	prateek.gaur@nic.in			
		जीएसटीआईएन GSTIN :	07AAAAI1830P3ZJ			
		पता Address:	ICAR-NBPGR, Pusa Campus, New Delhi -110012, CENTRAL DELHI, DELHI-110012, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: `KSI VA764 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	99,500	NA	99,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,500
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Kush Kumar Bhargava ईमेल आईडी Email ID : con181.icari.dl@gembuyer.in संपर्क Contact : 011-25802823-823	khosla scientific				

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687745253291

अनुबंध तिथि | Generated Date : 02-Feb-2026

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	Assistant Professor			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Higher Education Department Haryana	ईमेल आईडी Email ID :	buyer56.gc.jind@gembuyer.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	N			
कार्यालय क्षेत्र Office Zone:	Principal Gc Jind	पता Address :	Govt. College, Jind, JIND, HARYANA-126102, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	Principal Govt.College,Jind	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	Principal Govt.College,Jind	पद Designation :	Bursar			
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao56.gc.jind@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Govt. College, Jind, JIND, HARYANA-126102, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA543 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	24,100	NA	24,100
कुल ऑर्डर मूल्य Total Order Value (in INR)						24,100
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Assistant Professor Consignee ईमेल आईडी Email ID : consignee56.gc.jind@gembuyer.in संपर्क Contact : 01681-249581- जीएसटीआईएन GSTIN : -	khosla scientific instruments (KSI)	-	1	02-Feb-2026	17-Feb-2026

पता Address : Govt. College, Jind, JIND, HARYANA-126102, India		Vertical Autoclave					
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave							
विनिर्देश Specification		उप-विनिर्देश Sub-Spec			मूल्य Value		
GENERAL FEATURES		Product Name			Vertical Autoclave		
		Purpose			Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.		
PRODUCT INFORMATION		All piping material			Brass		
		Sterilizer chamber capacity (usable volume) (Litres)			20 to 30		
		Sterilizer Chamber Type			Cylindrical		
		Wall type			Outer wall		
		Sterilizer chamber material			Outer wall made of mild steel, inside & lid with SS 304 / SS 316 / SS 316 L		
		Working Pressure of Chamber (PSI)			15 to 20		
		Type of Sterilizer Chamber Door			Swing nut		
		Sterilizer Chamber door material			SS 304 / SS 316 / SS 316 L		
		Sterilizer Chamber door locking facility			Yes		
		Sterilizer Chamber door operation			Manual		
		Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi			By Neoprene Rubber Gasket		
		Controller type			PID temperature controller		
		Digital pressure display			LCD / LED/ TFT		
		Minimum Display Size (Inches)			5 Inches or more		
		Temperature sensor range (degree celcius)			100 to 300		
		Audio - visual Alarm facility available for notifying			Low water alarm system as well as steam release valves and safety valves		
		Working temperature (degree celsius)			121 to 135		
		Working pressure (PSI)			15 to 32		
		Power supply			220- 440, three phase/ single phase, 50 - 60 Hz		
		Print records facility			Yes		
		Water level indicator			Yes		
		Water inlet & outlet			Yes		
		Automatic pressure control switch			NA		
Manual Water Filling & Removal			NA				
Unit having a heater fitted at the bottom and with capacity			NA				
CERTIFICATIONS		Compliance to Medical Device Rules (MDR) 2017 as amended till date			Yes		
		Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date			Yes		
		Valid Medical Device License Number			RMD/DCD/25/ZO-5945/604		
		Certification for manufacturing unit			ISO:13485 (Latest)		
		Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date			Yes		
		Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement			Yes		
		Electrical Safety standards			IEC-60601 or equivalent BIS		
		Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)			Yes		
WARRANTY		Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)			1 year		
ईपीबीजी विवरण ePBG Detail							

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687757754539

अनुबंध तिथि | Generated Date : 22-Aug-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	senior clerk			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	04935-240264-			
विभाग Department :	Health and Family Welfare Department Kerala	ईमेल आईडी Email ID :	scdhmtdy.hlth@kerala.gov.in			
संगठन का नाम Organisation Name :	Directorate of Health Services	जीएसटीआईएन GSTIN :	32AAAGD2369G1ZS			
कार्यालय क्षेत्र Office Zone:	MANANTHAVADY WAYANAD	पता Address :	Mananthavady, Wayanad, KERALA-670645, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	THE SUPERINTENDENT, DISTRICT HOSPITAL MANANTHA VADY, WAYANAD, KERALA	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	THE SUPERINTENDENT, DISTRICT HOSPITAL MANANTHA VADY, WAYANAD, KERALA	पद Designation :	LAY SECRETARY AND TREASURER			
		ईमेल आईडी Email ID :	lstdhmtdy.hlth@kerala.gov.in			
		जीएसटीआईएन GSTIN :	32AAAGD2369G1ZS			
		पता Address:	Mananthavady, Wayanad, KERALA-670645, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: `KSI VA764 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	99,500	NA	99,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,500
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : senior clerk ईमेल आईडी Email ID : scdhmtdy.hlth@kerala.gov.in संपर्क Contact : 04935-240264- जीएसटीआईएन GSTIN : 32AAAGD2369G1ZS	khosla scientific instruments (KSI)	-	1	22-Aug-2025	06-Sep-2025

	पता Address : Mananthavady, Wayanad, KERALA-670645, India	Vertical Autoclave				
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value			
GENERAL FEATURES	Product Name		Vertical Autoclave			
	Purpose		Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.			
PRODUCT INFORMATION	All piping material		SS 304 / SS 316 / SS 316 L			
	Sterilizer chamber capacity (usable volume) (Litres)		81 to 100			
	Sterilizer Chamber Type		Cylindrical			
	Wall type		Double walled			
	Sterilizer chamber material		Double walled made of SS 304 / SS 316 / SS 316 L			
	Working Pressure of Chamber (PSI)		15 to 20			
	Type of Sterilizer Chamber Door		Radial locking			
	Sterilizer Chamber door material		SS 304 / SS 316 / SS 316 L			
	Sterilizer Chamber door locking facility		Yes			
	Sterilizer Chamber door operation		Manual			
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi		By Elastomeric Rubber Gasket			
	Controller type		Microprocessor PID Controller			
	Digital pressure display		LCD / LED/ TFT			
	Minimum Display Size (Inches)		5 Inches or more			
	Temperature sensor range (degree celcius)		100 to 300			
	Audio - visual Alarm facility available for notifying		Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry			
	Working temperature (degree celsius)		121 to 135			
	Working pressure (PSI)		15 to 32			
	Power supply		220- 440, three phase/ single phase, 50 - 60 Hz			
	Print records facility		Yes			
	Water level indicator		Yes			
	Water inlet & outlet		Yes			
	Automatic pressure control switch		Yes			
	Manual Water Filling & Removal		Yes			
	Unit having a heater fitted at the bottom and with capacity		≥ 6 KW			
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date		Yes			
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date		Yes			
	Valid Medical Device License Number		RMD/DCD/25/ZO-5945/64			
	Certification for manufacturing unit		ISO:13485 (Latest)			
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date		Yes			
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement		Yes			
	Electrical Safety standards		IEC-60601 or equivalent BIS			
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)		Yes			
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)		3 year			
ईपीबीजी विवरण ePBG Detail						

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687759216430

अनुबंध तिथि | Generated Date : 21-Jan-2026

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Autonomous	पद Designation :	Incharge Purchase			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	095-36862427-			
विभाग Department :	Technical Education Department Uttar Pradesh	ईमेल आईडी Email ID :	purchase@ietlucknow.ac.in			
संगठन का नाम Organisation Name :	Institute of Engineering and Technology Lucknow	जीएसटीआईएन GSTIN :	09AAABI0153L1ZP			
कार्यालय क्षेत्र Office Zone:	Lucknow	पता Address :	Institute of Engineering and Technology Sitapur Road, LUCKNOW, UTTAR PRADESH-226021, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	Director	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	Director	पद Designation :	Director			
Designation of Financial Approval :		ईमेल आईडी Email ID :	pay3.tedup.up@gembuyer.in			
		जीएसटीआईएन GSTIN :	09AAABI0153L1ZP			
		पता Address:	Institute of Engineering and Technology Sitapur Road, LUCKNOW, UTTAR PRADESH-226021, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA6513 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	45,600	NA	45,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						45,600
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Junior Assistant ईमेल आईडी Email ID : store@ietlucknow.ac.in संपर्क Contact : 868-7253319- जीएसटीआईएन GSTIN : 09AAABI0153L1ZP	khosla scientific instruments (KSI)	-	1	21-Jan-2026	05-Feb-2026

	पता Address : Institute of Engineering and Technology Sitapur Road, LUCKNOW, UTTAR PRADESH-226021, India	Vertical Autoclave				
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	20 to 30				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Outer wall				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Hinged door				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Digital timer controller with END cycle buzzer				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/64				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year				
ईपीबीजी विवरण ePBG Detail						

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 - Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software:** All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687764956197

अनुबंध तिथि | Generated Date : 19-Aug-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Autonomous	पद Designation :	Sr Tech Asstt			
मंत्रालय Ministry :	Ministry of Education	संपर्क नंबर Contact No. :	011-26704765-4765			
विभाग Department :	Department of Higher Education	ईमेल आईडी Email ID :	bsbahal.jnu@nic.in			
संगठन का नाम Organisation Name :	Jawaharlal Nehru University (JNU)	जीएसटीआईएन GSTIN :	07AAATJ9608H1ZI			
कार्यालय क्षेत्र Office Zone:	South West Delhi	पता Address :	University Health Centre, Jawaharlal Nehru University, New Delhi, SOUTH WEST DELHI, DELHI-110067, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Vice Chancellor	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Vice Chancellor	पद Designation :	Section Officer Cash Section JNU			
		ईमेल आईडी Email ID :	ashutosh@mail.jnu.ac.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Finance Branch, Administration Building, JNU New Campus, New Delhi, SOUTH WEST DELHI, DELHI-110067, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : following specifications compulsorily required in the product:- Sterilizer chamber capacity (usable volume) (Litres) - 51 to 60 Sterilizer chamber material Double walled - SS 304 / SS 316 / SS 316 L Type of Sterilizer Chamber Door - Radial locking Door sealing suitable to withstand temperature up to 140 degree celcius and pressure up to 20-30 psi By - Silicon Rubber Gasket Warranty in years - 5 year Working temperature (degree celsius) - 121 to 135 Working pressure (PSI) - 15 to 32						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA55 एचएसएन कोड HSN Code: 8419	1	pieces	79,990	NA	79,990
कुल ऑर्डर मूल्य Total Order Value (in INR)						79,990
परेषिती विवरण Consignee Detail						
					दिनांक के बाद डिलीवरी शुरू	वितरण पूरा कब तक करना है।

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	करना है Delivery Start After	Delivery To Be Completed By
1	पद Designation : Sr Tech Asstt ईमेल आईडी Email ID : bsbahal.jnu@nic.in संपर्क Contact : 011-26704765-4765 जीएसटीआईएन GSTIN : 07AAATJ9608H1ZI पता Address : University Health Centre, Jawaharlal Nehru University, New Delhi, SOUTH WEST DELHI, DELHI-110067, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	19-Aug-2025	03-Sep-2025
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	51 to 60				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Radial locking				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Microprocessor PID Controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/64				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				

	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5 year

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687772082384

अनुबंध तिथि | Generated Date : 06-Nov-2025

संगठन विवरण | Organisation Details

प्ररूप | Type : Central PSU
मंत्रालय | Ministry : Ministry of Power
विभाग | Department : NA
संगठन का नाम | Organisation Name : NHPC Limited
कार्यालय क्षेत्र | Office Zone : Chamera III Power Station

खरीदार विवरण | Buyer Details

पद | Designation : CMO
संपर्क नंबर | Contact No. : -
ईमेल आईडी | Email ID : buycon142.nl.hp@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : NHPC LIMITED, CHAMERA-III POWER STATION, OFFICE COMPLEX, KARIAN, PO HARDASPURA-SO, DISTT. CHAMBA, H.P.,
Chamba, HIMACHAL PRADESH-176310, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : GM
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : DGM

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: NHPC
पद | Designation : DGMFIN
ईमेल आईडी | Email ID : pao48.nl.hp@gembuyer.in
जीएसटीआईएन | GSTIN : 02AAACN0149C1ZB
पता | Address : NHPC Ltd., CHAMERA-III POWER STATION, OFFICE COMPLEX, KARIAN, PO HARDASPURA-SO, DISTT. CHAMBA, H.P.,
Chamba, HIMACHAL PRADESH-176310, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 9251180000408248
कंपनी का नाम | Company Name : KHOSLA SCIENTIFIC INSTRUMENTS
संपर्क नंबर | Contact No. : 09811028260
ईमेल आईडी | Email ID : khoslascientificinstrument25@gmail.com
पता | Address : C-39, SWAMI DAYANAND COLONY , sarai rohilla, khosla scientific instruments, c-39, swami dayanand colony , sarai rohilla , delhi, NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-DL-04-0012831
जीएसटीआईएन | GSTIN : 07BCGPK6172A1ZV (B) , (R) , (M) , (M)
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR) में सभी शुल्क और कर सहित Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA653 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	99,450	NA	99,450
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,450

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SMENC					

1	ईमेल आईडी Email ID : con144.nl.hp@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : NHPC Ltd., CHAMERA-III POWER STATION, OFFICE COMPLEX, KARIAN, PO HARDASPURA-SO, DISTT. CHAMBA, H.P., Chamba, HIMACHAL PRADESH-176310, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	06-Nov-2025	21-Nov-2025
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	41 to 50				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Radial locking				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Automatic				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Microprocessor PID Controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celcius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/604				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5 year				

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.


2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.



अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-51168777709446

अनुबंध तिथि | Generated Date : 18-Dec-2025

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Education
विभाग | Department : Department of Higher Education
संगठन का नाम | Organisation Name : Indian Institute of Technology (IIT)
कार्यालय क्षेत्र | Office Zone : North Zone Roorkee

खरीदार विवरण | Buyer Details

पद | Designation : SENIOR STAFF NURSE PSD
संपर्क नंबर | Contact No. : 01332-286086-6086
ईमेल आईडी | Email ID : buycon3222.iiti.ua@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : INSTITUTE HOSPITAL, INDIAN INSTITUTE OF TECHNOLOGY
ROORKEE, ROORKEE,
HARIDWAR, UTTARAKHAND-247667, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Dean F&P
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Finance Officer

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : FINANCE OFFICER
ईमेल आईडी | Email ID : pao1.iit.rk@gembuyer.in
जीएसटीआईएन | GSTIN : N
पता | Address: FINANCE AND ACCOUNTS OFFICE, INDIAN INSTITUTE OF
TECHNOLOGY ROORKEE, ROORKEE,
HARIDWAR, UTTARAKHAND-247667, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 9251180000408248
कंपनी का नाम | Company Name : KHOSLA SCIENTIFIC INSTRUMENTS
संपर्क नंबर | Contact No. : 09811028260
ईमेल आईडी | Email ID : khoslascientificinstrument25@gmail.com
पता | Address : C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla ,
delhi,NEAR POLICE STATION, SARAI ROHILLA,
Delhi, DELHI-110007, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-DL-04-0012831
जीएसटीआईएन | GSTIN: 07BCGPK6172A1ZV (B), (R), (M), (M)
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA653 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	99,450	NA	99,450
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,450

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SENIOR STAFF NURSE PSD ईमेल आईडी Email ID : buycon3222.iiti.ua@gembuyer.in					

1	संपर्क Contact : 01332-286086-6086 जीएसटीआईएन GSTIN : - पता Address : INSTITUTE HOSPITAL, INDIAN INSTITUTE OF TECHNOLOGY ROORKEE, ROORKEE, HARIDWAR, UTTARAKHAND-247667, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	18-Dec-2025	02-Jan-2026
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	41 to 50				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Radial locking				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Automatic				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Microprocessor PID Controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/604				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5 year				

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687778789741

अनुबंध तिथि | Generated Date : 12-Nov-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Autonomous	पद Designation :	Rohit Ashish Nag			
मंत्रालय Ministry :	Ministry of Labour and Employment	संपर्क नंबर Contact No. :	06540-276224-			
विभाग Department :	NA	ईमेल आईडी Email ID :	dr.rohit.nag2@esic.nic.in			
संगठन का नाम Organisation Name :	Employees State Insurance Corporation (ESIC)	जीएसटीआईएन GSTIN :	20RCHE00945A1DD			
कार्यालय क्षेत्र Office Zone:	ESIC MAITHAN JHARKHAND	पता Address :	ESIC Hospital, Main gate, Maithan, Dhanbad, JHARKHAND-828207, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	Medical Superintendent	भुगतान का तरीका	Internet Banking			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	Assistant Director Finance	पद Designation :	ADF			
Designation of Financial Approval :		ईमेल आईडी Email ID :	anil.kumar92@esic.nic.in			
		जीएसटीआईएन GSTIN :	20RCHE00945A1DD			
		पता Address:	ESIC Hospital, Main gate, Maithan, Dhanbad, JHARKHAND-828207, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
पता Address :	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA55 एचएसएन कोड HSN Code: 8419	1	pieces	79,990	NA	79,990
कुल ऑर्डर मूल्य Total Order Value (in INR)						79,990
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Senior Pharmacist ईमेल आईडी Email ID : suraj.singh4@esic.nic.in संपर्क Contact : -9589307983- जीएसटीआईएन GSTIN : -	khosla scientific instruments (KSI)	-	1	12-Nov-2025	27-Nov-2025

	पता Address : ESIC Hospital, Main gate, Maithan, Dhanbad, JHARKHAND-828207, India	Vertical Autoclave			
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave					
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value		
GENERAL FEATURES	Product Name		Vertical Autoclave		
	Purpose		Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.		
PRODUCT INFORMATION	All piping material		SS 304 / SS 316 / SS 316 L		
	Sterilizer chamber capacity (usable volume) (Litres)		51 to 60		
	Sterilizer Chamber Type		Cylindrical		
	Wall type		Double walled		
	Sterilizer chamber material		Double walled made of SS 304 / SS 316 / SS 316 L		
	Working Pressure of Chamber (PSI)		15 to 20		
	Type of Sterilizer Chamber Door		Radial locking		
	Sterilizer Chamber door material		SS 304 / SS 316 / SS 316 L		
	Sterilizer Chamber door locking facility		Yes		
	Sterilizer Chamber door operation		Manual		
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi		By Silicon Rubber Gasket		
	Controller type		Microprocessor PID Controller		
	Digital pressure display		LCD / LED/ TFT		
	Minimum Display Size (Inches)		5 Inches or more		
	Temperature sensor range (degree celcius)		100 to 300		
	Audio - visual Alarm facility available for notifying		Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry		
	Working temperature (degree celsius)		121 to 135		
	Working pressure (PSI)		15 to 32		
	Power supply		220- 440, three phase/ single phase, 50 - 60 Hz		
	Print records facility		Yes		
	Water level indicator		Yes		
	Water inlet & outlet		Yes		
	Automatic pressure control switch		Yes		
	Manual Water Filling & Removal		Yes		
	Unit having a heater fitted at the bottom and with capacity		≥ 3 KW		
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date		Yes		
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date		Yes		
	Valid Medical Device License Number		RMD/DCD/25/ZO-5945/64		
	Certification for manufacturing unit		ISO:13485 (Latest)		
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date		Yes		
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement		Yes		
	Electrical Safety standards		IEC-60601 or equivalent BIS		
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)		Yes		
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)		5 year		
ईपीबीजी विवरण ePBG Detail					

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 - Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software:** All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

 GeM
Government
e Marketplace
Efficient • Transparent • Inclusive

 75
Azadi Ka
Amrit Mahotsav

अनुबंध तिथि| Generated Date : 31-Oct-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central PSU	पद Designation :	AMO			
मंत्रालय Ministry :	Ministry of Power	संपर्क नंबर Contact No. :	-			
विभाग Department :	NA	ईमेल आईडी Email ID :	buycon1238.nl.jh@gembuyer.in			
संगठन का नाम Organisation Name :	NTPC Limited	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	NKSTPP TANDWA		NTPC Limited North Karanpura Super Thermal Power Project			
		पता Address :	P.O. Tandwa, Chatra, JHARKHAND-825321, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम	AGM	भुगतान का तरीका	NTPC			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	DGM	पद Designation :	AMO			
Designation of Financial Approval :		ईमेल आईडी Email ID :	buycon1238.nl.jh@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
			NTPC Limited North Karanpura Super Thermal Power Project			
		पता Address:	P.O. Tandwa, Chatra, JHARKHAND-825321, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	9251180000408248					
कंपनी का नाम Company Name :	KHOSLA SCIENTIFIC INSTRUMENTS					
संपर्क नंबर Contact No. :	09811028260					
ईमेल आईडी Email ID :	khoslascientificinstrument25@gmail.com					
	C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla ,					
पता Address :	delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-04-0012831					
जीएसटीआईएन GSTIN:	07BCGPK6172A1ZV (B) , (R) , (M) , (M)					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions :						
NTPC GSTIN NO 20AAACN0255D2ZB						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA576 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	72,500	NA	72,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						72,500
परेषिती विवरण Consignee Detail						

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : AMO ईमेल आईडी Email ID : buycon1238.nl.jh@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : NTPC Limited North Karanpura Super Thermal Power Project P.O. Tandwa, Chatra, JHARKHAND-825321, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	31-Oct-2025	15-Nov-2025
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	31 to 40				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Radial locking				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Automatic				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Silicon Rubber Gasket				
	Controller type	Digital timer controller with END cycle buzzer				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celcius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	NA				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 3 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/64				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer	Yes				

	requirement	
	Electrical Safety standards	IEC-60601 or equivalent BIS
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687790505466

अनुबंध तिथि | Generated Date : 19-Nov-2025

संगठन विवरण Organisation Details प्ररूप Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Animal & Fish Resources Department Bihar संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone: Bihar Animal Sciences University		खरीदार विवरण Buyer Details पद Designation : Procurement Officer संपर्क नंबर Contact No. : 0612-222231- ईमेल आईडी Email ID : po-basu-bih@gov.in जीएसटीआईएन GSTIN : 10PTNB05399C1DV BIHAR ANIMAL SCIENCES UNIVERSITY, Bihar Veterinary पता Address : College Campus, PO- BV College, Patna - 800014, PATNA, BIHAR-800014, India																						
वित्तीय स्वीकृति विवरण Financial Approval Detail आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Director Research वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Director Research		भुगतान प्राधिकरण विवरण Paying Authority Details Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : Procurement Officer ईमेल आईडी Email ID : po-basu-bih@gov.in जीएसटीआईएन GSTIN : 10PTNB05399C1DV BIHAR ANIMAL SCIENCES UNIVERSITY, Bihar Veterinary पता Address: College Campus, PO- BV College, Patna - 800014, PATNA, BIHAR-800014, India																						
विक्रेता विवरण Seller Details जेम विक्रेता आईडी GeM Seller ID : 9251180000408248 कंपनी का नाम Company Name : KHOSLA SCIENTIFIC INSTRUMENTS संपर्क नंबर Contact No. : 09811028260 ईमेल आईडी Email ID : khoslascientificinstrument25@gmail.com C-39, SWAMI DAYANAND COLONY , sarai rohilla,khosla scientific instruments,c-39, swami dayanand colony , sarai rohilla , delhi,NEAR POLICE STATION, SARAI ROHILLA, Delhi, DELHI-110007, - पता Address : UDYAM-DL-04-0012831 जीएसटीआईएन GSTIN: 07BCGPK6172A1ZV (B) , (R) , (M) , (M) एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male																								
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer																								
वितरण निर्देश Delivery Instructions : NA																								
उत्पाद विवरण Product Details <table border="1"> <thead> <tr> <th>#</th> <th>आइटम विवरण Item Description</th> <th>आइटम विवरण Ordered Quantity</th> <th>इकाई Unit</th> <th>इकाई मूल्य (INR) Unit Price (INR)</th> <th>कर विभाजन (INR) Tax Bifurcation (INR)</th> <th>मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td> उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA5533 एचएसएन कोड HSN Code: HSN not specified by seller </td> <td>1</td> <td>pieces</td> <td>89,570</td> <td>NA</td> <td>89,570</td> </tr> <tr> <td colspan="6">कुल ऑर्डर मूल्य Total Order Value (in INR)</td> <td>89,570</td> </tr> </tbody> </table>				#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)	1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA5533 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	89,570	NA	89,570	कुल ऑर्डर मूल्य Total Order Value (in INR)						89,570
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)																		
1	उत्पाद का नाम Product Name : khosla scientific instruments (KSI) Vertical Autoclave ब्रांड Brand : khosla scientific instruments (KSI) ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Vertical Autoclave (Q2) मॉडल Model: KSI VA5533 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	89,570	NA	89,570																		
कुल ऑर्डर मूल्य Total Order Value (in INR)						89,570																		
परेषिती विवरण Consignee Detail <table border="1"> <thead> <tr> <th>क्र.सं. S.No</th> <th>परेषिती Consignee</th> <th>वस्तु Item</th> <th>लॉट नंबर Lot No.</th> <th>मात्रा Quantity</th> <th>दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After</th> <th>वितरण पूरा कब तक करना है Delivery To Be Completed By</th> </tr> </thead> <tbody> <tr> <td></td> <td> पद Designation : Procurement Officer ईमेल आईडी Email ID : po-basu-bih@gov.in </td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By		पद Designation : Procurement Officer ईमेल आईडी Email ID : po-basu-bih@gov.in												
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By																		
	पद Designation : Procurement Officer ईमेल आईडी Email ID : po-basu-bih@gov.in																							

1	संपर्क Contact : 0612-222231- जीएसटीआईएन GSTIN : 10PTNB05399C1DV पता Address : BIHAR ANIMAL SCIENCES UNIVERSITY, Bihar Veterinary College Campus, PO- BV College, Patna - 800014, PATNA, BIHAR-800014, India	khosla scientific instruments (KSI) Vertical Autoclave	-	1	19-Nov-2025	04-Dec-2025
Product Specification for khosla scientific instruments (KSI) Vertical Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product Name	Vertical Autoclave				
	Purpose	Vertical Autoclave is used for sterilization / disinfection / pre-treatment of medical, laboratory, research and surgical tools from all forms of pathogens, biological organic matter.				
PRODUCT INFORMATION	All piping material	SS 304 / SS 316 / SS 316 L				
	Sterilizer chamber capacity (usable volume) (Litres)	31 to 40				
	Sterilizer Chamber Type	Cylindrical				
	Wall type	Double walled				
	Sterilizer chamber material	Double walled made of SS 304 / SS 316 / SS 316 L				
	Working Pressure of Chamber (PSI)	15 to 20				
	Type of Sterilizer Chamber Door	Radial locking				
	Sterilizer Chamber door material	SS 304 / SS 316 / SS 316 L				
	Sterilizer Chamber door locking facility	Yes				
	Sterilizer Chamber door operation	Manual				
	Door sealing suitable to withstand temperature upto 140 degree celcius & pressure upto 20-30 psi	By Elastomeric Rubber Gasket				
	Controller type	Microprocessor PID Controller				
	Digital pressure display	LCD / LED/ TFT				
	Minimum Display Size (Inches)	5 Inches or more				
	Temperature sensor range (degree celcius)	100 to 300				
	Audio - visual Alarm facility available for notifying	Low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry				
	Working temperature (degree celsius)	121 to 135				
	Working pressure (PSI)	15 to 32				
	Power supply	220- 440, three phase/ single phase, 50 - 60 Hz				
	Print records facility	Yes				
	Water level indicator	Yes				
	Water inlet & outlet	Yes				
	Automatic pressure control switch	Yes				
	Manual Water Filling & Removal	Yes				
	Unit having a heater fitted at the bottom and with capacity	≥ 6 KW				
CERTIFICATIONS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes				
	Availability of valid Medical Device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes				
	Valid Medical Device License Number	RMD/DCD/25/ZO-5945/604				
	Certification for manufacturing unit	ISO:13485 (Latest)				
	Availability of Test Report for each supplied batch/product as per Medical Device Rule (MDR) 2017 as amended till date	Yes				
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes				
	Electrical Safety standards	IEC-60601 or equivalent BIS				
	Autoclave (Vertical) design and manufacturing conforms to IS 3829 (Part 3)	Yes				
WARRANTY	Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year				

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 16-01-2025

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

