



# Star Nuke Consulting Engineering Services Private Limited

AERB (Govt. of India) Authorized - ISO 9001-2015 Certified company

Date: 05-02-2026

To,  
GEM  
Govt. of India.

## Declaration of Working Experience

Dear Sir,

We **STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED** having registered office at **Plot No. 27, Radha Nikunj B, Kharbas Circle, Sanganer, Jaipur-302020, Rajasthan. India**, are AERB approved and NABL accredited manufacturer of Diagnostic X Ray equipment. We are having 5 years working experience in the field of manufacturing, sales and service of Diagnostic X Ray equipment. We are having customers across pan India.

For reference our latest invoices are attached herewith.

Sincere Regards:

Balram Singh Rajora  
Director  
ceo@starnukemail.net



## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687717652929

अनुबंध तिथि | Generated Date : 10-Jul-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/3894216](#)

| संगठन विवरण   Organisation Details                                               | खरीदार विवरण   Buyer Details                                                                           |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| प्ररूप   Type : State Government                                                 | पद   Designation : Procurement consultant                                                              |
| मंत्रालय   Ministry : -                                                          | संपर्क नंबर   Contact No. : -                                                                          |
| विभाग   Department : Health Department Chandigarh                                | ईमेल आईडी   Email ID : buyer7.nrhmutc.ch@gembuyer.in                                                   |
| संगठन का नाम   Organisation Name : National Rural Health Mission U.T. Chandigarh | जीएसटीआईएन   GSTIN : -                                                                                 |
| कार्यालय क्षेत्र   Office Zone: National Health Mission Chandigarh               | पता   Address : Admin Block 4rth floor GMSH Sector 16 Chandigarh, CHANDIGARH, CHANDIGARH-160015, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail                                                                  | भुगतान प्राधिकरण विवरण   Paying Authority Details                                                     |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| आईएफडी सहमति   IFD Concurrence : Yes                                                                                | Role: PAO                                                                                             |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: Mission Director NHM, GMSH 16, U.T. Chandigarh | भुगतान का तरीका   Payment Mode: Offline                                                               |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: Mission Director NHM, GMSH 16, U.T. Chandigarh        | पद   Designation : dirfin nhm                                                                         |
|                                                                                                                     | ईमेल आईडी   Email ID : pay1.nrhmutc.ch@gembuyer.in                                                    |
|                                                                                                                     | जीएसटीआईएन   GSTIN : 04AAEAS2391H1ZK                                                                  |
|                                                                                                                     | पता   Address: Admin Block 4rth floor GMSH Sector 16 Chandigarh, CHANDIGARH, CHANDIGARH-160015, India |

| विक्रेता विवरण   Seller Details                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------|
| जेम विक्रेता आईडी   GeM Seller ID : 76B4200001231429                                                                                |
| कंपनी का नाम   Company Name : STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                             |
| संपर्क नंबर   Contact No. : 09950041555                                                                                             |
| ईमेल आईडी   Email ID : ceo@starnukemail.net                                                                                         |
| पता   Address : Plot No. 25, Navkar Nagar, Village-Kalyanpura, Sanganer Road, Post- Sanganer, Sanganer, Jaipur, RAJASTHAN-302020, - |
| एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-RJ-17-0020564                                                             |
| एमएसई सामाजिक श्रेणी   MSE Social Category : General                                                                                |
| एमएसई लिंग श्रेणी   MSE Gender : Female                                                                                             |
| जीएसटीआईएन   GSTIN: 08AAVCS3158D2ZZ (R)                                                                                             |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                               |             |                                     |                                         |                                                                                         |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| #                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                      | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                            | उत्पाद का नाम   Product Name : STAR NUKE 3.5 Kw Mobile Digital Radiography Systems<br>ब्रांड   Brand : STAR NUKE<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Mobile Digital Radiography Systems (Q3)<br>मॉडल   Model: STARNUKE-HF100 COMBO<br>एचएसएन कोड   HSN Code: 9022 | 1                             | pieces      |                                     | NA                                      |                                                                                         |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                               |             |                                     |                                         |                                                                                         |

| प्रेषिती विवरण   Consignee Detail |                                                                                                |                                 |                    |                   |                                                           |                                                        |
|-----------------------------------|------------------------------------------------------------------------------------------------|---------------------------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| क्र.सं.   S.No                    | प्रेषिती   Consignee                                                                           | वस्तु   Item                    | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
| 1                                 | पद   Designation : -<br>ईमेल आईडी   Email ID : narinder.k84@chd.nic.in<br>संपर्क   Contact : - | STAR NUKE 3.5 Kw Mobile Digital | -                  | 1                 | 10-Jul-2024                                               | 08-Sep-2024                                            |

|                                                                                      |                                                                                                                                                      |                                                                                                                                                                                                                                                   |  |  |  |  |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
|                                                                                      | जीएसटीआईएन   GSTIN : -<br>पता   Address : Admin Block 4rth floor GMSH Sector 16 Chandigarh,<br>CHANDIGARH, CHANDIGARH-160015, India                  | Radiography Systems                                                                                                                                                                                                                               |  |  |  |  |
| <b>Product Specification for STAR NUKE 3.5 Kw Mobile Digital Radiography Systems</b> |                                                                                                                                                      |                                                                                                                                                                                                                                                   |  |  |  |  |
| <b>विनिर्देश   Specification</b>                                                     | <b>उप-विनिर्देश   Sub-Spec</b>                                                                                                                       | <b>मूल्य   Value</b>                                                                                                                                                                                                                              |  |  |  |  |
| Standards                                                                            | Conformity to standards                                                                                                                              | BIS                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Certification Number and date                                                                                                                        | 8400193016 & 06/01/2023                                                                                                                                                                                                                           |  |  |  |  |
|                                                                                      | AREB type test approval for model                                                                                                                    | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | AERB Certificate Number and date for model                                                                                                           | 22-TA-775873 17/05/2022                                                                                                                                                                                                                           |  |  |  |  |
|                                                                                      | Conformity to Manufactures Quality Certifications                                                                                                    | ISO 9001 & ISO 1348                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Conformity to Safety Standards                                                                                                                       | IEC 60601-2-54 or equivalent BIS                                                                                                                                                                                                                  |  |  |  |  |
| Performance Parameters                                                               | UMDNS Code and names(Hint: This is for indicating the relevant universal medical devices nomenclature for the category of product )                  | 18-430                                                                                                                                                                                                                                            |  |  |  |  |
|                                                                                      | Purpose                                                                                                                                              | Used for radiographic imaging of patients who cannot be moved to the radiology department and who are in areas—such as intensive and critical care units or operating and emergency rooms and should be a digital system with flat panel detector |  |  |  |  |
|                                                                                      | Scope of supply                                                                                                                                      | Compact,easily transportable, digital mobile radiographic unit with articulated/telescopic arm                                                                                                                                                    |  |  |  |  |
| Digital Detector                                                                     | Radiography Mode                                                                                                                                     | Digital                                                                                                                                                                                                                                           |  |  |  |  |
|                                                                                      | Number of detectors                                                                                                                                  | 1                                                                                                                                                                                                                                                 |  |  |  |  |
|                                                                                      | Detector Material                                                                                                                                    | Cesium Iodide                                                                                                                                                                                                                                     |  |  |  |  |
|                                                                                      | Detector Size                                                                                                                                        | 14 inches x 17 inches(wireless )                                                                                                                                                                                                                  |  |  |  |  |
|                                                                                      | Matrix size                                                                                                                                          | 2kx2k                                                                                                                                                                                                                                             |  |  |  |  |
|                                                                                      | Pixel size in µm                                                                                                                                     | 140                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Grey Scale resolution, bits/pixel                                                                                                                    | 14 or better                                                                                                                                                                                                                                      |  |  |  |  |
|                                                                                      | DQE at 0 LP/mm                                                                                                                                       | 65% or more                                                                                                                                                                                                                                       |  |  |  |  |
|                                                                                      | Machine should have a detector storage compartment                                                                                                   | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Weight of detector in kg                                                                                                                             | 4.2                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Detector should be designed and calibrated for General Radiography Purposes and must be fully integrated with the mobile unit including the controls | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Detector storage capacity                                                                                                                            | 100 images or more                                                                                                                                                                                                                                |  |  |  |  |
| Control panel for image acquisition                                                  | Image preview time in seconds                                                                                                                        | 6                                                                                                                                                                                                                                                 |  |  |  |  |
|                                                                                      | Control panel                                                                                                                                        | Microprocessor controlled                                                                                                                                                                                                                         |  |  |  |  |
|                                                                                      | Automatic parameter selection                                                                                                                        | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Control panel entry                                                                                                                                  | Touch screen                                                                                                                                                                                                                                      |  |  |  |  |
|                                                                                      | Anatomic specific post processing                                                                                                                    | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Display                                                                                                                                              | Should have a digital display of mAs and KV and an electronic timer                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Inbuilt console should have touch TFT screen and control                                                                                             | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Console should enable to view the image, and provide post processing features, using touch screen                                                    | Yes                                                                                                                                                                                                                                               |  |  |  |  |
|                                                                                      | Post processing features                                                                                                                             | zoom, contrast and brightness, adjustment, panning annotate, mark and reporting                                                                                                                                                                   |  |  |  |  |
| X RAY Generator and Tubes                                                            | " High Frequency X-ray Generator Power in Kw"                                                                                                        | 3.5 Kw                                                                                                                                                                                                                                            |  |  |  |  |
|                                                                                      | KV range                                                                                                                                             | 40-110                                                                                                                                                                                                                                            |  |  |  |  |
|                                                                                      | Maximum mA                                                                                                                                           | 100 @ 40 KVP                                                                                                                                                                                                                                      |  |  |  |  |
|                                                                                      | Focal spot,mm                                                                                                                                        | 0.8-2                                                                                                                                                                                                                                             |  |  |  |  |
|                                                                                      | Heat Capacity ,KHU                                                                                                                                   | 40-100                                                                                                                                                                                                                                            |  |  |  |  |
|                                                                                      | Anode Type                                                                                                                                           | Stationary                                                                                                                                                                                                                                        |  |  |  |  |
|                                                                                      | Anode rpm                                                                                                                                            | NA for stationary                                                                                                                                                                                                                                 |  |  |  |  |
|                                                                                      | Exposure time in ms                                                                                                                                  | 0.1 to 3 Sec                                                                                                                                                                                                                                      |  |  |  |  |
|                                                                                      | " Control Panel and x-ray Tube "                                                                                                                     | Yes                                                                                                                                                                                                                                               |  |  |  |  |

|                          |                                                                                                                                                                                                                                 |                                              |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
|                          | Automatic tube positioning                                                                                                                                                                                                      | No                                           |
| Tube Suspension          | X ray tube out put should match with generator                                                                                                                                                                                  | Yes                                          |
|                          | Type of suspension                                                                                                                                                                                                              | Articulated arm                              |
|                          | Collimator Type                                                                                                                                                                                                                 | Manual                                       |
|                          | Collimator rotation                                                                                                                                                                                                             | ± 90 degree with on off timer                |
| Ergonomics               | Unit should have small foot print                                                                                                                                                                                               | Yes                                          |
|                          | Height of the column in cm (Should facilitate easy transportation in the lift and areas with small height doors etc                                                                                                             | 150                                          |
|                          | Weight of mobile x ray unit in kg                                                                                                                                                                                               | 300                                          |
|                          | The cables should be concealed in the arm system                                                                                                                                                                                | Yes                                          |
|                          | Exposure release switch                                                                                                                                                                                                         | Detachable with a cord of at least 5 meters. |
| Workstation              | Inbuilt work station                                                                                                                                                                                                            | Yes                                          |
|                          | Monitor size in inches                                                                                                                                                                                                          | 12                                           |
|                          | Processor                                                                                                                                                                                                                       | i 5                                          |
|                          | RAM in GB                                                                                                                                                                                                                       | 4                                            |
|                          | HDD                                                                                                                                                                                                                             | 500 GB                                       |
|                          | Dicom compatibility of work station                                                                                                                                                                                             | Yes                                          |
|                          | Inbuilt console should have touch screen control                                                                                                                                                                                | Yes                                          |
|                          | No of images which can be stored                                                                                                                                                                                                | 5000 or more                                 |
|                          | The machine should be fully network ready and it should be possible to transfer images and patient data from and to hospital network using LAN connectivity or wireless LAN                                                     | Yes                                          |
| Accessories              | Stitching hardware and software                                                                                                                                                                                                 | No                                           |
|                          | Integration                                                                                                                                                                                                                     | DICOM 3.0 storage SOP Classes                |
|                          | DAP Meter supplied                                                                                                                                                                                                              | No                                           |
|                          | Lead Apron                                                                                                                                                                                                                      | Yes                                          |
|                          | Light weight 'zero lead' radiation protection aprons provided                                                                                                                                                                   | No                                           |
|                          | Lead Aprons - Full body and Skirt type                                                                                                                                                                                          | 2 no each (0.5pb)                            |
|                          | Thyroid shields supplied                                                                                                                                                                                                        | Yes                                          |
|                          | Gonadsheet Male supplied                                                                                                                                                                                                        | Yes                                          |
|                          | Gonad sheet Female supplied                                                                                                                                                                                                     | Yes                                          |
|                          | Extractable measurable tape should be available                                                                                                                                                                                 | Yes                                          |
|                          | Motorized movement for complete machine                                                                                                                                                                                         | No                                           |
|                          | Castor wheel                                                                                                                                                                                                                    | Yes                                          |
|                          | Unit should have effective breaking system for parking                                                                                                                                                                          | Yes                                          |
|                          | Power Requirements                                                                                                                                                                                                              | 230 V 50 HZ Single phase -16 Ampls socket    |
|                          | Machine should run on mains as well as battery supply                                                                                                                                                                           | No                                           |
|                          | No of exposures which can be run on battery                                                                                                                                                                                     | NO                                           |
|                          | Battery should be able to provide power to the motor to move machine                                                                                                                                                            | No                                           |
|                          | Battery charging time in hours                                                                                                                                                                                                  | 6                                            |
| Miscellaneous Parameters | Number of installations of the portable digital radiography machines in Central /State/PSU Govt Hospitals( Note: Seller should supply a performace certificate of the device to the buyer if demanded after placement of order) | more than 3                                  |
|                          | Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)                                                                                   | 5                                            |
|                          | OEM/Reseller ( if supplied to reseller shall ensure uninterputed availabilty of all spares for 10 years)                                                                                                                        | Yes                                          |
|                          | Availability of toll free facility for technical support maintained by OEM or authorized agencies                                                                                                                               | Yes                                          |
|                          | User/Technical/Maintenance manuals to be supplied in English in hard                                                                                                                                                            |                                              |

|  |                                                                                                    |     |
|--|----------------------------------------------------------------------------------------------------|-----|
|  | and soft copy                                                                                      | Yes |
|  | Demonstration of equipment and training to be provided after completing supplies before acceptance | Yes |
|  | Copies of reports and certifications to be furnished to buyer on demand at time of supplies        | Yes |
|  | QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM         | Yes |
|  | Copies of all calibration and test reports to be submitted at the time of Supply of Machine        | Yes |

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

| व्यापक रखरखाव के लिए शुल्क   Comprehensive maintenance charges for STAR NUKE 3.5 Kw Mobile Digital Radiography Systems |                                 |                               |  |
|------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------------------|--|
| सेवा वर्ष   Service Year                                                                                               | सीएमसी प्रतिशत   CMC Percentage | कर द्विभाजन   Tax Bifurcation |  |
| CMC charges for 1 st year after warranty period in % of cost of equipment                                              | 5%                              | NA                            |  |
| CMC charges for 2 nd year after warranty period in % of cost of equipment                                              | 5%                              |                               |  |
| CMC charges for 3 rd year after warranty period in % of cost of equipment                                              | 5%                              |                               |  |
| CMC charges for 4 th year after warranty period in % of cost of equipment                                              | 5%                              |                               |  |
| CMC charges for 5 th year after warranty period in % of cost of equipment                                              | 5%                              |                               |  |

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for STAR NUKE 3.5 Kw Mobile Digital Radiography Systems

| विनिर्देश   Specification | मूल्य   Value                                                                                                                                                             |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control Panel Entry       | Display of KV, mA and mAs, error indications, 12 inch or more for touch screen display , Machine on/ off switch .Collimator /LBD Lamp "ON" switch, Anatomical programming |
| Flat Panel Detector       | Portable 14 x 17 inches wireless light weight detector with latest technology. Offered FPD should be CE USFDA and BIS approved.                                           |
| Portable X-ray machine    | The X-ray machine should have BIS certification and AERB approved.                                                                                                        |

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2023-10-20 15:00:00  
2. तक बढ़ाया गया | Extended Upto : 2023-10-25 11:00:00

ईपीबीजी विवरण | ePBG Detail

|                                           |                     |
|-------------------------------------------|---------------------|
| सलाहकार बैंक   Advisory Bank :            | State Bank of India |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%): | 3.00                |

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 10-11-2022

1.1

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.  
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.  
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.  
4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.  
5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of

service requests also to be provided buyer/consignee at the time of supplies.

6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

## 3. Buyer Added Bid Specific Terms and Conditions-

### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 3.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 3.3 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

### 3.4 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3.5 Inspection:

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages. When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

### 3.6 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.



**Star Nuke Consulting Engineering Services Private Limited**  
ISO 9001:2015 Certified company

**INSTALLATION / SERVICE REPORT NO**

Customer Name and Address: Naval Health Centre - DMS 16 Chandigarh

Manufacturer: STAR NUK CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Location of:

Date of Installation: 11/12/20

Job No:

Contact Person: Dr. Anand Singh

Email ID:

Phone No:

Address:

Equipment Details: MODEL: STERILIZER-10000 SERIAL NO: 20170101010101010101

Wireless Details:

Printer:

Accessories:

| INSTALLATION                           | TYPE OF SERVICE |    | SERVICE                        |
|----------------------------------------|-----------------|----|--------------------------------|
|                                        | YES             | NO |                                |
| 1. PHYSICAL INSTALLATION               | YES             | NO | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                  | YES             | NO |                                |
| 3. LIFTING TESTED                      | YES             | NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED     | YES             | NO | FAULT OBSERVED                 |
| 5. STICKERS / NAMEPLATE MOUNTED        | YES             | NO |                                |
| 6. CALIBRATED                          | YES             | NO |                                |
| 7. CABLES / WIRE ROUTING COMPL.        | YES             | NO | SERVICE RENDERED               |
| 8. MACHINE CLEANED                     | YES             | NO |                                |
| 9. OPERATIONAL TESTING PERFORMED       | YES             | NO |                                |
| 10. X-RAYS TAKEN                       | YES             | NO | SPARES CONSUMED                |
| 11. RAD. AND ELECTRIC SAFETY EXPLAINED | YES             | NO |                                |
| 12. RAD. TECH. CHART HANDOVER          | YES             | NO |                                |
| INSTALLATION COMPLETED                 | YES             | NO |                                |
| PENDING WORK / IF ANY                  |                 |    |                                |

INSTALLATION TIME: 11:00 AM TO 12:00 PM

STARTED: 11:00 AM

COMPLETED: 12:00 PM

Engineer's Remarks:

Customer's Remarks:



JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE POST-GETTING LICENSE FROM AERB.

The machine is working satisfactorily

Dr. Anand Singh

Dr. Anand Singh

Registered Office & Works: Plot No. 25, Sector 29, New Township, Gurgaon, Haryana 122002, India  
Web: [www.star-nuke.com](http://www.star-nuke.com) Email: [info@star-nuke.com](mailto:info@star-nuke.com) Ph: 012-61011111, 012-6101112

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh

Dr. Anand Singh



## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687792253907

अनुबंध तिथि | Generated Date : 06-Jan-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5438282](#)

| संगठन विवरण   Organisation Details                                            | खरीदार विवरण   Buyer Details                            |
|-------------------------------------------------------------------------------|---------------------------------------------------------|
| प्ररूप   Type : State PSU                                                     | पद   Designation : EXECUTIVE ENGINEER                   |
| मंत्रालय   Ministry : -                                                       | संपर्क नंबर   Contact No. : -                           |
| विभाग   Department : Gujarat Energy Transmission Corporation Limited (GETCO), | ईमेल आईडी   Email ID : buycon1.getco.brc@gembuyer.in    |
| Vadodara                                                                      | जीएसटीआईएन   GSTIN : 24AABCG4029R2ZC                    |
| संगठन का नाम   Organisation Name : N/A                                        | SARDAR PATEL VIDYUT BHAVAN,RACE COURSE,VADODARA-390007, |
| कार्यालय क्षेत्र   Office Zone: 390007                                        | पता   Address : Vadodara, GUJARAT-390007, India         |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail                                             | भुगतान प्राधिकरण विवरण   Paying Authority Details       |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| आईएफडी सहमति   IFD Concurrence : No                                                            | Role: PAO                                               |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: Additional Chief Engineer | भुगतान का तरीका   Payment Mode: Offline                 |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: Chief Finance Manager            | पद   Designation : Nimesh A Patel                       |
|                                                                                                | ईमेल आईडी   Email ID : pao1.getco.brc@gembuyer.in       |
|                                                                                                | जीएसटीआईएन   GSTIN : 24AABCG4029R2ZC                    |
|                                                                                                | SARDAR PATEL VIDYUT BHAVAN,RACE COURSE,VADODARA-390007, |
|                                                                                                | पता   Address: Vadodara, GUJARAT-390007, India          |

| विक्रेता विवरण   Seller Details                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------|
| जेम विक्रेता आईडी   GeM Seller ID : 76B4200001231429                                                                             |
| कंपनी का नाम   Company Name : STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                          |
| संपर्क नंबर   Contact No. : 09950041555                                                                                          |
| ईमेल आईडी   Email ID : ceo@starnukemail.net                                                                                      |
| पता   Address : Plot No. 25,Navkar Nagar, Village-Kalyanpura, Sanganer Road,Post- Sanganer,Sanganer, Jaipur, RAJASTHAN-302020, - |
| एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-RJ-17-0020564                                                          |
| जीएसटीआईएन   GSTIN: 08AAVCS3158D2ZZ (R) , (M)                                                                                    |
| एमएसई सामाजिक श्रेणी   MSE Social Category : General                                                                             |
| एमएसई लिंग श्रेणी   MSE Gender : Female                                                                                          |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Actual delivery is to be done on address mentioned in bid document: Guru Gobindsingh Govt. Hospital, P.N. Marg, Jamnagar-361008

| उत्पाद विवरण   Product Details |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                               |             |                                     |                                         |                                                                                         |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| #                              | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                            | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                              | उत्पाद का नाम   Product Name : STAR NUKE Portable X-Ray Machine<br>ब्रांड   Brand : STAR NUKE<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable X - Ray Machine (V2) (Q2)<br>मॉडल   Model: STARNUKE-HF100<br>एचएसएन कोड   HSN Code: 9022                                     | 2                             | pieces      |                                     | NA                                      |                                                                                         |
| 2                              | उत्पाद का नाम   Product Name : ICT charges for Portable X - Ray Machine (V2)<br>ब्रांड   Brand : NA<br>ब्रांड प्रकार   Brand Type : Unbranded<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Addon Services for bid (Q3)<br>मॉडल   Model: ICT<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 2                             | pieces      |                                     | NA                                      |                                                                                         |

कुल ऑर्डर मूल्य | Total Order Value (in INR)



| प्रेषिती विवरण   Consignee Detail                          |                                                                                                                                                                                                                                                       |                                  |                                                                                                                         |                   |                                                           |                                                        |
|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| क्र.सं.   S.No                                             | प्रेषिती   Consignee                                                                                                                                                                                                                                  | वस्तु   Item                     | लॉट नंबर   Lot No.                                                                                                      | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
| 1                                                          | पद   Designation :-<br>ईमेल आईडी   Email ID : buycon1.getco.brc@gembuyer.in<br>संपर्क   Contact :-<br>जीएसटीआईएन   GSTIN : 24AABCG4029R2ZC<br>पता   Address : SARDAR PATEL VIDYUT BHAVAN,RACE COURSE,VADODARA-390007, Vadodara, GUJARAT-390007, India | STAR NUKE Portable X-Ray Machine | -                                                                                                                       | 2                 | 06-Jan-2025                                               | 20-Feb-2025                                            |
| Product Specification for STAR NUKE Portable X-Ray Machine |                                                                                                                                                                                                                                                       |                                  |                                                                                                                         |                   |                                                           |                                                        |
| विनिर्देश   Specification                                  | उप-विनिर्देश   Sub-Spec                                                                                                                                                                                                                               |                                  | मूल्य   Value                                                                                                           |                   |                                                           |                                                        |
| GENERAL                                                    | Product Description                                                                                                                                                                                                                                   |                                  | Portable X-Ray Machine                                                                                                  |                   |                                                           |                                                        |
|                                                            | Purpose                                                                                                                                                                                                                                               |                                  | Portable X-ray machines are medical imaging devices designed to produce X-ray images of a patient's internal structures |                   |                                                           |                                                        |
| PRODUCT INFORMATION                                        | Type of frequency Generator                                                                                                                                                                                                                           |                                  | High Frequency                                                                                                          |                   |                                                           |                                                        |
|                                                            | Frequency generator output in kW                                                                                                                                                                                                                      |                                  | 4                                                                                                                       |                   |                                                           |                                                        |
|                                                            | Voltage Output range in kV                                                                                                                                                                                                                            |                                  | 40 to 120                                                                                                               |                   |                                                           |                                                        |
|                                                            | Tube Current in mA                                                                                                                                                                                                                                    |                                  | 100                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Maximum Exposure time in milli sec                                                                                                                                                                                                                    |                                  | upto 10                                                                                                                 |                   |                                                           |                                                        |
|                                                            | mAs Range                                                                                                                                                                                                                                             |                                  | 0.5 to 200                                                                                                              |                   |                                                           |                                                        |
|                                                            | Nominal focal spot size in mm                                                                                                                                                                                                                         |                                  | 1 to 2                                                                                                                  |                   |                                                           |                                                        |
|                                                            | Inherent Filtration of x-ray                                                                                                                                                                                                                          |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Collimator provided                                                                                                                                                                                                                                   |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Type of Collimator                                                                                                                                                                                                                                    |                                  | Manual                                                                                                                  |                   |                                                           |                                                        |
|                                                            | Focal Spot size in mm                                                                                                                                                                                                                                 |                                  | 1 to 2                                                                                                                  |                   |                                                           |                                                        |
|                                                            | Automatic exposure control device provided                                                                                                                                                                                                            |                                  | No                                                                                                                      |                   |                                                           |                                                        |
|                                                            | Digital display for kV & mAs supplied                                                                                                                                                                                                                 |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Electronic timer supplied                                                                                                                                                                                                                             |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Provision of Anatomical programming radiography(APR)                                                                                                                                                                                                  |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | X-ray tube system                                                                                                                                                                                                                                     |                                  | Stationary Anode                                                                                                        |                   |                                                           |                                                        |
|                                                            | Anode speed in rpm ( Hint: for rotating anode the speed should be 2500 or more and for stationary anode 0)                                                                                                                                            |                                  | 0 for stationary anode                                                                                                  |                   |                                                           |                                                        |
|                                                            | The unit should be easily positioned (from either side of the bed) for imaging in all possible projections                                                                                                                                            |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Portable X-ray machine shall be easily transportable and steering on caster wheel                                                                                                                                                                     |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Provision of effective braking system for parking,transport and emergency braking                                                                                                                                                                     |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Lead Aprons - Full body and Skirt type                                                                                                                                                                                                                |                                  | 4 No each (0.5pb)                                                                                                       |                   |                                                           |                                                        |
|                                                            | No of Thyroid shield and Gonad Shield                                                                                                                                                                                                                 |                                  | 4 No each                                                                                                               |                   |                                                           |                                                        |
|                                                            | X-ray exposure command control                                                                                                                                                                                                                        |                                  | Hand switch                                                                                                             |                   |                                                           |                                                        |
|                                                            | Power Cable length in meter                                                                                                                                                                                                                           |                                  | ≥ 3                                                                                                                     |                   |                                                           |                                                        |
|                                                            | X- ray film Cassette holder available                                                                                                                                                                                                                 |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | X-ray film cassette holder size in mm x mm                                                                                                                                                                                                            |                                  | 35 x 43                                                                                                                 |                   |                                                           |                                                        |
|                                                            | Power supply                                                                                                                                                                                                                                          |                                  | Single Phase AC ( 220-240 V,50 Hz)                                                                                      |                   |                                                           |                                                        |
|                                                            | Power plug (16 amp) compatible to standard wall outlet shall be supplied                                                                                                                                                                              |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Tube protection against overload provided                                                                                                                                                                                                             |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Portable X ray machine should be made in small footprint and hidden cable design for easy and efficient cleaning                                                                                                                                      |                                  | Yes                                                                                                                     |                   |                                                           |                                                        |
|                                                            | Operating temperature and humidity                                                                                                                                                                                                                    |                                  | 10 - 28 deg C and Relative Humidity of 15-90%                                                                           |                   |                                                           |                                                        |

|                                                                                                                                          |                                                                                                                                                                                                 |                                           |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| CERTIFICATIONS AND REPORTS                                                                                                               | Compliance to Medical Device Rules (MDR) 2017 as amended till date                                                                                                                              | Yes                                       |
|                                                                                                                                          | Availability of valid drug/medical device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date | Yes                                       |
|                                                                                                                                          | Valid Drug License/Medical Device License Number                                                                                                                                                | MFG/MD/2023/001000                        |
|                                                                                                                                          | AERB Type Approved Equipment                                                                                                                                                                    | Yes                                       |
|                                                                                                                                          | AERB approval certificate number of Particular Model                                                                                                                                            | 15-TA-45302                               |
|                                                                                                                                          | Conformity to Indian Standard IS 7620- Part 1, Part 2, Part 3                                                                                                                                   | Yes                                       |
|                                                                                                                                          | Manufacturing unit certification                                                                                                                                                                | ISO:13485 (Latest)                        |
|                                                                                                                                          | Additional voluntary certification available                                                                                                                                                    | NO                                        |
|                                                                                                                                          | Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date                                                                         | Yes                                       |
|                                                                                                                                          | Electrical Safety Standards                                                                                                                                                                     | IEC 60601-2-54 or Equivalent BIS Standard |
|                                                                                                                                          | Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement                            | Yes                                       |
| WARRANTY                                                                                                                                 | Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)                                          | 3 year                                    |
| MISCELLANEOUS PARAMETERS                                                                                                                 | OEM/Reseller shall ensure uninterrupted availability of all spares for 10 years                                                                                                                 | Yes                                       |
|                                                                                                                                          | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy                                                                                                              | Yes                                       |
|                                                                                                                                          | Details of equipments and procedures required for local calibration and routine maintenance to be supplied and advanced maintenance task documentation also to be furnished                     | Yes                                       |
|                                                                                                                                          | List of important spares and accessories, with their part numbers to be supplied to the buyer at the time of supplying the equipment                                                            | Yes                                       |
|                                                                                                                                          | Principal Manufacturer must have direct Presence/approved service center In India                                                                                                               | Yes                                       |
|                                                                                                                                          | Availability of toll free facility for technical support maintained by OEM or authorized agencies                                                                                               | Yes                                       |
|                                                                                                                                          | Installation and demonstration of equipment and training to be provided after completing supplies before acceptance                                                                             | Yes                                       |
|                                                                                                                                          | QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM                                                                                                      | Yes                                       |
|                                                                                                                                          | Copies of all calibration reports to be submitted at the time of Supply of Machine                                                                                                              | Yes                                       |
|                                                                                                                                          | Time to attend breakdown calls                                                                                                                                                                  | within 48 hours                           |
| Additional Requirements                                                                                                                  | Additional Requirements                                                                                                                                                                         | NA                                        |
|                                                                                                                                          |                                                                                                                                                                                                 |                                           |
| उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 8400193016                                                                        |                                                                                                                                                                                                 |                                           |
| खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए   Buyer Defined Additional Specification for STAR NUKE Portable X-Ray Machine                  |                                                                                                                                                                                                 |                                           |
| विनिर्देश   Specification                                                                                                                |                                                                                                                                                                                                 | मूल्य   Value                             |
| Fixing of LOGO                                                                                                                           |                                                                                                                                                                                                 | As per GETCO's requirement                |
|                                                                                                                                          |                                                                                                                                                                                                 |                                           |
| उपरोक्त मद के लिए स्थापना कमीशनिंग और परीक्षण (आईसीटी) विवरण   Installation Commissioning and Testing (ICT) details for the above item:: |                                                                                                                                                                                                 |                                           |
| % of Product Cost Payable on Product Delivery                                                                                            |                                                                                                                                                                                                 | 70 %                                      |
| Min Cost Allocation for ICT as a % of product cost                                                                                       |                                                                                                                                                                                                 | 30 %                                      |
| Number of days allowed for ICT after site readiness communication to seller                                                              |                                                                                                                                                                                                 | 30 Days                                   |
|                                                                                                                                          |                                                                                                                                                                                                 |                                           |
| खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए   Buyer Defined Additional Specification for ICT charges for Portable X - Ray Machine (V2)     |                                                                                                                                                                                                 |                                           |
| विनिर्देश   Specification                                                                                                                |                                                                                                                                                                                                 | मूल्य   Value                             |
| Fixing of LOGO                                                                                                                           |                                                                                                                                                                                                 | As per GETCO's requirement                |
|                                                                                                                                          |                                                                                                                                                                                                 |                                           |
| ईपीबीजी विवरण   ePBG Detail                                                                                                              |                                                                                                                                                                                                 |                                           |
| सलाहकार बैंक   Advisory Bank :                                                                                                           |                                                                                                                                                                                                 | Bank of India                             |
|                                                                                                                                          |                                                                                                                                                                                                 |                                           |

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:1 effective from 06-10-2023

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  - The sellers are registered on GeM based on the submission of valid Drug License and self declaration of product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
  - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
  - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
  - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
  - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
  - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
  - Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
  - Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
  - Software: All software updates should be provided free of cost during warranty period.

### 2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

### 3. Buyer Added Bid Specific Terms and Conditions-

#### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 3.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 3.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 3.4 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 3.5 Generic

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 3.6 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

#### 3.7 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

#### 3.8 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 3.9 Generic

The seller is required to print logo as per buyer's requirement.

#### 3.10 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 3.11 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 3.12 Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 3.13 Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 3.14 Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 3.15 Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 3.16 Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 3.17 Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 3.18 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 3.19 Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 3.20 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Gujarat Energy Transmission Corporation Ltd.

Account No.

250120100001167

IFSC Code

BKID0002501

Bank Name

Bank of India  
Branch address  
46, Gautam nagar society, Race course circle, Vadodara

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

**3.21 Forms of EMD and PBG:**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Gujarat Energy Transmission Corporation Ltd.

Account No.

250120100001167

IFSC Code

BKID0002501

Bank Name

Bank of India

Branch address

46, Gautam nagar society, Race course circle, Vadodara

Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

**3.22 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

**1. EMD: EMD must be paid either by RTGS/ NEFT/Online only, on details mentioned as under:**

**GETCO Beneficiary Bank detail is as under:**

|   |                        |                                                        |
|---|------------------------|--------------------------------------------------------|
| 1 | Name of Account Holder | Gujarat Energy Transmission Corporation Ltd.           |
| 2 | Account No             | 250120100001167                                        |
| 3 | Name of Bank           | Bank of India                                          |
| 4 | Branch Code            | 002501                                                 |
| 5 | Address of Bank        | 46, Gautam Nagar Society, Race Course Circle, Vadodara |
| 6 | IFSC Code              | BKID0002501                                            |
| 7 | PAN No                 | AABCG4029R                                             |
| 8 | TAN No                 | BRDG00540B                                             |
| 9 | GST No                 | 24AABCG4029R2ZC                                        |

**In case of payment through RTGS/NEFT/Online, bidder has to provide following details while submitting technical bid documents:**

| Sr no. | Required Details             |
|--------|------------------------------|
| 1      | Name & Address of the bidder |
| 2      | Bidder GST No                |
| 3      | Mode of Transfer             |
| 4      | Ref. ID with Bank Details.   |
| 5      | Paid Amount                  |
| 6      | Payment against (EMD/PBG)    |

**Bidder has to provide all above details on the same date of payment to following e-mail ID so that receipt can be generated:**

[aocash.getco@gmail.com](mailto:aocash.getco@gmail.com),

[aceproc.getco@gmail.com](mailto:aceproc.getco@gmail.com),

[deprocv.getco@gmail.com](mailto:deprocv.getco@gmail.com),

[jeproc.getco@gmail.com](mailto:jeproc.getco@gmail.com)

It is to inform here that, RTGS/NEFT shall be from Bidder's account only (It shall not be from personal account)

## 2. CONTRACT PERFORMANCE BANK GUARANTEE:

The Supplier shall furnish Contract Performance Bank Guarantee(s) for the proper fulfilment of the Contract within fifteen (15) days of "Notice of Award of Contract". The performance guarantee(s) shall be as per terms prescribed.

### PARTY TO TAKE NOTE PLEASE BEFORE SUBMITTING THEIR BANK GUARANTEES

1. Bank Guarantee should be submitted on Non-Judicial Stamp Paper of Rs.300/-.
2. Bank Guarantee number and date to be written on every page of Bank Guarantee & its extension.
3. If B/G amount is more than Rs. 50,000/- kindly take sign of Two Bank Officer with their respective Employee Code No.
4. Valid confirmation letter of the concerned Bank in an approved format should be attached with every Bank Guarantee & its Extension.
5. Stamp paper should be valid & recent one and date of issuing of stamp paper should not be beyond six months, in any case.
6. Round seal and signature of two Bank Officers with name & sign code should be affixed on every B/G paper.

Note: You have to fill and submit **TENDER ACCEPTANCE LETTER** (with mentioning all pages) and **Annexure-3** (as per MCA-21) along with submission of Technical Documents. (Annexure-3 format is attached in Buyer Added Bid Specific ATC)

Following three documents are required to be submitted, mandatory while submitting your final bill.

1. CA Certificate
2. Undertaking
3. PBG (as per points covered mentioned above)

Format for Sr. no. 1 & 2 document format are attached with buyer's added specific ATC document.

#### Note:

1. If any of the above three documents is missing in your submission, then your final payment will not be processed.
2. Documents at Sr. no. 1 & 2 should invariably be in the prescribed format only.

**Payment Terms: Final payment to be made after fulfilling the following conditions:**

1. Fixing of permanently displayed LOGO of "GETCO" on the instrument submitted before delivery. (Image of LOGO will be provided to L-1 bidder after Contract order)
2. Submission of Testing commissioning / installation report.
3. Submission of Original Invoice, Delivery challan, Guarantee card.
4. Submission of CA Certificate and Undertaking in format provided in bid document.

3.23 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.





**Star Nuke Consulting Engineering Services Private Limited**  
ISO 9001-2015 Certified company

**INSTALLATION / SERVICE REPORT NO**

Customer Name and Address: G. 424 Govind Singh. Govt. Hospital, P.N. marg  
Jamnagar- 361008

Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of

Date of Installation 29/01/2015

Tel. No. 9904612903

Contact Person Ram Bhai chavda

Email ID rambhaichavda18@gmail.com

e-LORA ID

AERB Procurement No.

Equipment Detail MODEL SNC/HP-10 SERIAL No. 010

Wireless Detector

Laptop N/A

Printer N/A

Accessories

| TYPE OF SERVICE                       |  |          | SERVICE                        |
|---------------------------------------|--|----------|--------------------------------|
| INSTALLATION                          |  |          | CUSTOMER COMPLAINTS / SYMPTOMS |
| 1. PHYSICAL INSTALLATION              |  | YES / NO | N/A                            |
| 2. ALL MOVING CHECKED                 |  | YES / NO |                                |
| 3. EARTHING TESTED                    |  | YES / NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED    |  | YES / NO | FAULT OBSERVED                 |
| 5. STICKERS / NAMEPLATE MOBILE        |  | YES / NO |                                |
| 6. CALIBERATED                        |  | YES / NO | N/A                            |
| 7. CABLES / WIRE ROUTING COMPL.       |  | YES / NO |                                |
| 8. MACHINE CLEANED                    |  | YES / NO | SERVICE RENDERED               |
| 9. OPERATIONAL TESTING PERFORMED      |  | YES / NO |                                |
| 10. X-RAYS TAKEN                      |  | YES / NO | N/A                            |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED |  | YES / NO |                                |
| 12. RAD. TECH. CHART HANDOVER         |  | YES / NO | SPARES CONSUMED                |
| INSTALLATION COMPLETED                |  | YES / NO |                                |
| PENDING JOBS/ IF ANY                  |  |          | N/A                            |

INSTALLATION TIME

STARTED 12.00

COMPLETED 3:30

Engineer Remark: [Signature]

Customer Remark: [Signature]

DATE \_\_\_\_\_

HRS. \_\_\_\_\_

N/A

TRAVEL TIME

HRS. \_\_\_\_\_

N/A



WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

for. [Signature]  
CUSTOMER SIGN  
DEPARTMENT OF RADIO DIAGNOSIS  
M. P. Shah Govt. Medical College &  
Guru Gobind Singh Hospital,  
JAMNAGAR - Gujarat (INDIA)

Machine grad work

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangner Road, Sangner, Jaipur-302020, Rajasthan, India  
Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
Ph: +91-9950041555, 7073577706

Dead stock Regi. No. 108

Page No.: 56





**Star Nuke Consulting Engineering Services Private Limited**  
ISO 9001-2015 Certified company

**INSTALLATION / SERVICE REPORT NO**

Customer Name and Address:

Gurup Govind Singh. Govt. Hospital. P.N. Mary  
Jamnagar - 361008

Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of

Date of Installation

29/01/2025

Tel. No.

9904612903

Contact Person

Pam Bhai Chavda

Email ID

ambhachavda.18@gmail.com

e-LORA ID

AERB Procurement No.

Equipment Detail

MODEL

SNE/H.F-1W

SERIAL No.

09

Wireless Detector

Laptop

N/A

Printer

N/A

Accessories

**TYPE OF SERVICE**

**INSTALLATION**

1. PHYSICAL INSTALLATION

☒ YES / NO

2. ALL MOVING CHECKED

☒ YES / NO

3. EARTHING TESTED

☒ YES / NO

4. ELECT. CONNECTION DONE & TESTED

☒ YES / NO

5. STICKERS / NAMEPLATE MOBILE

☒ YES / NO

6. CALIBERATED

☒ YES / NO

7. CABLES / WIRE ROUTING COMPL.

☒ YES / NO

8. MACHINE CLEANED

☒ YES / NO

9. OPERATIONAL TESTING PERFORMED

☒ YES / NO

10. X-RAYS TAKEN

☒ YES / NO

11. RAD. AND ELECTR. SAFETY EXPLAINED

☒ YES / NO

12. RAD. TECH. CHART HANDOVER

☒ YES / NO

INSTALLATION COMPLETED

☒ YES / NO

PENDING JOBS/ IF ANY

**SERVICE**

CUSTOMER COMPLAINTS / SYMPTOMS

N/A

FAULT OBSERVED

N/A

SERVICE RENDERED

N/A

SPARES CONSUMED

N/A

**INSTALLATION TIME**

**SERVICE TIME**

**TRAVEL TIME**

STARTED

12:00

DATE

HRS.

N/A

HRS.

N/A

COMPLETED

3:30

Engineer Remark:

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

Customer's Remark

Gurup Govind Singh



CUSTOMER SIGN

Gurup Govind Singh

DEPARTMENT OF RADIO DIAGNOSIS

M. P. Shah Govt. Medical College & Hospital,

Guru Gobind Singh Hospital,

JAMNAGAR - Gujarat (INDIA)

DEPARTMENT OF RADIO DIAGNOSIS

M. P. Shah Govt. Medical College & Hospital,

Guru Gobind Singh Hospital,

JAMNAGAR - Gujarat (INDIA)

Plot No. 25, Navkar Nagar, New Sanganer Road, Sanganer, Jaipur-302020, Rajasthan, India

Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)

Ph: +91-9950041555, 7073577706

Dead stock No. 107

Page No. 56

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687741865756

अनुबंध तिथि | Generated Date : 31-Mar-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5188563](#)

| संगठन विवरण   Organisation Details                                 | खरीदार विवरण   Buyer Details                                                                                                                                |
|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| प्ररूप   Type : State Government                                   | पद   Designation : Assistant                                                                                                                                |
| मंत्रालय   Ministry : -                                            | संपर्क नंबर   Contact No. : 0413-2272170-                                                                                                                   |
| विभाग   Department : Health and Family Welfare Services Department | ईमेल आईडी   Email ID : j.jayaprakasc10023@py.gov.in                                                                                                         |
| संगठन का नाम   Organisation Name : N/A                             | जीएसटीआईएन   GSTIN : 34CHEG02561G1DW                                                                                                                        |
| कार्यालय क्षेत्र   Office Zone: Puducherry                         | पता   Address : Office of the Chief of Government Pharmacy, Indira Nagar, Gorimedu, Opp To Esi Hospital, Puducherry., Pondicherry, PUDUCHERRY-605006, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail                      | भुगतान प्राधिकरण विवरण   Paying Authority Details                                                                                                           |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| आईएफडी सहमति   IFD Concurrence : Yes                                    | Role: PAO                                                                                                                                                   |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: LG | भुगतान का तरीका   Payment Mode: Offline                                                                                                                     |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: LG        | पद   Designation : JAO                                                                                                                                      |
|                                                                         | ईमेल आईडी   Email ID : jao-gp.pon@gov.in                                                                                                                    |
|                                                                         | जीएसटीआईएन   GSTIN : 34CHEG02561G1DW                                                                                                                        |
|                                                                         | पता   Address : Office of the Chief of Government Pharmacy, Indira Nagar, Gorimedu, Opp To Esi Hospital, Puducherry., Pondicherry, PUDUCHERRY-605006, India |

| विक्रेता विवरण   Seller Details                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------|
| जेम विक्रेता आईडी   GeM Seller ID : 76B4200001231429                                                                                |
| कंपनी का नाम   Company Name : STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                             |
| संपर्क नंबर   Contact No. : 09950041555                                                                                             |
| ईमेल आईडी   Email ID : ceo@starnukemail.net                                                                                         |
| पता   Address : Plot No. 25, Navkar Nagar, Village-Kalyanpura, Sanganer Road, Post- Sanganer, Sanganer, Jaipur, RAJASTHAN-302020, - |
| एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-RJ-17-0020564                                                             |
| जीएसटीआईएन   GSTIN: 08AAVCS3158DZZZ (R) , (M)                                                                                       |
| एमएसई सामाजिक श्रेणी   MSE Social Category : General                                                                                |
| एमएसई लिंग श्रेणी   MSE Gender : Female                                                                                             |

\* जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |                                                                                                                                                                                                                                                                                                                                                                                                                      |                               |             |                                     |                                         |                                                                                         |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| #                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                        | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                            | उत्पाद का नाम   Product Name : STAR NUKE Portable X-Ray Machine<br>ब्रांड   Brand : STAR NUKE<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable X - Ray Machine (V2) (Q2)<br>मॉडल   Model: STARNUKE-HF100<br>एचएसएन कोड   HSN Code: 9022 | 4                             | pieces      |                                     | NA                                      |                                                                                         |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                      |                               |             |                                     |                                         |                                                                                         |

| परोक्षिती विवरण   Consignee Detail |                                                                           |              |                    |                   |                                                           |                                                        |
|------------------------------------|---------------------------------------------------------------------------|--------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| क्र.सं.   S.No                     | परोक्षिती   Consignee                                                     | वस्तु   Item | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|                                    | पद   Designation : -<br>ईमेल आईडी   Email ID : con4.hfwspd.py@gembuyer.in |              |                    |                   |                                                           |                                                        |

|   |                                                                                                                                                                                                                                                                                                                                                                   |                                      |   |   |             |             |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---|---|-------------|-------------|
| 1 | संपर्क  Contact : 04368-222450-<br>जीएसटीआईएन  GSTIN : -<br>पता Address : Pharmacy Stores, Office of the Medical Superintendent,<br>Government General Hospital, No.63, Kamaraj Street, Karaikal.,<br>Karaikal, PUDUCHERRY-609602, India                                                                                                                          | STAR NUKE Portable X-<br>Ray Machine | - | 1 | 31-Mar-2025 | 15-May-2025 |
| 2 | पद  Designation : -<br>ईमेल आईडी  Email ID : k.vijayakumar75@py.gov.in<br>संपर्क  Contact : -<br>जीएसटीआईएन  GSTIN : -<br>पता Address : Pharmacy Stores, O/o The Medical Superintendent,<br>Indira Gandhi Govt. General Hospital and Post Graduate Institute, No<br>1 Victor Simonel Street, Puducherry. (0413-2337070),<br>Pondicherry, PUDUCHERRY-605001, India | STAR NUKE Portable X-<br>Ray Machine | - | 1 | 31-Mar-2025 | 15-May-2025 |
| 3 | पद  Designation : -<br>ईमेल आईडी  Email ID : k.gnanaprakash92@py.gov.in<br>संपर्क  Contact : 0413-2277545-<br>जीएसटीआईएन  GSTIN : -<br>पता Address : The Pharmacy Stores, Office of the Medical<br>Superintendent, Indira Gandhi Medical College and Research<br>Institute, Vazhudavur Road, Kathirkamam, Puducherry.,<br>Pondicherry, PUDUCHERRY-605009, India   | STAR NUKE Portable X-<br>Ray Machine | - | 2 | 31-Mar-2025 | 15-May-2025 |

#### Product Specification for STAR NUKE Portable X-Ray Machine

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec                                                                                      | मूल्य Value                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| GENERAL                 | Product Description                                                                                        | Portable X-Ray Machine                                                                                                  |
|                         | Purpose                                                                                                    | Portable X-ray machines are medical imaging devices designed to produce X-ray images of a patient's internal structures |
| PRODUCT INFORMATION     | Type of frequency Generator                                                                                | High Frequency                                                                                                          |
|                         | Frequency generator output in kW                                                                           | 4                                                                                                                       |
|                         | Voltage Output range in kV                                                                                 | 40 to 120                                                                                                               |
|                         | Tube Current in mA                                                                                         | 100                                                                                                                     |
|                         | Maximum Exposure time in milli sec                                                                         | upto 10                                                                                                                 |
|                         | mAs Range                                                                                                  | 0.5 to 200                                                                                                              |
|                         | Nominal focal spot size in mm                                                                              | 1 to 2                                                                                                                  |
|                         | Inherent Filtration of x-ray                                                                               | Yes                                                                                                                     |
|                         | Collimator provided                                                                                        | Yes                                                                                                                     |
|                         | Type of Collimator                                                                                         | Manual                                                                                                                  |
|                         | Focal Spot size in mm                                                                                      | 1 to 2                                                                                                                  |
|                         | Automatic exposure control device provided                                                                 | No                                                                                                                      |
|                         | Digital display for kV & mAs supplied                                                                      | Yes                                                                                                                     |
|                         | Electronic timer supplied                                                                                  | Yes                                                                                                                     |
|                         | Provision of Anatomical programming radiography(APR)                                                       | Yes                                                                                                                     |
|                         | X-ray tube system                                                                                          | Stationary Anode                                                                                                        |
|                         | Anode speed in rpm ( Hint: for rotating anode the speed should be 2500 or more and for stationary anode 0) | 0 for stationary anode                                                                                                  |
|                         | The unit should be easily positioned (from either side of the bed) for imaging in all possible projections | Yes                                                                                                                     |
|                         | Portable X-ray machine shall be easily transportable and steering on caster wheel                          | Yes                                                                                                                     |
|                         | Provision of effective braking system for parking,transport and emergency braking                          | Yes                                                                                                                     |
|                         | Lead Aprons - Full body and Skirt type                                                                     | 4 No each (0.5pb)                                                                                                       |
|                         | No of Thyroid shield and Gonad Shield                                                                      | 4 No each                                                                                                               |
|                         | X-ray exposure command control                                                                             | Hand switch                                                                                                             |
|                         | Power Cable length in meter                                                                                | ≥ 3                                                                                                                     |
|                         | X- ray film Cassette holder available                                                                      | Yes                                                                                                                     |
|                         | X-ray film cassette holder size in mm x mm                                                                 | 35 x 43                                                                                                                 |
|                         | Power supply                                                                                               | Single Phase AC ( 220-240 V,50 Hz)                                                                                      |
|                         | Power plug (16 amp) compatible to standard wall outlet shall be supplied                                   | Yes                                                                                                                     |

|                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
|                                                                                                                       | Tube protection against overload provided                                                                                                                                                                                                                                                                                                                                                                                                           | Yes                                           |
|                                                                                                                       | Portable X ray machine should be made in small footprint and hidden cable design for easy and efficient cleaning                                                                                                                                                                                                                                                                                                                                    | Yes                                           |
|                                                                                                                       | Operating temperature and humidity                                                                                                                                                                                                                                                                                                                                                                                                                  | 10 - 28 deg C and Relative Humidity of 15-90% |
| CERTIFICATIONS AND REPORTS                                                                                            | Compliance to Medical Device Rules (MDR) 2017 as amended till date                                                                                                                                                                                                                                                                                                                                                                                  | Yes                                           |
|                                                                                                                       | Availability of valid drug/medical device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date                                                                                                                                                                                                                                                     | Yes                                           |
|                                                                                                                       | Valid Drug License/Medical Device License Number                                                                                                                                                                                                                                                                                                                                                                                                    | MFG/MD/2023/001000                            |
|                                                                                                                       | AERB Type Approved Equipment                                                                                                                                                                                                                                                                                                                                                                                                                        | Yes                                           |
|                                                                                                                       | AERB approval certificate number of Particular Model                                                                                                                                                                                                                                                                                                                                                                                                | 15-TA-45302                                   |
|                                                                                                                       | Conformity to Indian Standard IS 7620- Part 1, Part 2, Part 3                                                                                                                                                                                                                                                                                                                                                                                       | Yes                                           |
|                                                                                                                       | Manufacturing unit certification                                                                                                                                                                                                                                                                                                                                                                                                                    | ISO:13485 (Latest)                            |
|                                                                                                                       | Additional voluntary certification available                                                                                                                                                                                                                                                                                                                                                                                                        | NO                                            |
|                                                                                                                       | Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date                                                                                                                                                                                                                                                                                                                             | Yes                                           |
|                                                                                                                       | Electrical Safety Standards                                                                                                                                                                                                                                                                                                                                                                                                                         | IEC 60601-2-54 or Equivalent BIS Standard     |
|                                                                                                                       | Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement                                                                                                                                                                                                                                                                                | Yes                                           |
| WARRANTY                                                                                                              | Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)                                                                                                                                                                                                                                                                                              | 5 year                                        |
| MISCELLANEOUS PARAMETERS                                                                                              | OEM/Reseller shall ensure uninterrupted availability of all spares for 10 years                                                                                                                                                                                                                                                                                                                                                                     | Yes                                           |
|                                                                                                                       | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy                                                                                                                                                                                                                                                                                                                                                                  | Yes                                           |
|                                                                                                                       | Details of equipments and procedures required for local calibration and routine maintenance to be supplied and advanced maintenance task documentation also to be furnished                                                                                                                                                                                                                                                                         | Yes                                           |
|                                                                                                                       | List of important spares and accessories, with their part numbers to be supplied to the buyer at the time of supplying the equipment                                                                                                                                                                                                                                                                                                                | Yes                                           |
|                                                                                                                       | Principal Manufacturer must have direct Presence/approved service center In India                                                                                                                                                                                                                                                                                                                                                                   | Yes                                           |
|                                                                                                                       | Availability of toll free facility for technical support maintained by OEM or authorized agencies                                                                                                                                                                                                                                                                                                                                                   | Yes                                           |
|                                                                                                                       | Installation and demonstration of equipment and training to be provided after completing supplies before acceptance                                                                                                                                                                                                                                                                                                                                 | Yes                                           |
|                                                                                                                       | QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM                                                                                                                                                                                                                                                                                                                                                          | Yes                                           |
|                                                                                                                       | Copies of all calibration reports to be submitted at the time of Supply of Machine                                                                                                                                                                                                                                                                                                                                                                  | Yes                                           |
|                                                                                                                       | Time to attend breakdown calls                                                                                                                                                                                                                                                                                                                                                                                                                      | within 48 hours                               |
| Additional Requirements                                                                                               | Additional Requirements                                                                                                                                                                                                                                                                                                                                                                                                                             | NA                                            |
| उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 8400193016                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
| व्यापक रखरखाव के लिए शुल्क   Comprehensive maintenance charges for STAR NUKE Portable X-Ray Machine                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
| सेवा वर्ष   Service Year                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | सीएमसी प्रतिशत   CMC Percentage               |
| CMC charges for 1 st year after warranty period in % of cost of equipment                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 2 nd year after warranty period in % of cost of equipment                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 3 rd year after warranty period in % of cost of equipment                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 4 th year after warranty period in % of cost of equipment                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 5 th year after warranty period in % of cost of equipment                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 6 year after warranty period in % of cost of equipment                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| CMC charges for 7 year after warranty period in % of cost of equipment                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3%                                            |
| कर द्विभाजन   Tax Bifurcation                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
| NA                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
| खरीदार परिभाषित अतिरिक्त विशेषता के लिए   Buyer Defined Additional Specification for STAR NUKE Portable X-Ray Machine |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                               |
| विनिर्देश   Specification                                                                                             | मूल्य   Value                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                               |
| Additional Specifications in ATC                                                                                      | In addition to the GeM Golden parameters, offered product of the bidder shall also match with the additional specifications mentioned in the ATC and technical evaluation will be done as per GeM & additional specifications in the ATC. The product offered by the bidders shall compile both GEM and ATC Specifications. Product not meeting with required technical specifications in Buyer Added Bid Specific Additional ATC will be rejected. |                                               |

|                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|
| Mode of Technical Evaluation                                                                                                                                                                                                                                                                                                                           | The bidder who qualified in the pre-Eligibility Criteria will be informed for technical Evaluation/demonstration via e-mail. The technical evaluation will be done by demonstrating the offered model with the requisite specifications. Bidders who did not demonstrate the offered model will be rejected outrightly and no communication will be entertained. The expenditure incurred for demonstrating the items will be borne by the supplier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |  |
| Details of Tender Inviting Authority                                                                                                                                                                                                                                                                                                                   | All the participating bidders are hereby requested that, all the technical documents to be uploaded in the bid shall be addressed to the following address "The Chief, Government Pharmacy, Indira Nagar, Gorimedu, Puducherry - 605 006".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     |  |
|                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| शुद्धिपत्र   Corrigendum                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| 1. तक बढ़ाया गया   Extended Upto : 2024-08-19 09:00:00                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| ईपीबीजी विवरण   ePBG Detail                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| सलाहकार बैंक   Advisory Bank :                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | State Bank of India |  |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 5.00                |  |
| बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा   The bidder shall furnish ePBG as applicable as per bid's terms and conditions                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
|                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| नियम और शर्तें   Terms and Conditions                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| 1. Special terms and conditions- Version:1 effective from 06-10-2023                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| 1.1                                                                                                                                                                                                                                                                                                                                                    | <p>1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health &amp; Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals &amp; Fertilizers time to time in this regard.</p> <p>2. The sellers are registered on GeM based on the submission of valid Drug License and self declaration of product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.</p> <p>3. In case of authorized resellers/distributors, it will be the legal &amp; regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.</p> <p>4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.</p> <p>5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.</p> <p>6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</p> <p>7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.</p> <p>8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.</p> <p>9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within &amp; outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.</p> <p>10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.</p> <p>11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation &amp; commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation &amp; maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.</p> <p>12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.</p> <p>13. Software: All software updates should be provided free of cost during warranty period.</p> |                     |  |
| 2. General Terms and Conditions-                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| 2.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |
| 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |  |



(ATC), as applicable

2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

### 3. Buyer Added Bid Specific Terms and Conditions-

#### 3.1 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 3.2 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 3.3 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

#### 3.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

In addition to GeM Golden Parameter the following specifications shall taken into account for technical evaluation. The offered product of bidder shall comply the following specifications without fail.

### GENERAL

|                     |                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------|
| Product Description | Portable X-Ray Machine                                                                                                  |
| Purpose             | Portable X-ray machines are medical imaging devices designed to produce X-ray images of a patient's internal structures |

### PRODUCT INFORMATION

|                                                                                                            |                        |
|------------------------------------------------------------------------------------------------------------|------------------------|
| Voltage Output range in kV                                                                                 | 40 to 120              |
| Maximum Exposure time in milli sec                                                                         | upto 10                |
| mAs Range                                                                                                  | 0.5 to 200             |
| Nominal focal spot size in mm                                                                              | 1 to 2                 |
| Inherent Filtration of x-ray                                                                               | Yes                    |
| Collimator provided                                                                                        | Yes                    |
| Focal Spot size in mm                                                                                      | 1 to 2                 |
| Automatic exposure control device provided                                                                 | No                     |
| Digital display for kV & mAs supplied                                                                      | Yes                    |
| Electronic timer supplied                                                                                  | Yes                    |
| Provision of Anatomical programming radiography(AP R)                                                      | Yes                    |
| Anode speed in rpm ( Hint: for rotating anode the speed should be 2500 or more and for stationary anode 0) | 0 for stationary anode |
| The unit should be easily positioned (from either side of the bed) for imaging in all possible projections | Yes                    |
| Portable X-ray machine shall be easily transportable a                                                     | Yes                    |



|                                                                                                                                                                                                 |                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| nd steering on caster wheel                                                                                                                                                                     |                                               |
| Provision of effective braking system for parking,transport and emergency braking                                                                                                               | Yes                                           |
| Lead Aprons - Full body and Skirt type                                                                                                                                                          | 4 No each (0.5pb)                             |
| No of Thyroid shield and Gonad Shield                                                                                                                                                           | 4 No each                                     |
| X-ray exposure command control                                                                                                                                                                  | Hand switch                                   |
| Power Cable length in meter                                                                                                                                                                     | ≥ 3                                           |
| X- ray film Cassette holder available                                                                                                                                                           | Yes                                           |
| X-ray film cassette holder size in mm x mm                                                                                                                                                      | 35 x 43                                       |
| Power supply                                                                                                                                                                                    | Single Phase AC ( 220-240 V,50 Hz)            |
| Power plug (16 amp) compatible to standard wall outlet shall be supplied                                                                                                                        | Yes                                           |
| Tube protection against overload provided                                                                                                                                                       | Yes                                           |
| Portable X ray machine should be made in small footprint and hidden cable design for easy and efficient cleaning                                                                                | Yes                                           |
| Operating temperature and humidity                                                                                                                                                              | 10 - 28 deg C and Relative Humidity of 15-90% |
| <b>CERTIFICATIONS AND REPORTS</b>                                                                                                                                                               |                                               |
| Compliance to Medical Device Rules (MDR) 2017 as amended till date                                                                                                                              | Yes                                           |
| Availability of valid drug/medical device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date | Yes                                           |
| Valid Drug License/Medical Device License Number                                                                                                                                                | To be provided by bidder                      |
| AERB Type Approved Equipment                                                                                                                                                                    | Yes                                           |
| AERB approval certificate number of Particular Model                                                                                                                                            | To be provided by bidder                      |
| Conformity to Indian Standard IS 7620- Part 1, Part 2, Part 3                                                                                                                                   | Yes                                           |
| Manufacturing unit certification                                                                                                                                                                | ISO:13485 (Latest)                            |
| Additional voluntary certification available                                                                                                                                                    | ICMED/00025                                   |
| Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date                                                                         | Yes                                           |

| Electrical Safety Standards                                                                                                                                                 | IEC 60601-2-54 or Equivalent BIS Standard |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement        | Yes                                       |
| <b>MISCELLANEOUS PARAMETERS</b>                                                                                                                                             |                                           |
| OEM/Reseller shall ensure uninterrupted availability of all spares for 10 years                                                                                             | Yes                                       |
| User/Technical/Maintenance manuals to be supplied in English in hard and soft copy                                                                                          | Yes                                       |
| Details of equipments and procedures required for local calibration and routine maintenance to be supplied and advanced maintenance task documentation also to be furnished | Yes                                       |
| List of important spares and accessories, with their part numbers to be supplied to the buyer at the time of supplying the equipment                                        | Yes                                       |
| Principal Manufacturer must have direct Presence/approved service centre In India                                                                                           | Yes                                       |
| Availability of toll-free facility for technical support maintained by OEM or authorized agencies                                                                           | Yes                                       |
| Installation and demonstration of equipment and training to be provided after completing supplies before acceptance                                                         | Yes                                       |
| QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM                                                                                  | Yes                                       |
| Copies of all calibration reports to be submitted at the time of Supply of Machine                                                                                          | Yes                                       |
| Time to attend breakdown calls                                                                                                                                              | within 48 hours                           |

### 3.5 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

### 3.6 Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 3.7 Generic:

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3.8 Generic:

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 7 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 3.9 Generic:

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 3.10 Generic:

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 3.11 *Generic*

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

### 3.12 *Generic*

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 3.13 *OEM*

**IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

### 3.14 *Service & Support:*

**Availability of Service Centres:** Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3.15 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

### 3.16 *Service & Support:*

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

### 3.17 *Warranty:*

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

### 3.18 *Warranty:*

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

### 3.19 *Warranty:*

**Timely Servicing / rectification of defects during warranty period:** After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 4 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

### 3.20 *Past Project Experience:*

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.



# Star Nuke Consulting Engineering Services Private Limited


ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                     |                     |                           |
|-------------------------------------------------------------------------|---------------------|---------------------|---------------------------|
| Customer Name and Address: - <b>PHC Kalapet - 605014 (Ruducherry)</b>   |                     |                     |                           |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                     |                     |                           |
| Description of                                                          |                     |                     |                           |
| Date of Installation                                                    | <b>2 May 2025</b>   |                     |                           |
| Tel. No.                                                                | <b>9384460357</b>   |                     |                           |
| Contact Person                                                          | <b>Dr. RIKTHO S</b> |                     |                           |
| Email ID                                                                |                     |                     |                           |
| e-LORA ID                                                               |                     |                     |                           |
| AERB Procurement No.                                                    |                     |                     |                           |
| Equipment Detail                                                        | MODEL               | <b>R Dent floor</b> | SERIAL No. <b>2434282</b> |
| Wireless Detector                                                       |                     |                     |                           |
| Laptop                                                                  |                     |                     |                           |
| Printer                                                                 | N/A                 |                     |                           |
| Accessories                                                             | N/A                 |                     |                           |

| TYPE OF SERVICE                       |  |          |                                |
|---------------------------------------|--|----------|--------------------------------|
| INSTALLATION                          |  |          | SERVICE                        |
| 1. PHYSICAL INSTALLATION              |  | YES / NO | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                 |  | YES / NO |                                |
| 3. EARTHING TESTED                    |  | YES / NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED    |  | YES / NO |                                |
| 5. STICKERS / NAMEPLATE MOBILE        |  | YES / NO | FAULT OBSERVED                 |
| 6. CALIBERATED                        |  | YES / NO |                                |
| 7. CABLES / WIRE ROUTING COMPL.       |  | YES / NO | N/A                            |
| 8. MACHINE CLEANED                    |  | YES / NO |                                |
| 9. OPERATIONAL TESTING PERFORMED      |  | YES / NO | SERVICE RENDERED               |
| 10. X-RAYS TAKEN                      |  | YES / NO |                                |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED |  | YES / NO | N/A                            |
| 12. RAD. TECH. CHART HANDOVER         |  | YES / NO |                                |
| INSTALLATION COMPLETED                |  | YES / NO | SPARES CONSUMED                |
| PENDING JOBS/ IF ANY                  |  |          |                                |
|                                       |  |          | N/A                            |

| INSTALLATION TIME     |  | SERVICE TIME | TRAVEL TIME |
|-----------------------|--|--------------|-------------|
| STARTED <b>12:20</b>  |  | DATE _____   |             |
| COMPLETED <b>1:30</b> |  | HRS. _____   | HRS. _____  |
|                       |  | N/A          | N/A         |

|                                                                                                         |                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineer Remark:<br> | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB<br><br> |
| Customer's Remark:                                                                                      |                                                                                                                                                                                                                                                |

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangar Road, Sangar, Jaipur-302020, Rajasthan. India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
 Ph: +91-9850041555, 7073577706



# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                                  |                                                                 |                    |
|-------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------|--------------------|
| Customer Name and Address:-                                             |                                  | PRIMARY HEALTH CENTRE - DENTAL UNIT<br>NETTAPAKKAM, PUDUCHERRY. |                    |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                                  |                                                                 |                    |
| Description of                                                          |                                  |                                                                 |                    |
| Date of Installation                                                    | 03-05-2025                       |                                                                 |                    |
| Tel. No.                                                                | 9751034904                       |                                                                 |                    |
| Contact Person                                                          | DR. M. HELENE GENEVIA MARIE ANNE |                                                                 |                    |
| Email ID                                                                | R nettapakkam.phc@gmail.com      |                                                                 |                    |
| e-LORA ID                                                               |                                  |                                                                 |                    |
| AERB Procurement No.                                                    |                                  |                                                                 |                    |
| Equipment Detail                                                        | MODEL                            | R-Dent Floor                                                    | SERIAL No. 2434581 |
| Wireless Detector                                                       |                                  |                                                                 |                    |
| Laptop                                                                  |                                  |                                                                 |                    |
| Printer                                                                 | N/A                              |                                                                 |                    |
| Accessories                                                             | N/A                              |                                                                 |                    |

### TYPE OF SERVICE

| INSTALLATION                          |  |          | SERVICE                        |
|---------------------------------------|--|----------|--------------------------------|
| 1. PHYSICAL INSTALLATION              |  | YES / NO | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                 |  | YES / NO |                                |
| 3. EARTHING TESTED                    |  | YES / NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED    |  | YES / NO | N/A                            |
| 5. STICKERS / NAMEPLATE MOBILE        |  | YES / NO |                                |
| 6. CALIBERATED                        |  | YES / NO |                                |
| 7. CABLES / WIRE ROUTING COMPL.       |  | YES / NO | FAULT OBSERVED                 |
| 8. MACHINE CLEANED                    |  | YES / NO |                                |
| 9. OPERATIONAL TESTING PERFORMED      |  | YES / NO |                                |
| 10. X-RAYS TAKEN                      |  | YES / NO | SERVICE RENDERED               |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED |  | YES / NO |                                |
| 12. RAD. TECH. CHART HANDOVER         |  | YES / NO |                                |
| INSTALLATION COMPLETED                |  | YES / NO | SPARES CONSUMED                |
| PENDING JOBS/ IF ANY                  |  |          |                                |
|                                       |  |          | N/A                            |

### INSTALLATION TIME

STARTED 10:00  
COMPLETED 12:10

### SERVICE TIME

DATE \_\_\_\_\_  
HRS. \_\_\_\_\_  
N/A

### TRAVEL TIME

HRS. \_\_\_\_\_  
N/A

Engineer Remark:

Customer's Remark

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

CUSTOMER SIGN



Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangarer Road, Sangarer, Jodhpur-302020, Rajasthan, India  
Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
Ph: +91-9950041555, 7073577706







# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

Customer Name and Address: - E/W.C. Lawared main Road  
Tyaganur kail ash

Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of

Date of Installation 26/04/2025

Tel. No. 9566321500

Contact Person Dr. Sindhu

Email ID

e-LORA ID

AERB Procurement No.

Equipment Detail R-Dent Floor SERIAL No. 2434577

Wireless Detector

Laptop

Printer

Accessories

| TYPE OF SERVICE                       |          |  | SERVICE                        |
|---------------------------------------|----------|--|--------------------------------|
| INSTALLATION                          |          |  | CUSTOMER COMPLAINTS / SYMPTOMS |
| 1. PHYSICAL INSTALLATION              | YES / NO |  | N/A                            |
| 2. ALL MOVING CHECKED                 | YES / NO |  |                                |
| 3. EARTHING TESTED                    | YES / NO |  |                                |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO |  | FAULT OBSERVED                 |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO |  |                                |
| 6. CALIBERATED                        | YES / NO |  | N/A                            |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO |  |                                |
| 8. MACHINE CLEANED                    | YES / NO |  | SERVICE RENDERED               |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO |  |                                |
| 10. X-RAYS TAKEN                      | YES / NO |  | N/A                            |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO |  |                                |
| 12. RAD. TECH. CHART HANDOVER         | YES / NO |  | SPARES CONSUMED                |
| INSTALLATION COMPLETED                |          |  | N/A                            |
| PENDING JOBS/ IF ANY                  |          |  |                                |
| INSTALLATION TIME                     |          |  | SERVICE TIME                   |
| STARTED <u>10:40</u>                  |          |  | DATE                           |
| COMPLETED <u>12:20</u>                |          |  | HRS.                           |
|                                       |          |  | N/A                            |
| Engineer Remark: <u>[Signature]</u>   |          |  | TRAVEL TIME                    |
| Customer's Remark:                    |          |  | HRS.                           |
|                                       |          |  | N/A                            |

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

CUSTOMER SIGN [Signature]

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sanganer Road, Sanganer, Jaipur-302020, Rajasthan, India  
Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
Ph: +91-9950041555, 7073577706







# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                   |                          |              |                               |
|-----------------------------------------------------------------------------------|--------------------------|--------------|-------------------------------|
| Customer Name and Address: -<br><b>GOVERNMENT GENERAL HOSPITAL KARAIKAL Pin 3</b> |                          |              |                               |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED           |                          |              |                               |
| Description of                                                                    |                          |              |                               |
| Date of Installation                                                              | 28/04/2025               |              |                               |
| Tel. No.                                                                          | 6383423153               |              |                               |
| Contact Person                                                                    | Shri Venkat Subrahmanian |              |                               |
| Email ID                                                                          |                          |              |                               |
| e-LORA ID                                                                         | KX749                    |              |                               |
| AERB Procurement No.                                                              |                          |              |                               |
| Equipment Detail                                                                  | MODEL                    | Star Nuke HF | SERIAL No. SMC/HF100/2025/013 |
| Wireless Detector                                                                 |                          | -100         |                               |
| Laptop                                                                            |                          |              |                               |
| Printer                                                                           |                          |              |                               |
| Accessories                                                                       |                          |              | N/A                           |
|                                                                                   |                          |              | N/A                           |

| TYPE OF SERVICE                       |                                |
|---------------------------------------|--------------------------------|
| INSTALLATION                          | SERVICE                        |
| 1. PHYSICAL INSTALLATION              | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                 | YES / NO                       |
| 3. EARTHING TESTED                    | YES / NO                       |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO                       |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO                       |
| 6. CALIBERATED                        | YES / NO                       |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO                       |
| 8. MACHINE CLEANED                    | YES / NO                       |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO                       |
| 10. X-RAYS TAKEN                      | YES / NO                       |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO                       |
| 12. RAD. TECH. CHART HANDOVER         | YES / NO                       |
| INSTALLATION COMPLETED                | YES / NO                       |
| PENDING JOBS/ IF ANY                  |                                |
|                                       | N/A                            |
|                                       | FAULT OBSERVED                 |
|                                       | N/A                            |
|                                       | SERVICE RENDERED               |
|                                       | N/A                            |
|                                       | SPARES CONSUMED                |
|                                       | N/A                            |

| INSTALLATION TIME |                                            | SERVICE TIME | TRAVEL TIME |
|-------------------|--------------------------------------------|--------------|-------------|
| STARTED 12:00     | Machine is installed and working properly. | DATE         |             |
| COMPLETED 4:00    |                                            | HRS.         |             |
|                   |                                            | N/A          | N/A         |

|                   |                                                                                                                                                                                                                                                            |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineer Remark   | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB<br>for A.S. 115<br>O/o THE MEDICAL SUPERINTENDENT<br>GOVT. GENERAL HOSPITAL - CUSTOMER SIGN<br>KARAIKAL |
| Customer's Remark |                                                                                                                                                                                                                                                            |

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sanganer Road, Sanganer, Jaipur-302020, Rajasthan, India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukeemail.net](mailto:info@starnukeemail.net), [sales@starnukeemail.net](mailto:sales@starnukeemail.net)  
 Ph: +91-9950041555, 7073577706





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                    |                                                               |                               |
|-------------------------------------------------------------------------|--------------------|---------------------------------------------------------------|-------------------------------|
| Customer Name and Address:-                                             |                    | Indira Gandhi Govt. General Hospital & PGI<br>Puducherry - 01 |                               |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                    |                                                               |                               |
| Date of Installation                                                    | 30/04/2025         |                                                               |                               |
| Tel. No.                                                                |                    |                                                               |                               |
| Contact Person                                                          | Nakkirane          |                                                               |                               |
| Email ID                                                                |                    |                                                               |                               |
| e-LORA ID                                                               | MS863              |                                                               |                               |
| AERB Procurement No.                                                    | PY-27257-KF-XR-023 |                                                               |                               |
| Equipment Detail                                                        | MODEL              | STARNUKE MF100                                                | SERIAL No. SNC/MF100/2025/012 |
| Wireless Detector                                                       |                    |                                                               |                               |
| Laptop                                                                  |                    |                                                               |                               |
| Printer                                                                 |                    |                                                               |                               |
| Accessories                                                             | N/A                |                                                               |                               |

| TYPE OF SERVICE                       |                                                                                                                                                                                                                                                                                                                         |                                           |             |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------|
| INSTALLATION                          |                                                                                                                                                                                                                                                                                                                         | SERVICE                                   |             |
| 1. PHYSICAL INSTALLATION              | YES / NO                                                                                                                                                                                                                                                                                                                | CUSTOMER COMPLAINTS / SYMPTOMS<br><br>N/A |             |
| 2. ALL MOVING CHECKED                 | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 3. EARTHING TESTED                    | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO                                                                                                                                                                                                                                                                                                                | FAULT OBSERVED<br><br>N/A                 |             |
| 6. CALIBERATED                        | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 8. MACHINE CLEANED                    | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO                                                                                                                                                                                                                                                                                                                | SERVICE RENDERED<br><br>N/A               |             |
| 10. X-RAYS TAKEN                      | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| 12. RAD. TECH. CHART HANDOVER         | YES / NO                                                                                                                                                                                                                                                                                                                |                                           |             |
| INSTALLATION COMPLETED                | YES / NO                                                                                                                                                                                                                                                                                                                | SPARES CONSUMED<br><br>N/A                |             |
| PENDING JOBS/ IF ANY                  |                                                                                                                                                                                                                                                                                                                         |                                           |             |
| INSTALLATION TIME                     |                                                                                                                                                                                                                                                                                                                         | SERVICE TIME                              | TRAVEL TIME |
| STARTED 11:00                         |                                                                                                                                                                                                                                                                                                                         | DATE                                      |             |
| COMPLETED 2:40                        |                                                                                                                                                                                                                                                                                                                         | HRS.                                      |             |
|                                       |                                                                                                                                                                                                                                                                                                                         | N/A                                       | N/A         |
| Engineer Remark:                      | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB<br><br>For. <u>R. Gandhi</u><br><br>HEAD OF THE DEPARTMENT<br>AND IMAGING SCIENCES<br>Indira Gandhi Govt. General Hospital<br>& Post Graduate Institute, Puducherry. |                                           |             |
| Customer's Remark                     |                                                                                                                                                                                                                                                                                                                         |                                           |             |

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangarner Road, Sangarner, Jaipur-302020, Rajasthan, India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
 Ph: +91-9950041555, 7073577706





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                                                                      |                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Customer Name and Address: <u>Indira Gandhi Medical College and Research Institute Vazhappur Road Kathirkamam Pudukkottai 605009</u> |                                                                   |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                                              |                                                                   |
| Description of                                                                                                                       |                                                                   |
| Date of Installation                                                                                                                 | <u>29/04/2021</u>                                                 |
| Tel. No.                                                                                                                             |                                                                   |
| Contact Person                                                                                                                       | <u>Dr. Srinivasan</u>                                             |
| Email ID                                                                                                                             | <u>sgmradio@gmail.com</u>                                         |
| e-LORA ID                                                                                                                            |                                                                   |
| AERB Procurement No.                                                                                                                 |                                                                   |
| Equipment Detail                                                                                                                     |                                                                   |
| Wireless Detector                                                                                                                    | MODEL <u>STARNUKE HF-100</u> SERIAL No. <u>CNC/HF100/2018/021</u> |
| Laptop                                                                                                                               |                                                                   |
| Printer                                                                                                                              |                                                                   |
| Accessories                                                                                                                          | N/A                                                               |

| TYPE OF SERVICE                       |                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INSTALLATION                          | SERVICE                                                                                                                                                                                                                                                                                                                                                                                           |
| 1. PHYSICAL INSTALLATION              | CUSTOMER COMPLAINTS / SYMPTOMS                                                                                                                                                                                                                                                                                                                                                                    |
| 2. ALL MOVING CHECKED                 |                                                                                                                                                                                                                                                                                                                                                                                                   |
| 3. EARTHING TESTED                    |                                                                                                                                                                                                                                                                                                                                                                                                   |
| 4. ELECT. CONNECTION DONE & TESTED    | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| 5. STICKERS / NAMEPLATE MOBILE        |                                                                                                                                                                                                                                                                                                                                                                                                   |
| 6. CALIBERATED                        | FAULT OBSERVED                                                                                                                                                                                                                                                                                                                                                                                    |
| 7. CABLES / WIRE ROUTING COMPL.       |                                                                                                                                                                                                                                                                                                                                                                                                   |
| 8. MACHINE CLEANED                    | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| 9. OPERATIONAL TESTING PERFORMED      | SERVICE RENDERED                                                                                                                                                                                                                                                                                                                                                                                  |
| 10. X-RAYS TAKEN                      |                                                                                                                                                                                                                                                                                                                                                                                                   |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| 12. RAD. TECH. CHART HANDOVER         |                                                                                                                                                                                                                                                                                                                                                                                                   |
| INSTALLATION COMPLETED                | SPARES CONSUMED                                                                                                                                                                                                                                                                                                                                                                                   |
| PENDING JOBS/ IF ANY                  | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| INSTALLATION TIME                     | SERVICE TIME                                                                                                                                                                                                                                                                                                                                                                                      |
| STARTED <u>1:00 pm</u>                | DATE _____                                                                                                                                                                                                                                                                                                                                                                                        |
| COMPLETED <u>4:00</u>                 | HRS. _____                                                                                                                                                                                                                                                                                                                                                                                        |
|                                       | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| TRAVEL TIME                           |                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                       | HRS. _____                                                                                                                                                                                                                                                                                                                                                                                        |
|                                       | N/A                                                                                                                                                                                                                                                                                                                                                                                               |
| Engineer Remark: <u>[Signature]</u>   | <p>JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB</p> <p><u>[Signature]</u> <b>HEAD</b><br/>           CUSTOMER SIGN DEPARTMENT OF RADIO-DIAGNOSIS<br/>           Indira Gandhi Medical College<br/>           &amp; Research Institute<br/>           Kathirkamam, Pudukkottai - 605 009</p> |
| Customer's Remark                     |                                                                                                                                                                                                                                                                                                                                                                                                   |

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangar Road, Sangar, Jaipur-302020, Rajasthan, India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
 Ph: +91-9950041555, 7073577706



# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                                                                                         |                             |                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------|
| Customer Name and Address: - <u>Indira Gandhi Medical College and Research Institute</u><br><u>Centre Vashidpur Road Kathirkamam Pudukkottai 605009</u> |                             |                                                           |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                                                                 |                             |                                                           |
| Description of                                                                                                                                          |                             |                                                           |
| Date of Installation                                                                                                                                    | <u>29/04/2015</u>           |                                                           |
| Tel. No.                                                                                                                                                |                             |                                                           |
| Contact Person                                                                                                                                          | <u>Dr. Shrinivasan</u>      |                                                           |
| Email ID                                                                                                                                                | <u>tgmc.hadib@gmail.com</u> |                                                           |
| e-LORA ID                                                                                                                                               |                             |                                                           |
| AERB Procurement No.                                                                                                                                    |                             |                                                           |
| Equipment Detail                                                                                                                                        | MODEL                       | <u>STARNUKE HF10</u> SERIAL No. <u>SAC/HF100/2015/014</u> |
| Wireless Detector                                                                                                                                       |                             |                                                           |
| Laptop                                                                                                                                                  |                             |                                                           |
| Printer                                                                                                                                                 | N/A                         |                                                           |
| Accessories                                                                                                                                             | N/A                         |                                                           |

| TYPE OF SERVICE                       |                                                                                                                                                    |                                |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| INSTALLATION                          | SERVICE                                                                                                                                            |                                |
| 1. PHYSICAL INSTALLATION              | YES / NO                                                                                                                                           | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                 | YES / NO                                                                                                                                           |                                |
| 3. EARTHING TESTED                    | YES / NO                                                                                                                                           |                                |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO                                                                                                                                           |                                |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO                                                                                                                                           | FAULT OBSERVED                 |
| 6. CALIBERATED                        | YES / NO                                                                                                                                           |                                |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO                                                                                                                                           | N/A                            |
| 8. MACHINE CLEANED                    | YES / NO                                                                                                                                           |                                |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO                                                                                                                                           | SERVICE RENDERED               |
| 10. X-RAYS TAKEN                      | YES / NO                                                                                                                                           |                                |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO                                                                                                                                           | N/A                            |
| 12. RAD. TECH. CHART HANDOVER         | YES / NO                                                                                                                                           |                                |
| INSTALLATION COMPLETED                | YES / NO                                                                                                                                           | SPARES CONSUMED                |
| PENDING JOBS/ IF ANY                  |                                                                                                                                                    |                                |
|                                       |                                                                                                                                                    | N/A                            |
| INSTALLATION TIME                     |                                                                                                                                                    | SERVICE TIME                   |
| STARTED <u>10:20</u>                  |                                                                                                                                                    | DATE _____                     |
| COMPLETED <u>12:20</u>                |                                                                                                                                                    | HRS. _____                     |
|                                       |                                                                                                                                                    | N/A                            |
| Engineer Remark:                      | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB |                                |
| Customer's Remark                     |                                                                                                                                                    |                                |

[Signature]  
CUSTOMER SIGN  
**HEAD**  
DEPARTMENT OF RADIO-DIAGNOSIS  
Indira Gandhi Medical College  
& Research Institute  
Kathirkamam, Pudukkottai - 605 009

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sanganer Road, Sanganer, Jaipur-302020, Rajasthan, India  
Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
Ph: +91-9950041555, 7073577706






# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                  |                                   |
|-------------------------------------------------------------------------|------------------|-----------------------------------|
| Customer Name and Address: - PHC Villianur Ponnicherry                  |                  |                                   |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                  |                                   |
| Description of                                                          |                  |                                   |
| Date of Installation                                                    | 11/05/2025       |                                   |
| Tel. No.                                                                | 9629660370       |                                   |
| Contact Person                                                          | Pamogel Ravithar |                                   |
| Email ID                                                                |                  |                                   |
| e-LORA ID                                                               |                  |                                   |
| AERB Procurement No.                                                    |                  |                                   |
| Equipment Detail                                                        | MODEL            | Radant Floor v SERIAL No. 2435103 |
| Wireless Detector                                                       |                  |                                   |
| Laptop                                                                  |                  |                                   |
| Printer                                                                 | N/A              |                                   |
| Accessories                                                             | N/A              |                                   |

| TYPE OF SERVICE                       |                                                                                                                                                                                                                                                                                                                               |          | SERVICE                        |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| INSTALLATION                          |                                                                                                                                                                                                                                                                                                                               |          | CUSTOMER COMPLAINTS / SYMPTOMS |
| 1. PHYSICAL INSTALLATION              |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 2. ALL MOVING CHECKED                 |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 3. EARTHING TESTED                    |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED    |                                                                                                                                                                                                                                                                                                                               | YES / NO | FAULT OBSERVED                 |
| 5. STICKERS / NAMEPLATE MOBILE        |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 6. CALIBERATED                        |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 7. CABLES / WIRE ROUTING COMPL.       |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 8. MACHINE CLEANED                    |                                                                                                                                                                                                                                                                                                                               | YES / NO | SERVICE RENDERED               |
| 9. OPERATIONAL TESTING PERFORMED      |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 10. X-RAYS TAKEN                      |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| 12. RAD. TECH. CHART HANDOVER         |                                                                                                                                                                                                                                                                                                                               | YES / NO | N/A                            |
| INSTALLATION COMPLETED                |                                                                                                                                                                                                                                                                                                                               | YES / NO |                                |
| PENDING JOBS/ IF ANY                  |                                                                                                                                                                                                                                                                                                                               |          | SPARES CONSUMED                |
|                                       |                                                                                                                                                                                                                                                                                                                               |          | N/A                            |
| INSTALLATION TIME                     |                                                                                                                                                                                                                                                                                                                               |          | SERVICE TIME                   |
| STARTED 11:40                         |                                                                                                                                                                                                                                                                                                                               |          | DATE                           |
| COMPLETED 12:30                       |                                                                                                                                                                                                                                                                                                                               |          | HRS. N/A                       |
|                                       |                                                                                                                                                                                                                                                                                                                               |          | TRAVEL TIME                    |
|                                       |                                                                                                                                                                                                                                                                                                                               |          | HRS. N/A                       |
| Engineer Remark:                      | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB<br><br><br><b>MEDICAL OFFICER</b><br><b>PRIMARY HEALTH CENTRE</b><br><b>VILLIANUR</b> |          |                                |
| Customer Remark:                      |                                                                                                                                                                                                                                                                                                                               |          |                                |





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                                                  |                                                                                 |                    |
|-------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------------------------|--------------------|
| Customer Name and Address:-                                             |                                                  | Community Health Centre, Karikalampakkam.<br>Madhucoral Main Road, Pondicherry. |                    |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                                                  |                                                                                 |                    |
| Description of                                                          |                                                  |                                                                                 |                    |
| Date of Installation                                                    | 02.05.2025                                       |                                                                                 |                    |
| Tel. No.                                                                | 0413-2665362 / 9443480506                        |                                                                                 |                    |
| Contact Person                                                          | Dr. SUNITHA-B Dr. TIRUMALAI SANKER chif H/o Ilc. |                                                                                 |                    |
| Email ID                                                                | chakpm2020@gmail.com                             |                                                                                 |                    |
| e-LORA ID                                                               |                                                  |                                                                                 |                    |
| AERB Procurement No.                                                    |                                                  |                                                                                 |                    |
| Equipment Detail                                                        | MODEL                                            | R-Dent Floor                                                                    | SERIAL No. 2435136 |
| Wireless Detector                                                       |                                                  |                                                                                 |                    |
| Laptop                                                                  |                                                  |                                                                                 |                    |
| Printer                                                                 |                                                  |                                                                                 |                    |
| Accessories                                                             |                                                  |                                                                                 |                    |

| TYPE OF SERVICE                       |                                                                                                                                                                                                                                                                                                  |                                |             |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------|
| INSTALLATION                          |                                                                                                                                                                                                                                                                                                  | SERVICE                        |             |
| 1. PHYSICAL INSTALLATION              | YES / NO                                                                                                                                                                                                                                                                                         | CUSTOMER COMPLAINTS / SYMPTOMS |             |
| 2. ALL MOVING CHECKED                 | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 3. EARTHING TESTED                    | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO                                                                                                                                                                                                                                                                                         | FAULT OBSERVED                 |             |
| 6. CALIBERATED                        | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 8. MACHINE CLEANED                    | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO                                                                                                                                                                                                                                                                                         | SERVICE RENDERED               |             |
| 10. X-RAYS TAKEN                      | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| 12. RAD. TECH. CHART HANDOVER         | YES / NO                                                                                                                                                                                                                                                                                         | N/A                            |             |
| INSTALLATION COMPLETED                | YES / NO                                                                                                                                                                                                                                                                                         | SPARES CONSUMED                |             |
| PENDING JOBS/ IF ANY                  |                                                                                                                                                                                                                                                                                                  | N/A                            |             |
| INSTALLATION TIME                     |                                                                                                                                                                                                                                                                                                  | SERVICE TIME                   | TRAVEL TIME |
| STARTED 9:00                          |                                                                                                                                                                                                                                                                                                  | DATE                           |             |
| COMPLETED 10:00                       |                                                                                                                                                                                                                                                                                                  | HRS.                           |             |
|                                       |                                                                                                                                                                                                                                                                                                  | N/A                            | N/A         |
| Engineer Remark:                      | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB                                                                                                                                               |                                |             |
| Customer's Remark:                    | <br><br><b>MEDICAL OFFICER IN-CHARGE</b><br><b>COMMUNITY HEALTH CENTRE</b><br><b>KARIKALAMPAKKAM</b><br><b>PUDUCHERRY</b> |                                |             |

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangar Road, Sangar Nagar, Rajastan, India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
 Ph: +91-9950041555, 7073577706

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687759641282

अनुबंध तिथि | Generated Date : 12-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4284830](#)

| संगठन विवरण   Organisation Details                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  | खरीदार विवरण   Buyer Details                             |                    |                                                                                     |                                                           |                                                                                         |
|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------|
| प्ररूप   Type :                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      | State Government                                                                                                 |  | पद   Designation :                                       |                    | HOSPITAL SUPERINTENDENT                                                             |                                                           |                                                                                         |
| मंत्रालय   Ministry :                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                      | -                                                                                                                |  | संपर्क नंबर   Contact No. :                              |                    | 0452-2667161-                                                                       |                                                           |                                                                                         |
| विभाग   Department :                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                      | Labour and Employment Department Tamil Nadu                                                                      |  | ईमेल आईडी   Email ID :                                   |                    | ms-madurai.tn@esic.nic.in                                                           |                                                           |                                                                                         |
| संगठन का नाम   Organisation Name :                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A                                                                                                              |  | जीएसटीआईएन   GSTIN :                                     |                    | -                                                                                   |                                                           |                                                                                         |
| कार्यालय क्षेत्र   Office Zone:                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      | ESI Directorate                                                                                                  |  | पता   Address :                                          |                    | ESI HOSPITAL MADURAI, THATHANERI, MADURAI 625018, MADURAI, TAMIL NADU-625018, India |                                                           |                                                                                         |
| <b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  | <b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b> |                    |                                                                                     |                                                           |                                                                                         |
| आईएफडी सहमति   IFD Concurrence :                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                      | No                                                                                                               |  | Role:                                                    |                    | BUYER                                                                               |                                                           |                                                                                         |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:                                         |                                                                                                                                                                                                                                                                                                                                                                                                                      | Superintendent                                                                                                   |  | भुगतान का तरीका   Payment Mode:                          |                    | Offline                                                                             |                                                           |                                                                                         |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :                                               |                                                                                                                                                                                                                                                                                                                                                                                                                      | Superintendent                                                                                                   |  | पद   Designation :                                       |                    | HOSPITAL SUPERINTENDENT                                                             |                                                           |                                                                                         |
|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  | ईमेल आईडी   Email ID :                                   |                    | ms-madurai.tn@esic.nic.in                                                           |                                                           |                                                                                         |
|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  | जीएसटीआईएन   GSTIN :                                     |                    | -                                                                                   |                                                           |                                                                                         |
|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  | पता   Address:                                           |                    | ESI HOSPITAL MADURAI, THATHANERI, MADURAI 625018, Madurai, TAMIL NADU-625018, India |                                                           |                                                                                         |
|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| <b>विक्रेता विवरण   Seller Details</b>                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| जेम विक्रेता आईडी   GeM Seller ID :                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                      | 76B4200001231429                                                                                                 |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| कंपनी का नाम   Company Name :                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                      | STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                                        |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| संपर्क नंबर   Contact No. :                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                      | 09950041555                                                                                                      |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| ईमेल आईडी   Email ID :                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                      | ceo@starnukemail.net                                                                                             |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| पता   Address :                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      | Plot No. 25,Navkar Nagar, Village-Kalyanpura, Sanganer Road,Post- Sanganer,Sanganer, Jaipur, RAJASTHAN-302020, - |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| एमएसएमई पंजीकरण संख्या   MSME Registration number :                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                      | UDYAM-RJ-17-0020564                                                                                              |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| एमएसई सामाजिक श्रेणी   MSE Social Category :                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                      | General                                                                                                          |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| एमएसई लिंग श्रेणी   MSE Gender :                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                      | Female                                                                                                           |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| जीएसटीआईएन   GSTIN:                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                      | 08AAVCS3158D2ZZ                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| *जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| वितरण निर्देश   Delivery Instructions : NA                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| <b>उत्पाद विवरण   Product Details</b>                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| #                                                                                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                  |  | आइटम विवरण   Ordered Quantity                            | इकाई   Unit        | इकाई मूल्य (INR)   Unit Price (INR)                                                 | कर विभाजन (INR)   Tax Bifurcation (INR)                   | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                                                                                            | उत्पाद का नाम   Product Name : STAR NUKE Portable X-Ray Machine<br>ब्रांड   Brand : STAR NUKE<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable X - Ray Machine (V2) (Q2)<br>मॉडल   Model: STARNUKE-MX100<br>एचएसएन कोड   HSN Code: 9022 |                                                                                                                  |  | 1                                                        | pieces             |                                                                                     | NA                                                        |                                                                                         |
| कुल ऑर्डर मूल्य   Total Order Value (in INR)                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           | -                                                                                       |
|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| <b>प्रेषिती विवरण   Consignee Detail</b>                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                  |  |                                                          |                    |                                                                                     |                                                           |                                                                                         |
| क्र.सं.   S.No                                                                                               | प्रेषिती   Consignee                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                  |  | वस्तु   Item                                             | लॉट नंबर   Lot No. | मात्रा   Quantity                                                                   | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By                                  |
| 1                                                                                                            | पद   Designation : -<br>ईमेल आईडी   Email ID : ms-madurai.tn@esic.nic.in<br>संपर्क   Contact : 0452-2667161-<br>जीएसटीआईएन   GSTIN : -                                                                                                                                                                                                                                                                               |                                                                                                                  |  | STAR NUKE Portable X-Ray Machine                         | -                  | 1                                                                                   | 12-Feb-2024                                               | 27-Feb-2024                                                                             |

|                                                                   |                                                                                                                                                                                                 |                                                                                                                         |  |  |  |  |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
|                                                                   | पता   Address : ESI HOSPITAL MADURAI, THATHANERI, MADURAI<br>625018,<br>MADURAI, TAMIL NADU-625018, India                                                                                       |                                                                                                                         |  |  |  |  |
| <b>Product Specification for STAR NUKE Portable X-Ray Machine</b> |                                                                                                                                                                                                 |                                                                                                                         |  |  |  |  |
| <b>विनिर्देश   Specification</b>                                  | <b>उप-विनिर्देश   Sub-Spec</b>                                                                                                                                                                  | <b>मूल्य   Value</b>                                                                                                    |  |  |  |  |
| GENERAL                                                           | Product Description                                                                                                                                                                             | Portable X-Ray Machine                                                                                                  |  |  |  |  |
|                                                                   | Purpose                                                                                                                                                                                         | Portable X-ray machines are medical imaging devices designed to produce X-ray images of a patient's internal structures |  |  |  |  |
| PRODUCT<br>INFORMATION                                            | Type of frequency Generator                                                                                                                                                                     | Line Frequency                                                                                                          |  |  |  |  |
|                                                                   | Frequency generator output in kW                                                                                                                                                                | 8                                                                                                                       |  |  |  |  |
|                                                                   | Voltage Output range in kV                                                                                                                                                                      | 40 to 100                                                                                                               |  |  |  |  |
|                                                                   | Tube Current in mA                                                                                                                                                                              | 100                                                                                                                     |  |  |  |  |
|                                                                   | Maximum Exposure time in milli sec                                                                                                                                                              | upto 40                                                                                                                 |  |  |  |  |
|                                                                   | mAs Range                                                                                                                                                                                       | 0.5 to 250                                                                                                              |  |  |  |  |
|                                                                   | Nominal focal spot size in mm                                                                                                                                                                   | 1 to 3                                                                                                                  |  |  |  |  |
|                                                                   | Inherent Filtration of x-ray                                                                                                                                                                    | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Collimator provided                                                                                                                                                                             | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Type of Collimator                                                                                                                                                                              | Manual                                                                                                                  |  |  |  |  |
|                                                                   | Focal Spot size in mm                                                                                                                                                                           | 2 to 3                                                                                                                  |  |  |  |  |
|                                                                   | Automatic exposure control device provided                                                                                                                                                      | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Digital display for kV & mAs supplied                                                                                                                                                           | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Electronic timer supplied                                                                                                                                                                       | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Provision of Anatomical programming radiography(APR)                                                                                                                                            | No                                                                                                                      |  |  |  |  |
|                                                                   | X-ray tube system                                                                                                                                                                               | Stationary Anode                                                                                                        |  |  |  |  |
|                                                                   | Anode speed in rpm ( Hint: for rotating anode the speed should be 2500 or more and for stationary anode 0)                                                                                      | 0 for stationary anode                                                                                                  |  |  |  |  |
|                                                                   | The unit should be easily positioned (from either side of the bed) for imaging in all possible projections                                                                                      | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Portable X-ray machine shall be easily transportable and steering on caster wheel                                                                                                               | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Provision of effective braking system for parking,transport and emergency braking                                                                                                               | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Lead Aprons - Full body and Skirt type                                                                                                                                                          | 4 No each (0.5pb)                                                                                                       |  |  |  |  |
|                                                                   | No of Thyroid shield and Gonad Shield                                                                                                                                                           | 4 No each                                                                                                               |  |  |  |  |
|                                                                   | X-ray exposure command control                                                                                                                                                                  | Hand switch                                                                                                             |  |  |  |  |
|                                                                   | Power Cable length in meter                                                                                                                                                                     | ≥ 3                                                                                                                     |  |  |  |  |
|                                                                   | X- ray film Cassette holder available                                                                                                                                                           | Yes                                                                                                                     |  |  |  |  |
|                                                                   | X-ray film cassette holder size in mm x mm                                                                                                                                                      | 35 x 43                                                                                                                 |  |  |  |  |
|                                                                   | Power supply                                                                                                                                                                                    | Single Phase AC ( 220-240 V,50 Hz)                                                                                      |  |  |  |  |
|                                                                   | Power plug (16 amp) compatible to standard wall outlet shall be supplied                                                                                                                        | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Tube protection against overload provided                                                                                                                                                       | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Portable X ray machine should be made in small footprint and hidden cable design for easy and efficient cleaning                                                                                | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Operating temperature and humidity                                                                                                                                                              | 10 - 28 deg C and Relative Humidity of 15-90%                                                                           |  |  |  |  |
| CERTIFICATIONS AND<br>REPORTS                                     | Compliance to Medical Device Rules (MDR) 2017 as amended till date                                                                                                                              | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Availability of valid drug/medical device license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Valid Drug License/Medical Device License Number                                                                                                                                                | CDSCO                                                                                                                   |  |  |  |  |
|                                                                   | AERB Type Approved Equipment                                                                                                                                                                    | Yes                                                                                                                     |  |  |  |  |
|                                                                   | AERB approval certificate number of Particular Model                                                                                                                                            | 15-TA-45302                                                                                                             |  |  |  |  |
|                                                                   | Conformity to Indian Standard IS 7620- Part 1, Part 2, Part 3                                                                                                                                   | Yes                                                                                                                     |  |  |  |  |
|                                                                   | Manufacturing unit certification                                                                                                                                                                | ISO:13485 (Latest)                                                                                                      |  |  |  |  |

|                          |                                                                                                                                                                             |                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                          | Additional voluntary certification available                                                                                                                                | NO                                        |
|                          | Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date                                                     | Yes                                       |
|                          | Electrical Safety Standards                                                                                                                                                 | IEC 60601-2-54 or Equivalent BIS Standard |
|                          | Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement        | Yes                                       |
| WARRANTY                 | Warranty in years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)                      | 5 year                                    |
| MISCELLANEOUS PARAMETERS | OEM/Reseller shall ensure uninterrupted availability of all spares for 10 years                                                                                             | Yes                                       |
|                          | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy                                                                                          | Yes                                       |
|                          | Details of equipments and procedures required for local calibration and routine maintenance to be supplied and advanced maintenance task documentation also to be furnished | Yes                                       |
|                          | List of important spares and accessories, with their part numbers to be supplied to the buyer at the time of supplying the equipment                                        | Yes                                       |
|                          | Principal Manufacturer must have direct Presence/approved service center In India                                                                                           | Yes                                       |
|                          | Availability of toll free facility for technical support maintained by OEM or authorized agencies                                                                           | Yes                                       |
|                          | Installation and demonstration of equipment and training to be provided after completing supplies before acceptance                                                         | Yes                                       |
|                          | QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM                                                                                  | Yes                                       |
|                          | Copies of all calibration reports to be submitted at the time of Supply of Machine                                                                                          | Yes                                       |
|                          | Time to attend breakdown calls                                                                                                                                              | within 48 hours                           |
| Additional Requirements  | Additional Requirements                                                                                                                                                     | NA                                        |

|                                                                  |  |  |
|------------------------------------------------------------------|--|--|
| उत्पाद का बीआईएस लाइसेंस  BIS license of the product: 8400193016 |  |  |
|------------------------------------------------------------------|--|--|

| व्यापक रखरखाव के लिए शुल्क  Comprehensive maintenance charges for STAR NUKE Portable X-Ray Machine |                                |                              |  |
|----------------------------------------------------------------------------------------------------|--------------------------------|------------------------------|--|
| सेवा वर्ष  Service Year                                                                            | सीएमसी प्रतिशत  CMC Percentage | कर द्विभाजन  Tax Bifurcation |  |
| CMC charges for 1 st year after warranty period in % of cost of equipment                          | 5%                             | NA                           |  |
| CMC charges for 2 nd year after warranty period in % of cost of equipment                          | 5%                             |                              |  |
| CMC charges for 3 rd year after warranty period in % of cost of equipment                          | 5%                             |                              |  |
| CMC charges for 4 th year after warranty period in % of cost of equipment                          | 5%                             |                              |  |
| CMC charges for 5 th year after warranty period in % of cost of equipment                          | 5%                             |                              |  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <b>शुद्धिपत्र  Corrigendum</b><br><br>1. तक बढ़ाया गया Extended Upto : 2024-01-09 09:00:00<br>2. तक बढ़ाया गया Extended Upto : 2024-01-23 09:00:00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |
| <b>सीएमसी के लिए अतिरिक्त खंड  Additional Clauses for CMC</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |  |
| 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months or as per user requirement. Cost of consumables shall not be included in CMC.Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.<br>2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.<br>3.GST shall be included in the CMC Charges quoted.<br>4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula.A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on Net Present Value.<br>5.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.<br>6.While creating a bid or RA, buyers shall indicate whether CMC is required against Yes/No" options. If CMC Charges are included, an option for number of years for CMC required after the warranty period shall be available.Under this option up to 10 years can be chosen for CMC charges beyond warranty period.<br>7.In case the bid has a provision for CMC, the warranty of the product will also be deemed to have been converted into Comprehensive warranty including preventive maintenance and calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, during the Warranty Period also. Sellers are therefore advised to include the cost of Comprehensive Warranty including spares (excluding consumables) also in product Cost.<br>8.The CMC functionality shall be available in bid only and no direct RA shall be applicable.In case of bid to R/A decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.<br><br>8.1.Buyer shall indicate number of years of warranty by selecting different options available in the field depending on warranty parameter applicable in category parameters for the equipment. No. of years of warranty indicated here shall supersede the warranty period indicated elsewhere in bid or product specifications. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable, if 5 year CMC selected:<br>CMC charges for 1st year after warranty period- Percentage to be indicated- A1 |  |  |  |



CMC charges for 2nd year after warranty period– Percentage to be indicated- A2  
 CMC charges for 3rd year after warranty period – Percentage to be indicated- A3  
 CMC charges for 4th year after warranty period – Percentage to be indicated- A4  
 CMC charges for 5th year after warranty period – Percentage to be indicated- A5

Similarly, A6 to A10 are to be indicated for 6th to 10th year of CMC if applicable.

8.2.The calculation of CMC Charges shall take into account the number of years of warranty and duration of CMC as specified while creating bid.

8.3.In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se-ranking of the bidders. The following are the variables

- (i) Number of years for which CMC required.
- (ii) Number of years of product warranty

The formula for calculating total cost including CMC charges shall be as under:

Total Cost for evaluation=

$C + C \times \{(A1/100)/(1.10^n) + (A2/100)/(1.10^{n+1}) + (A3/100)/(1.10^{n+2}) + (A4/100)/(1.10^{n+3}) + (A5/100)/(1.10^{n+4})\}$  and so on

C – Cost for equipment quoted and n shall be number of years of product warranty specified.

If 2 year warranty specified, n shall be 2 and if 5 year warranty specified, n shall be 5. A1, A2, A3, A4 & A5 shall depend on how many years CMC selected. For 3 year CMC, only A1, A2 and A3 factors are to be taken into account and A4 and A5 will not be applicable.

8.4.CMC charges offered for each subsequent year should be same or higher than preceding year.

8.5.The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

9.Since CMC charges are to be paid only later for each year during CMC period, applicable performance guarantee amount after placement of contract shall be based on the cost of equipment excluding the cost of CMC Charges.

10.Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable between 2.5% to 10% as specified in bid on total CMC Charges. The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for CMC is to remain valid till completion of CMC period plus one year. The bank guarantee for CMC shall be submitted to buyer directly. In case, seller fails to submit the PBG or does not provide services for the CMC contract after expiry of warranty period then PBG of equipment shall be forfeited.

11.In case of splitting of order quantity, equipment cost and CMC charges offered by L1 bidder shall be matched by higher quoting eligible bidders on one-to-one basis. The equipment cost and CMC charges (year to year) shall be matched individually.

12.The CMC Contract shall be an offline contract to be handled by buyer. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

## ईपीबीजी विवरण | ePBG Detail

|                                            |    |
|--------------------------------------------|----|
| सलाहकार बैंक   Advisory Bank :             | NA |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%) : | NA |

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:1 effective from 06-10-2023

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  - The sellers are registered on GeM based on the submission of valid Drug License and self declaration of product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
  - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
  - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
  - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
  - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
  - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are

available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. Software: All software updates should be provided free of cost during warranty period.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

## 3. Buyer Added Bid Specific Terms and Conditions-

### 3.1 Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 3.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 3.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

**1. Bidder must provide a live demo during the technical evaluation to be held in ESI Hospital Madurai, date and time will be intimated to the bidder in due course. Confirmation mail should be sent to ms-madurai.tn@esic.nic.in with a contact number. Failing bidders may be disqualified in the technical evaluation of the bid. The product has been cleared with the satisfactory report during the demonstration by the authorities of the hospital, alone shall be eligible for the next stage of a bid.**

**2. Equipment should be kept for observation in hospital for 10 days. If the working condition is not satisfactory, the product will be returned back.**

**3. Service center should be available in Tamilnadu.**

**4. Central Drugs standard Control Organization (CDSCO) certification is mandatory**

**5. The warranty of the equipment should be 5 years**

**6. All procedures including installation should laid down on AERB rules**

### 3.4 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3.5 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                                                 |                           |                    |
|-----------------------------------------------------------------------------------------------------------------|---------------------------|--------------------|
| Customer Name and Address: - ESI Hospital Madurai<br>ESI Hospital Madurai, Thathaneri Madurai Tamil Nadu-625018 |                           |                    |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                         |                           |                    |
| Description of Machine - STARNUKE-MX100 Radiography (Mobile)                                                    |                           |                    |
| Date of Installation                                                                                            |                           |                    |
| Tel. No.                                                                                                        | 0452-2667161, 9487105575  |                    |
| Contact Person                                                                                                  | Suganya                   |                    |
| Email ID                                                                                                        | ms-madurai.th@esic.nic.in |                    |
| e-LORA ID                                                                                                       |                           |                    |
| AERB Procurement No.                                                                                            |                           |                    |
| Equipment Detail                                                                                                | MODEL                     | SERIAL No.         |
| CONTROL                                                                                                         | STARNUKE-MX100            | SNC/MX100/2024/161 |
| TABLE                                                                                                           | XD3-3.5/100               | SNC/MX100/2024/161 |
|                                                                                                                 | Counter Balanced          | N/A                |
|                                                                                                                 |                           | N/A                |

### TYPE OF SERVICE

| INSTALLATION                          | YES / NO | SERVICE                        |
|---------------------------------------|----------|--------------------------------|
| 1. PHYSICAL INSTALLATION              | YES / NO | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                 | YES / NO |                                |
| 3. EARTHING TESTED                    | YES / NO |                                |
| 4. ELECT. CONNECTION DONE & TESTED    | YES / NO | FAULT OBSERVED                 |
| 5. STICKERS / NAMEPLATE MOBILE        | YES / NO |                                |
| 6. CALIBERATED                        | YES / NO |                                |
| 7. CABLES / WIRE ROUTING COMPL.       | YES / NO | SERVICE RENDERED               |
| 8. MACHINE CLEANED                    | YES / NO |                                |
| 9. OPERATIONAL TESTING PERFORMED      | YES / NO |                                |
| 10. X-RAYS TAKEN                      | YES / NO | SPARES CONSUMED                |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES / NO |                                |
| ** RAD. TECH. CHART HANDOVER          | YES / NO |                                |
| INSTALLATION COMPLETED                |          |                                |
| PENDING JOBS/ IF ANY                  |          |                                |

### INSTALLATION TIME

STARTED 11.00

COMPLETED 2.00

Engineer Remark:

N/A

Customer's Remark

N/A

### SERVICE TIME

DATE 11.00 AM  
HRS. 2.00  
N/A

### TRAVEL TIME

HRS. 1.10  
N/A

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

CUSTOMER SIGN

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687739305313

Generated Date | अनुबंध तिथि: 16-Oct-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3567406](#)

## Organisation Details | संगठन विवरण

Type | प्ररूप : State Government  
Ministry | मंत्रालय : -  
Department | विभाग : Agriculture and Co-operation Department Gujarat  
Organisation Name | संगठन का नाम : Directorate of Animal Husbandry  
Office Zone | कार्यालय क्षेत्र : office of regional joint director of AH

## Buyer Details | खरीदार विवरण

Designation | पद : ASSISTANT DIRECTOR OF A H  
Contact No. | संपर्क नंबर : -  
Email ID | ईमेल आईडी : asstdir-vd-por@gujarat.gov.in  
GSTIN | जीएसटीआईएन : -  
Address | पता : OFFICE OF ASSISTANT DIRECTOR OF A.H., HIGH TECH VETERINARY POLYCLINIC, C/O VETERINARY POLYCLINIC, ADITYANA ROAD, OPP KRUSHI VIGYAN KENDRA, AT : KHAPAT, PORBANDAR, PORBANDAR, GUJARAT-360579, India

## Financial Approval Detail | वित्तीय स्वीकृति विवरण

IFD Concurrence | आईएफडी सहमति : No  
Designation of Administrative Approval | प्रशासनिक अनुमोदन का पदनाम : DY DIR  
Designation of Financial Approval | वित्तीय अनुमोदन का पदनाम : RJD

## Paying Authority Details | भुगतान प्राधिकरण विवरण

Role : PAO  
Payment Mode | भुगतान का तरीका : Offline  
Designation | पद : VETERINARY OFFICER  
Email ID | ईमेल आईडी : asstdir-vd-por@gujarat.gov.in  
GSTIN | जीएसटीआईएन : -  
Address | पता : OFFICE OF ASSISTANT DIRECTOR OF A.H., HIGH TECH VETERINARY POLYCLINIC, C/O VETERINARY POLYCLINIC, ADITYANA ROAD, OPP KRUSHI VIGYAN KENDRA, AT : KHAPAT, PORBANDAR, Porbandar, GUJARAT-360579, India

## Seller Details | विक्रेता विवरण

GeM Seller ID | जेम विक्रेता आईडी : 76B4200001231429  
Company Name | कंपनी का नाम : STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED  
Contact No. | संपर्क नंबर : 09950041555  
Email ID | ईमेल आईडी : ceo@starnuke.net  
Address | पता : Plot No. 25, Navkar Nagar, Village-Kalyanpura, Sanganer Road, Post- Sanganer, Sanganer, Jaipur, RAJASTHAN-302020, -  
MSME verified | एमएसएमई सत्यापित : Yes  
MSME Registration number | एमएसएमई पंजीकरण संख्या : UDYAM-RJ-17-0020564  
MSE Social Category | एमएसई सामाजिक श्रेणी : General  
MSE Gender | एमएसई लिंग श्रेणी : Female  
GSTIN | जीएसटीआईएन : 08AAVCS3158D2ZZ

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

## Product Details | उत्पाद विवरण

| #                                            | Item Description   आइटम विवरण                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Ordered Quantity   आइटम विवरण | Unit   इकाई | Unit Price (INR)   इकाई मूल्य (INR) | Tax Bifurcation (INR)   कर विभाजन (INR) | Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित) |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| 1                                            | <b>Product Name</b>   उत्पाद का नाम : STAR NUKE High frequency Portable X Ray Machine<br><b>Brand</b>   ब्रांड : STAR NUKE<br><b>Brand Type</b>   ब्रांड प्रकार : Registered Brand<br><b>Catalogue Status</b>   कैटलॉग की स्थिति : OEM verified catalogue<br><b>Selling As</b>   कैसे बेचा जा रहा है : OEM<br><b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : Portable X - Ray Machine (Q2)<br><b>Model</b>   मॉडल : STARNUKE-HF100<br><b>HSN Code</b>   एचएसएन कोड : 9022 | 1                             | pieces      |                                     | NA                                      |                                                                                         |
| Total Order Value   कुल ऑर्डर मूल्य (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                               |             |                                     |                                         |                                                                                         |

## Consignee Detail | परेषिती विवरण

| S.No   क्र.सं. | Consignee   परेषिती | Item   वस्तु | Lot No.   लॉट नंबर | Quantity   मात्रा | Delivery Start After   दिनांक के बाद | Delivery To Be Completed By |
|----------------|---------------------|--------------|--------------------|-------------------|--------------------------------------|-----------------------------|
|----------------|---------------------|--------------|--------------------|-------------------|--------------------------------------|-----------------------------|



|                                                                           |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                        |   |   | डिलीवरी शुरू करना है | वितरण पूरा कब तक करना है |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|----------------------|--------------------------|
| 1                                                                         | Designation   पद : -<br>Email ID   ईमेल आईडी : asstdir-vd-por@gujarat.gov.in<br>Contact   संपर्क : -<br>GSTIN   जीएसटीआईएन : -<br>Address   पता : OFFICE OF ASSISTANT DIRECTOR OF A.H., HIGH TECH VETERINARY POLYCLINIC, C/O VETERINARY POLYCLINIC, ADITYANA ROAD, OPP KRUSHI VIGYAN KENDRA, AT : KHAPAT, PORBANDAR, PORBANDAR, GUJARAT-360579, India | STAR NUKE High frequency Portable X Ray Machine                                                                                                                                                                                                                                                                                                                                                                                        | - | 1 | 16-Oct-2023          | 31-Oct-2023              |
| Product Specification for STAR NUKE High frequency Portable X Ray Machine |                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                        |   |   |                      |                          |
| Specification   विनिर्देश                                                 | Sub-Spec   उप-विनिर्देश                                                                                                                                                                                                                                                                                                                               | Value   मूल्य                                                                                                                                                                                                                                                                                                                                                                                                                          |   |   |                      |                          |
| Standards                                                                 | Certification                                                                                                                                                                                                                                                                                                                                         | CDSCO/AERB                                                                                                                                                                                                                                                                                                                                                                                                                             |   |   |                      |                          |
|                                                                           | Certification number and date                                                                                                                                                                                                                                                                                                                         | 15-TA-45302 Expiry Date: 18/06/2021                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Type test approval from AREB required                                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | AREB approval certificate number of Particular Model                                                                                                                                                                                                                                                                                                  | 15-TA-45302 Expiry Date: 18/06/2021                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Conformity to manufacturing standards                                                                                                                                                                                                                                                                                                                 | ISO 13485                                                                                                                                                                                                                                                                                                                                                                                                                              |   |   |                      |                          |
| Performance Parameters                                                    | Purpose                                                                                                                                                                                                                                                                                                                                               | Mobile radiographic units (Portable X ray Machines) are used for radiographic imaging of patients who cannot be moved to the radiology department and who are in areas, such as intensive and critical care units or operating and emergency rooms. These devices are used mainly for general adult two-dimensional (2-D) radiographic studies (predominantly for chest x-rays) as well as pediatric, neonatal, and orthopedic imaging |   |   |                      |                          |
|                                                                           | UMDNS Name and Code                                                                                                                                                                                                                                                                                                                                   | Radiographic Unit, Mobile - 13-272                                                                                                                                                                                                                                                                                                                                                                                                     |   |   |                      |                          |
|                                                                           | Type of frequency Generator                                                                                                                                                                                                                                                                                                                           | High frequency                                                                                                                                                                                                                                                                                                                                                                                                                         |   |   |                      |                          |
|                                                                           | Frequency generator output in kW                                                                                                                                                                                                                                                                                                                      | 4                                                                                                                                                                                                                                                                                                                                                                                                                                      |   |   |                      |                          |
|                                                                           | Voltage Output range in kV                                                                                                                                                                                                                                                                                                                            | 40 to 100                                                                                                                                                                                                                                                                                                                                                                                                                              |   |   |                      |                          |
|                                                                           | Tube Current in mA                                                                                                                                                                                                                                                                                                                                    | 100                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Maximum Exposure time in milli sec                                                                                                                                                                                                                                                                                                                    | upto 40                                                                                                                                                                                                                                                                                                                                                                                                                                |   |   |                      |                          |
|                                                                           | mAs Range                                                                                                                                                                                                                                                                                                                                             | 0.5 to 250                                                                                                                                                                                                                                                                                                                                                                                                                             |   |   |                      |                          |
|                                                                           | Nominal focal spot size in mm                                                                                                                                                                                                                                                                                                                         | 1 to 2                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   |                      |                          |
|                                                                           | Inherent Filtration of x-ray                                                                                                                                                                                                                                                                                                                          | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Collimator provided                                                                                                                                                                                                                                                                                                                                   | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Type of Collimator                                                                                                                                                                                                                                                                                                                                    | Manual                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   |                      |                          |
|                                                                           | Focal Spot size in mm                                                                                                                                                                                                                                                                                                                                 | 1-2                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Heat storage capacity in kHU                                                                                                                                                                                                                                                                                                                          | 107                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Automatic exposure control device provided                                                                                                                                                                                                                                                                                                            | No                                                                                                                                                                                                                                                                                                                                                                                                                                     |   |   |                      |                          |
|                                                                           | Digital display for kV & mAs supplied                                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Electronic timer supplied                                                                                                                                                                                                                                                                                                                             | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Provision of Anatomical programming radiography(APR)                                                                                                                                                                                                                                                                                                  | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | X-ray tube system                                                                                                                                                                                                                                                                                                                                     | Stationary Anode                                                                                                                                                                                                                                                                                                                                                                                                                       |   |   |                      |                          |
|                                                                           | Anode speed in rpm ( Hint: for rotating anode the speed should be 2500 or more and for stationary anode 0)                                                                                                                                                                                                                                            | 2500                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                      |                          |
|                                                                           | The unit should be easily positioned (from either side of the bed) for imaging in all possible projections                                                                                                                                                                                                                                            | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Portable X-ray machine shall be easily transportable and steering on caster wheel                                                                                                                                                                                                                                                                     | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Provision of effective braking system for parking,transport and emergency braking                                                                                                                                                                                                                                                                     | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                      |                          |
|                                                                           | Lead Aprons - Full body and Skirt type                                                                                                                                                                                                                                                                                                                | 4 No each (0.5pb)                                                                                                                                                                                                                                                                                                                                                                                                                      |   |   |                      |                          |
|                                                                           | No of Thyroid shield and Gonad Shield                                                                                                                                                                                                                                                                                                                 | 4 No each                                                                                                                                                                                                                                                                                                                                                                                                                              |   |   |                      |                          |
|                                                                           | X-ray exposure command control                                                                                                                                                                                                                                                                                                                        | Hand switch                                                                                                                                                                                                                                                                                                                                                                                                                            |   |   |                      |                          |
|                                                                           | Power Cable length in meter                                                                                                                                                                                                                                                                                                                           | 4                                                                                                                                                                                                                                                                                                                                                                                                                                      |   |   |                      |                          |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                          |                                               |                                |    |                                            |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------|----|--------------------------------------------|----|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | X- ray film Cassette holder available                                                                                                                                                                                    | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | X-ray film cassette holder size in mm x mm                                                                                                                                                                               | 35 x 43                                       |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Power supply                                                                                                                                                                                                             | Single Phase AC ( 220-240 V,50 Hz)            |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Power plug (16 amp) compatible to standard wall outlet shall be supplied                                                                                                                                                 | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Tube protection against overload provided                                                                                                                                                                                | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Portable X ray machine should be made in small footprint and hidden cable design for easy and efficient cleaning                                                                                                         | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Operating temperature and humidity                                                                                                                                                                                       | 10 - 28 deg C and relative humidity of 15-90% |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Number of installations of the Portable X- ray machines in Central /State/PSU Govt Hospitals( Hint: Seller should furnish a performance certificate of the device to the buyer if demanded after placement of the order) | >3                                            |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | OEM and Reseller (if supplier is re-seller) shall ensure uninterrupted availability of all spares for 10 years                                                                                                           | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Availability of toll free facility for technical support maintained by OEM or authorized agencies                                                                                                                        | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy                                                                                                                                       | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Demonstration of equipment and training to be provided after completing supplies before acceptance                                                                                                                       | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)                                                                            | 3                                             |                                |    |                                            |    |
| Reports                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | The Principal Manufacturer must have direct Presence/approved service center In India                                                                                                                                    | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Copies of reports and certifications to be furnished to buyer on demand at time of supplies                                                                                                                              | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM                                                                                                                               | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Copies of all calibration and test reports to be submitted at the time of Supply of Machine                                                                                                                              | Yes                                           |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                          |                                               |                                |    |                                            |    |
| <div>Corrigendum   शुद्धिपत्र</div> <div>1. Extended Upto   तक बढ़ाया गया : 2023-09-11 11:00:00</div> <div>ePBG Detail   ईपीबीजी विवरण</div> <table><tr><td>Advisory Bank   सलाहकार बैंक :</td><td>NA</td></tr><tr><td>ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :</td><td>NA</td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                          |                                               | Advisory Bank   सलाहकार बैंक : | NA | ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) : | NA |
| Advisory Bank   सलाहकार बैंक :                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | NA                                                                                                                                                                                                                       |                                               |                                |    |                                            |    |
| ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | NA                                                                                                                                                                                                                       |                                               |                                |    |                                            |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                          |                                               |                                |    |                                            |    |
| <div>Terms and Conditions   नियम और शर्तें</div> <div>1. Special terms and conditions- Version:2 effective from 21-10-2022</div> <div>1.1<div>1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by <i>Central Drugs Standard Control Organisation (CDSCO)</i>, Ministry of Health &amp; Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals &amp; Fertilizers time to time in this regard.</div><div>2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.</div><div>3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.</div><div>4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</div><div>5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where</div></div> |                                                                                                                                                                                                                          |                                               |                                |    |                                            |    |

supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

## 3. Buyer Added Bid Specific Terms and Conditions-

### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

Customer Name and Address:-

statistical office

MA.M.C Complex B.S.2, Mang, New Delhi

Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of Machine - Dental (Intra Oral)

Date of Installation

11/01/2024

Sl. No.

Contact Person

Email ID

4-LORA ID

AERB Procurement No.

Equipment Detail

CONTROL

TIME

51 ID

TABLE

MODEL

R-Dent 70

KL27-0.8-70

Floor Stand

N/A

SERIAL No.

2301821

N/A

N/A

### TYPE OF SERVICE

INSTALLATION

1. PHYSICAL INSTALLATION

2. ALL MOVING CHECKED

3. EARTHING TESTED

4. ELECT. CONNECTION DONE & TESTED

5. STICKERS / NAMEPLATE MOBILE

6. CALIBERATED

7. CABLES / WIRE ROUTING COMPL.

8. MACHINE CLEANED

9. OPERATIONAL TESTING PERFORMED

10. X-RAYS TAKEN

11. RAD. AND ELECTR. SAFETY EXPLAINED

12. RAD. TECH. CHART HANDOVER

INSTALLATION COMPLETED

PENDING JOBS/ IF ANY

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

YES / NO

SERVICE

CUSTOMER COMPLAINTS / SYMPTOMS

N/A

FAULT OBSERVED

N/A

SERVICE RENDERED

N/A

SPARES CONSUMED

N/A

INSTALLATION TIME

STARTED \_\_\_\_\_

COMPLETED \_\_\_\_\_

Engineer Remark:

Customer's Remark

SERVICE TIME

DATE \_\_\_\_\_

HRS. \_\_\_\_\_

N/A

TRAVEL TIME

HRS. \_\_\_\_\_

N/A

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB

CUSTOMER SIGN

Signature of Customer

Department of  
Dentistry





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                                                                 |                                               |                           |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------|
| Customer Name and Address: - <i>The Executive Director &amp; CEO<br/>All India Institute of Medical Sciences (AIIMS) Bhopal</i> |                                               |                           |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                                                         |                                               |                           |
| Description of Machine - Dental (Intra Oral)                                                                                    |                                               |                           |
| Date of Installation                                                                                                            | <i>13/11/2024</i>                             |                           |
| Tel. No.                                                                                                                        | <i>8871523980</i>                             |                           |
| Contact Person                                                                                                                  | <i>Dr. Pankaj Goyal</i>                       |                           |
| Email ID                                                                                                                        | <i>Head.dental.surgery@aiimsbhopal.edu.in</i> |                           |
| e-LORA ID                                                                                                                       |                                               |                           |
| AERB Procurement No.                                                                                                            |                                               |                           |
| Equipment Detail                                                                                                                | MODEL                                         | SERIAL No. <i>240276L</i> |
| CONTROL                                                                                                                         | R-Dent 70                                     |                           |
| TUBE                                                                                                                            | KL27-0.8-70                                   |                           |
| STAND                                                                                                                           | WALL MOUNT / Floor Model                      | N/A                       |
| TABLE                                                                                                                           | N/A                                           | N/A                       |

| TYPE OF SERVICE                                                                                                                                                                                                                                                                                                 |     |        |                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|-----------------------------------------------------------------------|
| INSTALLATION                                                                                                                                                                                                                                                                                                    |     |        | SERVICE                                                               |
| 1. PHYSICAL INSTALLATION                                                                                                                                                                                                                                                                                        | N/A | Yes/No | CUSTOMER COMPLAINTS / SYMPTOMS                                        |
| 2. ALL MOVING CHECKED                                                                                                                                                                                                                                                                                           | N/A | Yes/No |                                                                       |
| 3. EARTHING TESTED                                                                                                                                                                                                                                                                                              | N/A | Yes/No |                                                                       |
| 4. ELECT. CONNECTION DONE & TESTED                                                                                                                                                                                                                                                                              | N/A | Yes/No |                                                                       |
| 5. STICKERS / NAMEPLATE MOBILE                                                                                                                                                                                                                                                                                  | N/A | Yes/No | FAULT OBSERVED                                                        |
| 6. CALIBERATED                                                                                                                                                                                                                                                                                                  | N/A | Yes/No |                                                                       |
| 7. CABLES / WIRE ROUTING COMPL.                                                                                                                                                                                                                                                                                 | N/A | Yes/No |                                                                       |
| 8. MACHINE CLEANED                                                                                                                                                                                                                                                                                              | N/A | Yes/No |                                                                       |
| 9. OPERATIONAL TESTING PERFORMED                                                                                                                                                                                                                                                                                | N/A | Yes/No | SERVICE RENDERED                                                      |
| 10. X-RAYS TAKEN                                                                                                                                                                                                                                                                                                | N/A | Yes/No |                                                                       |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED                                                                                                                                                                                                                                                                           | N/A | Yes/No |                                                                       |
| 12. RAD. TECH. CHART HANDOVER                                                                                                                                                                                                                                                                                   | N/A | Yes/No |                                                                       |
| INSTALLATION COMPLETED                                                                                                                                                                                                                                                                                          | N/A | Yes/No | SPARES CONSUMED                                                       |
| PENDING JOBS/ IF ANY                                                                                                                                                                                                                                                                                            |     |        |                                                                       |
| INSTALLATION TIME<br>STARTED <i>N/A 11:00</i><br>COMPLETED <i>N/A 2:00</i><br>Engineer Remark: <i>[Signature]</i><br>Customer's Remark:                                                                                                                                                                         |     |        | SERVICE TIME<br>DATE _____<br>HRS. _____<br>TRAVEL TIME<br>HRS. _____ |
| JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB.<br><i>Hand switch needs to be installed within 15 days as per requirement due to low range of remote control switch</i><br>CUSTOMER SIGN <i>[Signature]</i> |     |        |                                                                       |

प्रो. (डॉ.) पंकज गोयल, (एडि नं ए-6338)

Registered Office & Works: Plot No. 25, Navkar Nagar, New Sangamner Road, Sangamner, Jalpur-302020


Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukeemail.net](mailto:info@starnukeemail.net), [sales@starnukeemail.net](mailto:sales@starnukeemail.net)

Ph: +91-9950001555, 7073577706



सी.बी.एस., एन.बी.एस., डी.जी.बी.एस.एस.  
विभागाध्यक्ष, दंत चिकित्सा विभाग  
अखिल भारतीय आयुर्विज्ञान संस्थान  
साकेत नगर, भोपाल-462020 (म.प्र.)





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

Customer Name and Address: - **ESI MATERNITY HOSPITAL SARVODAYA NAGAR KANPUR**

Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of Machine - **300 mA Line X-ray**

Date of Installation / Serial No. **19/10/24**

Tel. No. **870747-0383**

Contact Person **Vijay Prakash**

Email ID

e-LORA ID

AERB Procurement No.

Equipment Detail **Star Nuke Rx - 300**

SERIAL No. **SNC/RX300/2024/02**

CONTROL **OK**

TUBE **OK**

N/A

STAND **OK**

N/A

TABLE **OK** N/A

### TYPE OF SERVICE

### SERVICE

#### INSTALLATION

1. PHYSICAL INSTALLATION

N/A

Yes/No

2. ALL MOVING CHECKED

N/A

Yes/No

3. EARTHING TESTED

N/A

Yes/No

4. ELECT. CONNECTION DONE & TESTED

N/A

Yes/No

5. STICKERS / NAMEPLATE MOBILE

N/A

Yes/No

6. CALIBERATED

N/A

Yes/No

7. CABLES / WIRE ROUTING COMPL.

N/A

Yes/No

8. MACHINE CLEANED

N/A

Yes/No

9. OPERATIONAL TESTING PERFORMED

N/A

Yes/No

10. X-RAYS TAKEN

N/A

Yes/No

11. RAD. AND ELECTR. SAFETY EXPLAINED

N/A

Yes/No

12. RAD. TECH. CHART HANDOVER

N/A

Yes/No

INSTALLATION COMPLETED

PENDING JOBS/ IF ANY

### INSTALLATION TIME

STARTED **N/A**

COMPLETED **N/A**

Engineer Remark: **[Signature]**

Customer's Remark

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB



CUSTOMER SIGN

**[Signature]**  
19/10/2024



# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

INSTALLATION / SERVICE REPORT NO

NUKE

Customer Name and Address

Hindustan Aeronautics Limited, Nashik Rural  
Maharashtra

Manufacturer: STAR NUKES CONSULTING ENGINEERING SERVICES PRIVATE LIMITED

Description of Machine

20103124 R-Dent

Date of Installation

20103124

Det. No.

Contract Name

Serial No.

Model No.

Accessories

Equipment Detail

Accessories

Table

Detector

Printer

Laptop

Accessories

MODEL

R-Dent

SERIAL No.

2315645

## TYPE OF SERVICE

## SERVICE

CUSTOMER COMPLAINTS / SYMPTOMS

N/A

FAULT OBSERVED

N/A

SERVICE RENDERED

N/A

SPARES CONSUMED

N/A

## INSTALLATION TIME

## SERVICE TIME

## TRAVEL TIME

STARTED

DATE HRS

N/A

COMPLETED

HRS

N/A

Engineer Remark:

JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN  
WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING  
LICENSE FROM AERB

Customer's Remark

CUSTOMER SIGN

Dr. Laxmi Singhania

Senior Medical Officer





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                                          |                          |            |
|------------------------------------------------------------------------------------------|--------------------------|------------|
| Customer Name and Address: - Nuclear power corporation kaiga generating station, kaiga - |                          |            |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED                  |                          |            |
| Description of                                                                           |                          |            |
| Date of Installation                                                                     | 25/1/25                  |            |
| Tel. No.                                                                                 | 9413358493               |            |
| Contact Person                                                                           |                          |            |
| Email ID                                                                                 | tusharpdighe@npcil.co.in |            |
| e-LORA ID                                                                                |                          |            |
| AERB Procurement No.                                                                     |                          |            |
| Equipment Detail                                                                         | MODEL                    | SERIAL No. |
| Wireless Detector                                                                        | STARNUKE4330W            | CSI/03P    |
| Laptop                                                                                   | DELL G15                 |            |
| Printer                                                                                  | EPSON 1800               | N/A        |
| Accessories                                                                              |                          | N/A        |

| TYPE OF SERVICE                       |                                                                                                                                                    |          | SERVICE                                |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------|
| INSTALLATION                          |                                                                                                                                                    |          | CUSTOMER COMPLAINTS / SYMPTOMS         |
| 1. PHYSICAL INSTALLATION              | YES                                                                                                                                                | YES / NO | N/A                                    |
| 2. ALL MOVING CHECKED                 | YES                                                                                                                                                | YES / NO |                                        |
| 3. EARTHING TESTED                    | YES                                                                                                                                                | YES / NO |                                        |
| 4. ELECT. CONNECTION DONE & TESTED    | YES                                                                                                                                                | YES / NO | FAULT OBSERVED                         |
| 5. STICKERS / NAMEPLATE MOBILE        | YES                                                                                                                                                | YES / NO |                                        |
| 6. CALIBERATED                        | YES                                                                                                                                                | YES / NO |                                        |
| 7. CABLES / WIRE ROUTING COMPL.       | YES                                                                                                                                                | YES / NO | N/A                                    |
| 8. MACHINE CLEANED                    | YES                                                                                                                                                | YES / NO |                                        |
| 9. OPERATIONAL TESTING PERFORMED      | YES                                                                                                                                                | YES / NO |                                        |
| 10. X-RAYS TAKEN                      | YES                                                                                                                                                | YES / NO | SERVICE RENDERED                       |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED | YES                                                                                                                                                | YES / NO |                                        |
| 12. RAD. TECH. CHART HANDOVER         | YES                                                                                                                                                | YES / NO |                                        |
| INSTALLATION COMPLETED                | YES                                                                                                                                                | YES / NO | N/A                                    |
| PENDING JOBS/ IF ANY                  | NO                                                                                                                                                 |          |                                        |
| INSTALLATION TIME                     |                                                                                                                                                    |          | SERVICE TIME                           |
| STARTED 2:00                          |                                                                                                                                                    |          | DATE                                   |
| COMPLETED 5:30                        |                                                                                                                                                    |          | HRS.                                   |
|                                       |                                                                                                                                                    |          | N/A                                    |
| TRAVEL TIME                           |                                                                                                                                                    |          |                                        |
| HRS.                                  |                                                                                                                                                    |          |                                        |
| N/A                                   |                                                                                                                                                    |          |                                        |
| Engineer Remark:                      | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB |          |                                        |
| Customer's Remark:                    | 25/1/25                                                                                                                                            |          |                                        |
| N.D.V. Subh                           |                                                                                                                                                    |          | CUSTOMER SIGN P. DIGHE                 |
| 25/1/2025                             |                                                                                                                                                    |          | MEDICAL OFFICER                        |
|                                       |                                                                                                                                                    |          | कागा विद्युत उत्पादन केंद्र चिकित्सालय |
|                                       |                                                                                                                                                    |          | KAIGA GENERATING STATION HOSPITAL      |





# Star Nuke Consulting Engineering Services Private Limited

ISO 9001-2015 Certified company

## INSTALLATION / SERVICE REPORT NO

|                                                                         |                                                            |
|-------------------------------------------------------------------------|------------------------------------------------------------|
| Customer Name and Address: - सागुदायिक स्वास्थ्य केंद्र चंदवा, लातेहार  |                                                            |
| Pin- 829203                                                             |                                                            |
| Manufacturer: STAR NUKE CONSULTING ENGINEERING SERVICES PRIVATE LIMITED |                                                            |
| Description of                                                          |                                                            |
| Date of Installation                                                    | 28/02/2025                                                 |
| Tel. No.                                                                |                                                            |
| Contact Person                                                          | Dr. Nilima Kumari                                          |
| Email ID                                                                | Mojcchandwa@gmail.com                                      |
| e-LORA ID                                                               |                                                            |
| AERB Procurement No.                                                    |                                                            |
| Equipment Detail                                                        | MODEL StarNuke 32kV-11F300 SERIAL No. SNK/2025/DKMF30/2025 |
| Wireless Detector                                                       | StarNuke 643430140 DRSN/24-25C5I/043                       |
| Laptop                                                                  | Desktop                                                    |
| Printer                                                                 | N/A                                                        |
| Accessories                                                             | N/A                                                        |

| TYPE OF SERVICE                                           |                                                                                                                                                    |                                |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| INSTALLATION                                              |                                                                                                                                                    | SERVICE                        |
| 1. PHYSICAL INSTALLATION                                  | YES / NO                                                                                                                                           | CUSTOMER COMPLAINTS / SYMPTOMS |
| 2. ALL MOVING CHECKED                                     | YES / NO                                                                                                                                           |                                |
| 3. EARTHING TESTED                                        | YES / NO                                                                                                                                           |                                |
| 4. ELECT. CONNECTION DONE & TESTED                        | YES / NO                                                                                                                                           |                                |
| 5. STICKERS / NAMEPLATE MOBILE                            | YES / NO                                                                                                                                           | FAULT OBSERVED                 |
| 6. CALIBERATED                                            | YES / NO                                                                                                                                           |                                |
| 7. CABLES / WIRE ROUTING COMPL.                           | YES / NO                                                                                                                                           | N/A                            |
| 8. MACHINE CLEANED                                        | YES / NO                                                                                                                                           |                                |
| 9. OPERATIONAL TESTING PERFORMED                          | YES / NO                                                                                                                                           | SERVICE RENDERED               |
| 10. X-RAYS TAKEN                                          | YES / NO                                                                                                                                           |                                |
| 11. RAD. AND ELECTR. SAFETY EXPLAINED                     | YES / NO                                                                                                                                           | N/A                            |
| 12. RAD. TECH. CHART HANDOVER                             | YES / NO                                                                                                                                           |                                |
| INSTALLATION COMPLETED                                    | YES / NO                                                                                                                                           | SPARES CONSUMED                |
| PENDING JOBS/ IF ANY                                      |                                                                                                                                                    |                                |
|                                                           |                                                                                                                                                    | N/A                            |
| INSTALLATION TIME                                         |                                                                                                                                                    | SERVICE TIME                   |
| STARTED 27/02/2025 (10:00am)                              |                                                                                                                                                    | DATE                           |
| COMPLETED 28/02/2025 (12:00pm)                            |                                                                                                                                                    | HRS.                           |
|                                                           |                                                                                                                                                    | N/A                            |
| TRAVEL TIME                                               |                                                                                                                                                    |                                |
|                                                           |                                                                                                                                                    | HRS.                           |
|                                                           |                                                                                                                                                    | N/A                            |
| Engineer Remark:                                          | JOB COMPLETED TO MY SATISFACTION AND TOOK OVER THE MACHINE IN WORKING ORDER. X-RAY MACHINE WILL BE PUT IN USE ONLY AFTER GETTING LICENSE FROM AERB |                                |
| Customer's Remark: Installation done and working properly | CUSTOMER SIGN  28/02/2025                                                                                                                          |                                |

Registered Office & Works: Navkar Nagar, New Sanganeer Road, Sanganeer, Jaipur-302020, Rajasthan, India  
 Web: [www.starnuke.net](http://www.starnuke.net), [info@starnukemail.net](mailto:info@starnukemail.net), [sales@starnukemail.net](mailto:sales@starnukemail.net)  
 Ph: +91-9950041555, 7073577706



**CHALLAN / INVOICE****TECHNOMECAZ**  
*Business Solutions Pvt Ltd*

Mo: 07567007041

Email ID: technomecaz@gmail.com

|                          |                                                                                                                                                                                                                                                          |              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>Consignee Details</b> | Designation: -CHIEF DISTRICT HEALTH OFFICER<br>Email ID: <a href="mailto:dho-ddo-bav@gujarat.gov.in">dho-ddo-bav@gujarat.gov.in</a><br>Contact: 0278-2423665<br>Address: Balwantrai Mehta Bhavan, Moti baug, Bhavnagar, BHAVNAGAR, GUJARAT-364001, India |              |
| <b>Contact Person</b>    | 0278-2423665                                                                                                                                                                                                                                             |              |
| <b>Challan No</b>        | 80                                                                                                                                                                                                                                                       |              |
| <b>Order No</b>          | GEMC-511687716668651                                                                                                                                                                                                                                     |              |
| <b>Date OF Delivery</b>  | 11/03/2025                                                                                                                                                                                                                                               |              |
| <b>No.</b>               | <b>Particulars</b>                                                                                                                                                                                                                                       | <b>Qty.</b>  |
| 1                        | WIRELESS DR STARNUKE4343DIW                                                                                                                                                                                                                              | 1 NOS        |
| 2                        | PORTABLE X-RAY (MIN-X) WITH TRIPOD                                                                                                                                                                                                                       | 1 NOS        |
| 3                        | LAPTOP                                                                                                                                                                                                                                                   | 1 NOS        |
| 4                        | PRINTER                                                                                                                                                                                                                                                  | 1 NOS        |
| 5                        | DR CHEST STAND                                                                                                                                                                                                                                           | 1 NOS        |
|                          | <b>TOTAL</b>                                                                                                                                                                                                                                             | <b>5 NOS</b> |

Receiver Sign

  
CDHO  
BhavnagarFor, TECHNOMECAZ BUSINESS  
SOLUTION PRIVATE LIMITED.