



Robotic Merit Badge Session #4

- ▼ Merit Badge Counselor: Maurice Ling
- ▼ August 17, 2015
- ▼ <http://github.com/mcli/RoboticsMB>




Agenda

- ▼ Programming Accelerometer inputs
- ▼ Review Competition Rules
- ▼ Testing Checklist



Force Vector

- Force is a vector with components in the x, y, and z directions



Accelerometer Principles

- ▼ The accelerometer measures acceleration along the x, y, and z axes of the microMagician board.
- ▼ When at rest, the accelerometer measures gravitational force.
- ▼ What is the relationship between force and acceleration?

Newton's 2nd Law

$$F = ma$$

Force = Mass * Acceleration

- ▼ On Earth, $a = g \sim 9.8 \text{ m/sec}^2$



Accelerometer Measurements

- ▼ Measurements from the accelerometer are taken from analog pins 0, 1, and 2 and stored in `microM.xaxis`, `microM.yaxis`, and `microM.zaxis`.
- ▼ Raw measurements are from 0 through 1024
- ▼ When at rest, these measurements correspond to the gravitational force exerted on the board.
- ▼ We can convert these measurements into numbers that we can understand and easily process.



Normalizing the Accelerometer Measurements


- Find the “zero” value of the x, y and z axes by aligning the axes of interest perpendicular to gravity. This is your zero offset.
- Find the measurement value from the zero value corresponding to the gravitational force. This is your scale factor.
- Your normalized measurements will be in units of gravitational force

$$gForce(i) = (measurement(i) - offset(i)) / scaleFactor;$$



What about direction?

- ▼ How do you represent the direction of the your robot?



Computing the Orientation

- ▼ Use trigonometric approximation to get pitch and roll angles.

```
// apply trigonometry to get the pitch and roll:  
float pitch = atan(xAxis/sqrt(pow(yAxis,2) +  
pow(zAxis,2)));  
float roll = atan(yAxis/sqrt(pow(xAxis,2) +  
pow(zAxis,2)));
```

```
//convert radians into degrees  
float pitchInDegrees = pitch * (180.0/PI);  
float rollInDegrees = roll * (180.0/PI) ;
```

- ▼ Run the Accelerometer program. Do the output numbers match what you expect?



Robotic Competition Rules

- ▼ 5 minute time limit
- ▼ 4 Components
 - ▼ Design in Engineering Notebook
 - ▼ Programming Logic
 - ▼ Mechanical design
 - ▼ Circuit diagram
 - ▼ Testing Checklist & results
 - ▼ Loading – manual control
 - ▼ Transport Course – automatic navigation
 - ▼ Unloading – manual control
- ▼ Complete [rules on GitHub](#)



Competition Scoring

- ▼ +20 Points scored for each segment completed
- ▼ +25 Points for Design
- ▼ Bonus points:
 - ▼ Time completed within 3 minutes
 - ▼ Innovative/elegant design (Up to +20)
- ▼ Penalty points for:
 - ▼ Handling payload
 - ▼ Manual intervention
 - ▼ Contact with barriers/objects
- ▼ Robot must not be moved, turned, or otherwise transported physically by a human.
- ▼ Judge panel consisting of industry professionals.



Creating a Test Checklist

- ▼ A Test Checklist will help you assess your robot and identify areas you need to change or improve .
- ▼ What scenarios can you think of for the competition?



Example Test Checklist

Scenario	Expected Behavior	
Manual Navigation	<ul style="list-style-type: none">• Left turn• Right turn• Forward• Reverse• In-place turn	
Loading	<ul style="list-style-type: none">• Manually navigate to payload holder• Load payload onto Robot	
Unloading	<ul style="list-style-type: none">• Manually navigate to target• Unload payload onto receptacle	
Auto/Manual transition	<ul style="list-style-type: none">• Automatic to Manual control.• Manual to Automatic control	
Auto navigation	<ul style="list-style-type: none">• U turn• Left turn• Right turn• Go around Island object	



Testing Your Robot

- ▼ Test your robot on the different test stations
- ▼ Record your results in your engineering notebook
- ▼ Write down any improvements and adjustments you need to make.



Homework

- ▶ Continue testing and programming your robot for the competition.
- ▶ Come up with a name for your robot.
- ▶ Create a sign with your name and your robot's name for the quarantine table.

