


## 15 – Criando uma VPC com subrede pública e privada

Os objetivos dessa prática são:


- Remover as configurações de VPC, Internet Gateway, Subredes, Rotas e ACLs do exercício anterior.

### Passo a Passo


- 1) Para acessar a console de gerenciamento do serviço de VPC, digite VPC no campo de busca e clique em “VPC – Isolated Cloud Resources”:



- 2) Então clique em “Your VPCs”:



- 3) Selecione a VPC que você criou como teste, no meu caso “vpc-teste”, clique em “Actions” e depois em “Delete VPC”:



- 4) Na tela “Delete VPC” você vai encontrar a lista de todos os componentes que configuramos e que foram anexados nessa VPC (subredes, gateway, route table e ACLs), digite “delete” no campo de confirmação e clique em “Delete”:

Delete VPC

Internet-gateway-teste

private-nacl-teste

private-route-table-teste

public-nacl-teste

public-route-table-teste

public-teste

Internet-gateway-teste

private-nacl-teste

private-route-table-teste

public-nacl-teste

public-route-table-teste

public-teste

Will also be deleted

The following 7 resources will also be deleted permanently and cannot be recovered later:

Name	Resource ID	State
internet-gateway-teste	lgw-040821d0f33345354	Available
private-nacl-teste	acl-0babffff474dcb483	-
private-route-table-teste	rtb-0ef2c36a9b907c27e	-
private-teste	subnet-09ffde7313ae7623f	Available
public-nacl-teste	acl-00a56c7f82bad8b4e	-
public-route-table-teste	rtb-011ce828b8b2f732a7	-
public-teste	subnet-0688128faee5ff25a	Available

To confirm deletion, type delete in the field:

delete

Cancel

Delete

- 5) E pronto!!! Suas configurações foram apagadas.