




<u>This Photo</u> by Unknown Author is licensed under <u>CC BY-SA</u>


Climbing an Infinite Ladder Can we reach ANY step in this *infinite* ladder?



Climbing an Infinite Ladder Can we reach ANY step in this *infinite* ladder?

Suppose we have an infinite ladder, and we can show:

- 1. We can reach the first rung of the ladder.
- 2. If we can reach a *particular* rung of the ladder, then we can reach the next rung.



^{*} or, equivalently, any <u>arbitrary</u> rung of the ladder

Climbing an Infinite Ladder Can we reach ANY step in this *infinite* ladder?

Suppose we have an infinite ladder, and we can show:

- 1. We can reach the first rung of the ladder.
- 2. If we can reach a particular rung of the ladder, then we can reach the next rung.


From (1), we can reach the first rung.

Then by applying (2), we can reach the second rung.

Applying (2) again, the third rung. And so on.

We can apply (2) any number of times to reach any particular rung, no matter how high up.

This example motivates **proof by** mathematical induction.



Principle of Mathematical Induction

To prove that P(n) is true for all positive integers n, we complete these steps:

- Basis Step: Show that P(1) is true.
- Inductive Step:
 - First assume: P(k) is true for an arbitrary k (inductive hypothesis)
 - Then show: If P(k) is true, then P(k + 1) is true for all positive integers k.
 - That is, show: $P(k) \rightarrow P(k+1) \forall k$.
 - (Using the if-then, or *implication* symbol " \rightarrow ", and *for all* operator " \forall ")

Where "P" is a what is called a proposition.


A proposition is a statement that must have a truth value; that is, it must be either true or false.

P(n) is that proposition with a variable that has been set to the value "n".

Another view of how Mathematical Induction Works

Consider an infinite sequence of dominoes, labeled 1,2,3, ..., where each domino is standing.

Let P(n) be the proposition that the nth domino is knocked over.



We know that the first domino is knocked down, i.e., P(1) is true .

We also know that if whenever the kth domino is knocked over, it knocks over the (k + 1)st domino, i.e, $P(k) \rightarrow P(k + 1)$ is true for all positive integers k.

Hence, all dominos are knocked over.

P(n) is true for all positive integers n.



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$

Note: We have to have a conjecture first. Mathematical induction can be used to prove it correct. It is not a tool for discovering such conjectures.



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$

Solution:

Basis Step: Show that P(1) is true.

Inductive Step: Show that $P(k) \rightarrow P(k + 1)$ is true

for all positive integers k.



Example: Show that: $\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.



Example: Show that: $\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.

INDUCTIVE STEP: Assume true for P(k).

$$\sum_{i=1}^{k} i = \frac{k(k+1)}{2} \quad (lmutive lypothesis)$$



Example: Show that: $\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.

INDUCTIVE STEP: Assume true for P(k).

$$\sum_{i=1}^{k} i = \frac{k(k+1)}{2}$$
 (Inductive Hypothesis)

Under this assumption, show that P(k+1) is also true.



Example: Show that: $\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.

- BASIS STEP: P(1) is true since
$$1(1+1)/2 = 1$$
.

- INDUCTIVE STEP: Assume true for P(k). $\equiv \sum_{i=1}^{k} = \frac{k(k+1)}{2}$

Under this assumption, show that P(k+1) is also true.

Write down what P(k+1) states



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.

- BASIS STEP: P(1) is true since
$$1(1+1)/2 = 1$$
.

- INDUCTIVE STEP: Assume true for P(k). $\equiv \sum_{i=1}^{k} \frac{k(k+1)}{2}$

Under this assumption, show that
$$P(k+1)$$
 is also true.

Write down what $P(k+1)$ states: $P(k+1) = P(k+1) = P$

This is what we have to prove.



Example: Show that:
$$\sum_{i=1}^{n} = \frac{n(n+1)}{2}$$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.
- INDUCTIVE STEP: Assume true for P(k). $\equiv \sum_{i=1}^k i = \frac{k(k+1)}{2}$ (Inductive Hypothesis)

Under this assumption, show that P(k+1) is also true. This is what we have to prove.

- Start from the LHS (left hand side)
- Build towards the RHS, while using the *Inductive Hypothesis*



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$

Solution:

- BASIS STEP: P(1) is true since 1(1 + 1)/2 = 1.

- BASIS STEP: P(1) is true since
$$1(1+1)/2 = 1$$
.

- INDUCTIVE STEP: Assume true for P(k). $\equiv \sum_{i=1}^{k} \frac{k(k+1)}{2}$ (Inductive Hypothesis)

Under this assumption, show that P(k+1) is also true.

Write down what P(k+1) states
$$1+2+\ldots+k+(k+1)=\frac{(k+1)(k+2)}{2}$$
 (we have to prove this)

- Start from the LHS (left hand side)
- Build towards the RHS, while using the *Inductive Hypothesis*

Proving a Sum

duction

Example: Show that:

Solution:

- BASIS STEP: P(1) is tru

- INDUCTIVE STEP: Ass

Under this assumption, s Write down what P(k+1)

- Start from the LI
- Build towards th the *Inductive Hy*



$$-k + (k+1)$$

$$k+1$$

$$(k+1)$$

$$\underline{2)} = R.H.S$$



Example: Show that:
$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$
 Solution:
$$- \text{ BASIS STEP: P(1) is true since } 1(1+1)/2 = 1.$$

$$- \text{ INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^k = \frac{k(k+1)}{2} \left(\text{ Inductive by Diffuses} \right)$$
 Under this assumption, show that P(k+1) is also true. Write down what P(k+1) states
$$\frac{1}{1+2+\ldots+k+(k+1)} = \frac{(k+1)(k+2)}{2} \left(\text{Inductive by Diffuse for the power for the pow$$

- Start from the LHS (left hand side)
- Build towards the RHS, while using the *Inductive Hypothesis*



state clearly what you want to prove, i.e. P(n)



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$
 Solution:
$$- \text{BASIS STEP: PLD: a run since } 1(n+1)/2 = 1.$$

$$- \text{INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^{k} i = \frac{k(k+1)}{2} \left(\text{Inductive Hypothesis} \right)$$
 Under this assumption, show that P(k+1) is also true.

- Write down what P(k+1) states $1 + 2 + \dots + k + (k+1) = \frac{(k+1)(k+2)}{2}$ (we have to prove this
- Start from the LHS (left hand side)
 Build towards the RHS, while using the *Inductive Hypothesis*

$$\begin{array}{l}
\cdot + \cdot S = \sum_{i=1}^{k+1} i \\
= 1 + 2 + \dots + k + (k+1) \\
= \frac{k(k+1)}{2} + (k+1) \\
= \frac{k(k+1) + 2(k+1)}{2} \\
= \frac{(k+1)(k+2)}{2} = \mathbb{R} \cdot + \cdot S
\end{array}$$

state clearly what you want to prove, i.e. P(n) basis step

show that P(1) is true [or, in general, P(b)]



Example: Show that:
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$
 Solution:
$$-$$
 BASIS STEP: P(1) is true silect 1(1+1)/2 = 1.
$$-$$
 INDUCTIVE STEP: Assume true for P(k).
$$\equiv \sum_{i=1}^{k} i = \frac{k(k+1)}{2}$$
 Under this assumption, show that P(k+1) is also true. Write down what P(k+1) states
$$\frac{1}{1+2+\ldots+k+(k+1)} = \frac{(k+1)(k+2)}{2}$$
 (we have to prove this)

- · Start from the LHS (left hand side)
- Build towards the RHS, while using the *Inductive Hypothesis*

state clearly what you want to prove, i.e. P(n) basis step

show that P(1) is true [or, in general, P(b)]Inductive step:



Example: Show that:
$$\sum_{i=1}^{n} = \frac{n(n+1)}{2}$$
Solution:
$$- \text{ BASIS STEP: P(1) is true since } 1(1+1)/2 = 1.$$

$$- \text{ INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^{k} \underline{i} = \frac{k(k+1)}{2} \left(\text{ Inductive Hypothess} \right)$$
Under this assumption, show that P(k+1) is also true.

Write down what P(k+1) states:
$$1 + 2 + \dots + k + (k+1) = \frac{(k+1)(k+2)}{2} \left(\text{ where the prove the states} \right)$$

- · Start from the LHS (left hand side)
- Build towards the RHS, while using the *Inductive Hypothesis*

$$\exists \frac{k+1}{2} = \sum_{i=1}^{k+1} i \\
= \frac{1+2+\ldots+k+(k+1)}{2} + (k+1) \\
= \frac{k(k+1)}{2} + (k+1) \\
= \frac{(k+1)(k+2)}{2} = \text{R.H.S}$$

state clearly what you want to prove, i.e. P(n) basis step

show that P(1) is true [or, in general, P(b)]

Inductive step:

 state clearly P(k), i.e. what you are assuming (the inductive hypothesis) and possible values of k



Example: Show that:
$$\sum_{i=1}^{n} := \frac{n(n+1)}{2}$$
Solution:
$$- \text{ BASIS STEP: P(1) is true since } 1(1+1)/2 = 1.$$

$$- \text{ INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^{k} := \frac{k(k+1)}{2} \left(\text{ Include Hyperfices} \right)$$
Under this assumption, show that $P(k+1)$ is also true.

Write down what $P(k+1)$ states:
$$1 + 2 + \ldots + k + (k+1) = \frac{(k+1)(k+2)}{2} \left(\text{ include Hyperfices} \right)$$
Start from the LHS (left hand side)

- Start from the LHS (left hand side)
- Build towards the RHS, while using the Inductive Hypothesis

$$S = \sum_{i=1}^{k+1} i$$

$$= 1 + 2 + \dots + k + (k+1)$$

$$= \frac{k(k+1)}{2} + (k+1)$$

$$= \frac{k(k+1) + 2(k+1)}{2}$$

$$= \frac{(k+1)(k+2)}{2} = \mathbb{R} \cdot \mathbb{H} \cdot \mathbb{S}$$

state clearly what you want to prove, i.e. P(n) basis step

show that P(1) is true [or, in general, P(b)]

Inductive step:

- state clearly P(k), i.e. what you are assuming (the inductive hypothesis) and possible values of k
- state clearly P(k+1), i.e. what you want to prove



Example: Show that:
$$\sum_{i=1}^{n} := \frac{n(n+1)}{2}$$
 Solution:
$$- \text{ BASIS STEP: P(1) is true since } 1(1+1)/2 = 1.$$

$$- \text{ INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^{k} := \frac{k(k+1)}{2} \left(\frac{1}{2} \text{ Notice by parkeds} \right)$$
 Under this assumption, show that P(k+1) is also true.
Write down what P(k+1) states:
$$\frac{1}{1+2+\ldots+k+(k+1)} = \frac{(k+1)(k+2)}{2} \left(\frac{1}{2} \text{ Notice by parked by } \right)$$
• Start from the LHS (left hand side)

- Build towards the RHS, while using the Inductive Hypothesis

$$S = \sum_{i=1}^{k+1} i$$

$$= 1 + 2 + \dots + k + (k+1)$$

$$= \frac{k(k+1)}{2} + (k+1)$$

$$= \frac{k(k+1) + 2(k+1)}{2}$$

$$= \frac{(k+1)(k+2)}{2} = \mathbb{R} \cdot \mathbb{H} \cdot \mathbb{S}$$

state clearly what you want to prove, i.e. P(n)

basis step

show that P(1) is true [or, in general, P(b)]

Inductive step:

- state clearly P(k), i.e. what you are assuming (the inductive hypothesis) and possible values of k
- state clearly P(k+1), i.e. what you want to prove
- then show P(k+1) is true <u>using the inductive hypothesis</u>, i.e. P(k)



```
Example: Show that: \sum_{i=1}^{n} := \frac{n(n+1)}{2}
Solution:
- BASIS STEP: P(1) is true since 1(1+1)/2=1.
- INDUCTIVE STEP: Assume true for P(k). \equiv \sum_{i=1}^{k} := \frac{k(k+1)}{2} (Inductive Hypothess)

Under this assumption, show that P(k+1) is also true.
Write down what P(k+1) states: 1+2+\ldots+k+(k+1)=\frac{(k+1)(k+2)}{2} (inc. have to prove this)

• Start from the LHS (left hand side)
• Build towards the RHS, while using
the Inductive Hypothesis
= 1+2+\ldots+k+(k+1)
= \frac{k(k+1)}{2}+(k+1)
= \frac{k(k+1)+2(k+1)}{2}
= \frac{(k+1)(k+2)}{2}= \mathbb{R} \cdot \mathbb{H} \cdot \mathbb{S}
```

state clearly what you want to prove, i.e. P(n) basis step

show that P(1) is true [or, in general, P(b)]

Inductive step:

- state clearly P(k), i.e. what you are assuming (the inductive hypothesis)
 and possible values of k
- state clearly P(k+1), i.e. what you want to prove
- then show P(k+1) is true <u>using the inductive hypothesis</u>, i.e. P(k)
- in many cases this involves show that the $\frac{1}{1}$ hs = $\frac{1}{1}$ hs of some equation
 - in such cases start manipulating the 1hs
 keeping an eye on rhs as this is where you want to end up
 look out for where you can use the inductive hypothesis so you can use it



```
Example: Show that: \sum_{i=1}^{n} := \frac{n(n+1)}{2}
Solution:
- \text{BASIS STEP: P(1) is true since } 1(1+1)/2 = 1.
- \text{INDUCTIVE STEP: Assume true for P(k).} \equiv \sum_{i=1}^{k} := \frac{k(k+1)}{2} \text{ (Inductive Hypothesis)}
Under this assumption, show that P(k+1) is also true.
Write down what P(k+1) states: 1 + 2 + \ldots + k + (k+1) = \frac{(k+1)(k+2)}{2} \text{ (inc. have proposed for the proposed for the latter of the lat
```

Practice ©

