TestTrainCombinedData

March 14, 2023

```python
import pandas as pd, numpy as np

import warnings
warnings.filterwarnings('ignore')
pd.options.display.max_columns = None

# Load the 2016 data set into a pandas DataFrame
df2016 = pd.read_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪2016_Mississauga_Business_Directory.csv")

#NAICSTitle and NAICSDescr are in the wrong columns from 2016 to 2018.  2019
 ↪and 2021 are correct.
#Rename NAICSTitle to NAICSDescr ; NAICSSecto to NAICSTitle
df2016.rename(columns = {'NAICSDescr':'NAICSCat', 'NAICSTitle':'NAICSDescr'},
 ↪inplace = True)


# Create a column to hold the year
df2016['Year'] = 2016

# Load the 2017 data set into a pandas DataFrame
df2017 = pd.read_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪2017_Mississauga_Business_Directory.csv")

#NAICSTitle and NAICSDescr are in the wrong columns from 2016 to 2018.  2019
 ↪and 2021 are correct.
#Rename BID to BusinessID ; NAICSTitle to NAICSDescr ; NACISSecto to NAICSTitle
 ↪;
df2017.rename(columns = {'BID':'BusinessID','NAICSTitle':
 ↪'NAICSDescr','NAICSSecto':'NAICSCat'}, inplace = True)

# Create a column to hold the year
df2017['Year'] = 2017

#fix values on EmplRange that did not download properly in csv file from
 ↪publisher site. Confirmed on json file from publisher.
df2017['EmplRange'] = df2017['EmplRange'].replace('1000 puls','1000+')
```

```python
# Load the 2018 data set into a pandas DataFrame
df2018 = pd.read_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪2018_Mississauga_Business_Directory.csv")

#NAICSTitle and NAICSDescr are in the wrong columns from 2016 to 2018.  2019␣
 ↪and 2021 are correct.
#Rename ID1 to BusinessID ; NAICSTitle to NAICSDescr ; NAICSDescri to NAICSTitle
df2018.rename(columns = {'ID1':'BusinessID','NAICSTitle':
 ↪'NAICSDescr','NACSDescri':'NAICSCat','Street_Add':'Address','Bldg_No':
 ↪'BldgNo','Unit_No':'UnitNo','Modified_D':'EmplUpdate'}, inplace = True)

# Create a column to hold the year
df2018['Year'] = 2018
#correct the EmplRange category
df2018['EmplRange'] = df2018['EmplRange'].replace('1000 puls','1000+')

#eliminate the duplicate record for BusinessID 85606
df2018.drop(df2018[df2018['FID'] == 4602].index, inplace = True)

# Load the 2019 data set into a pandas DataFrame
df2019 = pd.read_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪2019_Mississauga_Business_Directory.csv")

#Rename ID to BusinessID ; NAICSTitle to NAICS_Title
df2019.rename(columns = {'ID':'BusinessID','NAICSTitle':'NAICSCat','Modified':
 ↪'EmplUpdate'}, inplace = True)
#fix one bad NAICSCode based on what I know of the NAICS Code for this business␣
 ↪in other years
df2019['NAICSCode'] = df2019['NAICSCode'].replace(-812910, 812910)


# Create a column to hold the year
df2019['Year'] = 2019
#correct the EmplRange category
df2019['EmplRange'] = df2019['EmplRange'].replace('1000 plus','1000+')

# Load the 2021 data set into a pandas DataFrame
df2021 = pd.read_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪2021_Mississauga_Business_Directory.csv")

#Rename ID to BusinessID ; NAICSTitle to NAICS_Title; X and Y to CENT_X and␣
 ↪CENT_Y
df2021.rename(columns = {'ID':'BusinessID','NAICSTitle':'NAICSCat','X':
 ↪'CENT_X','Y':'CENT_Y'}, inplace = True)
```

```python
# Create a column to hold the year
df2021['Year'] = 2021
#correct the EmplRange category
df2021['EmplRange'] = df2021['EmplRange'].replace('1000 plus','1000+')
#correct records with no X Y value based on what I know about other records␣
 ↪with same CENT_X CENT_Y value
df2021.loc[df2021.CENT_X == 608544.3664, 'X'] = -79.65277411
df2021.loc[df2021.CENT_Y == 4840490.34, 'Y'] = 43.70946585


# Merge the 2016, 2017 and 2018 data sets on the common identifier BusinessID
#merged_df = pd.merge(df2016, df2017, on='BusinessID')
#merged_traindf = pd.merge(merged_df, df2018, on='BusinessID')


#Concatenate 2016, 2017, 2018, 2019 and 2021 data sets
merged_df1 = pd.concat([df2016, df2017], axis=0)
merged_df2 = pd.concat([merged_df1, df2018], axis=0)
merged_df3 = pd.concat([merged_df2, df2019], axis=0)
merged_complete_df = pd.concat([merged_df3, df2021], axis=0)


# Add a new unique identifier "RecordID" to the merged data set starting at 1
#merged_complete_df['RecordID'] = merged_complete_df.map(hash)
#merged_complete_df['RecordID'] = pd.factorize(all_data['_ID'])[0]
merged_complete_df = merged_complete_df.reset_index()
merged_complete_df = merged_complete_df.rename(columns={"index":"RecordID"})
merged_complete_df['RecordID'] = merged_complete_df.index + 1


#fix two bad NAICSCat based on what I know of THE NAICS Category and NAICS Code␣
 ↪for these two business in other years
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Accommodatio','Accommodation')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('ransportation','Transportation')
merged_complete_df['NAICSDescr'] = merged_complete_df['NAICSDescr'].
 ↪replace('813310 - Social Advocacy Organizations','Social Advocacy␣
 ↪Organizations')
#fix a record with an incorrect ward based on what I know about the same record␣
 ↪in other years
merged_complete_df['Ward'] = merged_complete_df['Ward'].replace(105,10)
#fix a record with an incorrect postal code based on the postal code the␣
 ↪business has in other years
merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].
 ↪replace("v","L5G 4P3")
merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].replace("L5␣
 ↪J1J4","L5J 1J4")
merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].replace("␣
 ↪L5T 1N8","L5T 1N8")
```

```python
#Is the business new to the directory in a given year?  Create a column 'isnew'
↪and populate with true or false.
s1 = merged_complete_df.groupby('Year')['BusinessID'].value_counts()
s2 = s1.unstack().diff().replace({0: 'No', np.nan: 'Yes'}).stack()
merged_complete_df['isnew'] = merged_complete_df.set_index(['Year',
↪'BusinessID']).index.map(s2)


#Mark the last year a business existed in the directory by populating a column
↪to hold the Closed status
merged_complete_df['Closed'] = 'No'
not_last_rows = merged_complete_df['BusinessID'].duplicated(keep='last')
merged_complete_df.loc[~not_last_rows, 'Closed'] = 'Yes'


#Remove the closed status = yes from the 2021 records as we do not have 2022
↪data to tell us which closed
merged_complete_df.loc[merged_complete_df['Year'] == 2021, 'Closed'] = 'No'
#Remove the isnew status = yes from the 2016 records as we do not have 2015
↪data to tell us which were new in 2016
merged_complete_df.loc[merged_complete_df['Year'] == 2016, 'isnew'] = 'No'


#Missing values in the EmplRange field account for 2646 of 78032 records or 3.
↪39%
#Used backwards and then forwards fill na values in emplrange field as these
↪are actual values for companies
merged_complete_df['EmplRange'] = merged_complete_df.
↪groupby('BusinessID')['EmplRange'].ffill().bfill()


#Missing values in the NAICSCode NAICSCat field account for 145 of 78032
↪records or 0.185%
#change NAICSCode 1 to no value
merged_complete_df['NAICSCode'] = merged_complete_df['NAICSCode'].replace(1, np.
↪NAN)
merged_complete_df['NAICSCode'] = merged_complete_df['NAICSCode'].
↪replace(r'^\s*$', np.nan, regex=True)


#Used backwards and then forwards fill na values in NAICS fields as these are
↪actual values for companies
merged_complete_df['NAICSCode'] = merged_complete_df.
↪groupby('BusinessID')['NAICSCode'].ffill().bfill()


merged_complete_df['NAICSDescr'] = merged_complete_df['NAICSDescr'].
↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['NAICSDescr'] = merged_complete_df.
↪groupby('BusinessID')['NAICSDescr'].ffill().bfill()
```

```python
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['NAICSCat'] = merged_complete_df.
 ↪groupby('BusinessID')['NAICSCat'].ffill().bfill()

#Used backwards and then forwards fill na values in␣
 ↪X,Y,CENT_X,CENT_Y,POSTALCODE, Location
merged_complete_df['X'] = merged_complete_df['X'].replace(r'^\s*$', np.nan,␣
 ↪regex=True)
merged_complete_df['X'] = merged_complete_df.groupby('BusinessID')['X'].ffill().
 ↪bfill()
merged_complete_df['X'] = merged_complete_df['X'].replace(np.nan, 0)

merged_complete_df['Y'] = merged_complete_df['Y'].replace(r'^\s*$', np.nan,␣
 ↪regex=True)
merged_complete_df['Y'] = merged_complete_df.groupby('BusinessID')['Y'].ffill().
 ↪bfill()
merged_complete_df['Y'] = merged_complete_df['Y'].replace(np.nan, 0)

merged_complete_df['CENT_X'] = merged_complete_df['CENT_X'].replace(r'^\s*$',␣
 ↪np.nan, regex=True)
merged_complete_df['CENT_X'] = merged_complete_df.
 ↪groupby('BusinessID')['CENT_X'].ffill().bfill()

merged_complete_df['CENT_Y'] = merged_complete_df['CENT_Y'].replace(r'^\s*$',␣
 ↪np.nan, regex=True)
merged_complete_df['CENT_Y'] = merged_complete_df.
 ↪groupby('BusinessID')['CENT_Y'].ffill().bfill()

merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['PostalCode'] = merged_complete_df.
 ↪groupby('BusinessID')['PostalCode'].ffill().bfill()

#limit postal code to first 3 characters to allow for categorization that is␣
 ↪less granular
#merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].str.
 ↪slice(0,3)
merged_complete_df['PostalCode'] = merged_complete_df['PostalCode'].str[:3]

merged_complete_df['Location'] = merged_complete_df['Location'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['Location'] = merged_complete_df.
 ↪groupby('BusinessID')['Location'].ffill().bfill()
#replace remainging 5 records with the most tagged value
```

```python
merged_complete_df['Location'] = merged_complete_df['Location'].replace(np.nan,
 ↪'Northeast EA (East)')

#fill and factorize the following fields TollFree, BldgNo, UnitNo, WebAddress,
 ↪Email
merged_complete_df['TollFree'] = merged_complete_df['TollFree'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['TollFree'] = merged_complete_df['TollFree'].replace(np.nan,
 ↪'No')
merged_complete_df['TollFree'] = np.where(merged_complete_df['TollFree'] !=
 ↪'No', 'Yes', merged_complete_df['TollFree'])

merged_complete_df['EMail'] = merged_complete_df['EMail'].replace(r'\S*@\S*\s?
 ↪', np.nan, regex=True)
merged_complete_df['EMail'] = merged_complete_df['EMail'].replace(np.nan, 'Yes')
merged_complete_df['EMail'] = np.where(merged_complete_df['EMail'] != 'Yes',
 ↪'No', merged_complete_df['EMail'])


merged_complete_df['BldgNo'] = merged_complete_df['BldgNo'].replace(r'^\s*$',
 ↪np.nan, regex=True)
merged_complete_df['BldgNo'] = merged_complete_df['BldgNo'].replace(np.nan,
 ↪'No')
merged_complete_df['BldgNo'] = np.where(merged_complete_df['BldgNo'] != 'No',
 ↪'Yes', merged_complete_df['BldgNo'])

merged_complete_df['UnitNo'] = merged_complete_df['UnitNo'].replace(r'^\s*$',
 ↪np.nan, regex=True)
merged_complete_df['UnitNo'] = merged_complete_df['UnitNo'].replace(np.nan,
 ↪'No')
merged_complete_df['UnitNo'] = np.where(merged_complete_df['UnitNo'] != 'No',
 ↪'Yes', merged_complete_df['UnitNo'])


merged_complete_df['WebAddress'] = merged_complete_df['WebAddress'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['WebAddress'] = merged_complete_df['WebAddress'].replace(np.
 ↪nan, 'No')
merged_complete_df['WebAddress'] = np.where(merged_complete_df['WebAddress'] !=
 ↪'No', 'Yes', merged_complete_df['WebAddress'])

#limit NAICS to first 2 numbers to allow for categorization that is less
 ↪granular. Need to change to int so sort works
#then select the first 2 numbers and retirn to str
#merged_complete_df['NAICSCode'] = merged_complete_df['NAICSCode'].str.
 ↪slice(0,2)
```

```python
merged_complete_df['NAICSCode'] = merged_complete_df['NAICSCode'].astype(int)
merged_complete_df.NAICSCode.astype(int)
merged_complete_df['NAICSCode'] = merged_complete_df.NAICSCode.astype(str).str[:
 ↪2].astype(int)
merged_complete_df['NAICSCode'] = merged_complete_df['NAICSCode'].astype(str)




#convert EmplRange to ordinal
empl_range_mapper = {'1 to 4': 1, '5 to 9': 2, '10 to 19': 3,'20 to 49': 4, '50␣
 ↪to 99': 5, '100 to 299': 6, '300 to 499': 7, '500 to 999': 8, '1000+': 9 }
merged_complete_df['EmplRange'].replace(empl_range_mapper, inplace=True)

#data['EmplRange'] = data['EmplRange'].fillna(data['EmplRange'].mean(),␣
 ↪inplace=True)
merged_complete_df['EmplRange'] = merged_complete_df['EmplRange'].
 ↪replace(r'^\s*$', np.nan, regex=True)
merged_complete_df['EmplRange'] = merged_complete_df['EmplRange'].replace(np.
 ↪NAN,1)
merged_complete_df['EmplRange'] = merged_complete_df['EmplRange'].astype(int)
merged_complete_df.EmplRange.astype(int)

#fix inconsistences in NAICSCat for 2017 records and standardize NAICSCat to␣
 ↪match Statistics Canada categories so we can compare easily to their study␣
 ↪results
#example - has both Accommodation and Accommodation and Food Services as the␣
 ↪NAICSCat for the same NAICSCode
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Accommodation','Accommodation and Food Services')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Administrative','Administrative and Support, Waste Management and␣
 ↪Remediation Services')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Administrative and Support, Waste Management and R','Administrative␣
 ↪and Support, Waste Management and Remediation Services')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Arts','Arts, Entertainment and Recreation')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Educational','Educational Services')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Finance','Finance and Insurance')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].replace('Health␣
 ↪Care','Health Care and Social Assistance')
#found one record where NAICSCode is incorrect for NAICSCat. This business␣
 ↪BusinessID89649 'IT Wizer Solutions' described itself in a different␣
 ↪category every year!
```

```python
merged_complete_df['NAICSCode'] = np.where((merged_complete_df['NAICSCode'] ==␣
 ↪'54') & (merged_complete_df['NAICSCat'] == 'Information'), '51',␣
 ↪merged_complete_df['NAICSCode'])
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Information','Information and Cultural Industries')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Management','Management of Companies and Enterprises')
#found one record where NAICSCode is incorrect for NAICSCat. This business is␣
 ↪BusinessID13405 'World 17 / ProGroup'
merged_complete_df['NAICSCode'] = np.where((merged_complete_df['NAICSCode'] ==␣
 ↪'52') & (merged_complete_df['NAICSCat'] == 'Professional, Scientific and␣
 ↪Technical Services'), '54', merged_complete_df['NAICSCode'])
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Professional','Professional, Scientific and Technical Services')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].replace('Real␣
 ↪Estate','Real Estate and Rental and Leasing')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Retail','Retail Trade') # maps to 44 and 45 in NAICSCode. Only one␣
 ↪that does.
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Transportation','Transportation and Warehousing')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Transportation And Warehousing','Transportation and Warehousing')
merged_complete_df['NAICSCat'] = merged_complete_df['NAICSCat'].
 ↪replace('Wholesale','Wholesale Trade')

#found one record where StreetNo is incorrect and has part of the phone number␣
 ↪instead. This business is BusinessID17933 'Jade Xpress'
merged_complete_df['StreetNo'] = np.where((merged_complete_df['StreetNo'] ==␣
 ↪'905629') & (merged_complete_df['BusinessID'] == '17933'), '1575',␣
 ↪merged_complete_df['StreetNo'])

#drop these columns where the data is too sparse to fill reliably
merged_complete_df.
 ↪drop(['EmplUpdate','Character','CHArea','Modified','BIA_NAME','BIAFulName','Sector_Des','PI
 ↪axis=1, inplace=True)

# Save the merged data set to a new file
merged_complete_df.to_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
 ↪merged_completedata.csv", index=False)

#Create closed company data frame
closed_df = merged_complete_df
#Add a year closed column and bump up one year past last year in directory
closed_df = closed_df[closed_df['Closed'] == 'Yes']
```

```
closed_df['YearClosed'] = closed_df.groupby('BusinessID').Year.transform(np.
  ↪roll, shift=-1)
#create an opened company data frame
opened_df = merged_complete_df
opened_df = opened_df[opened_df['isnew'] == 'Yes']

# Save the closed and opened data sets to new files
closed_df.to_csv("/content/drive/MyDrive/CIND 820 Capstone Project/closed_data.
  ↪csv", index=False)
opened_df.to_csv("/content/drive/MyDrive/CIND 820 Capstone Project/opened_data.
  ↪csv", index=False)

# Merge the 2019 and 2021 data sets on the common identifier BusinessID
merged_traintestdf = pd.merge(df2019, df2021, on='BusinessID')
```

[ ]: merged_complete_df.head()

[ ]:   RecordID   X   Y FID BusinessID \
    0   1 -79.689829 43.644181   1   1055
    1   2 -79.689419 43.644988   2   1057
    2   3 -79.689419 43.644988   3   1058
    3   4 -79.689419 43.644988   4   1060
    4   5 -79.690664 43.645493   5   1061

                                 Name   Address StreetNo \
    0   Golf Trends Inc.   300 Ambassador Dr   300
    1   Apex Graphics Inc.   320 Ambassador Dr   320
    2   Sands, John & Associates Limited 320 Ambassador Dr   320
    3   Printmedia-Tackaberry Times   320 Ambassador Dr   320
    4   S W R Industries Ltd. 321 Ambassador Dr   321

         StreetName BldgNo UnitNo PostalCode   Location Ward NAICSCode \
    0 Ambassador Dr   No   No   L5T Gateway EA (East)   5   41
    1 Ambassador Dr   No   No   L5T Gateway EA (East)   5   32
    2 Ambassador Dr   No   No   L5T Gateway EA (East)   5   32
    3 Ambassador Dr   No   No   L5T Gateway EA (East)   5   32
    4 Ambassador Dr   No   No   L5T Gateway EA (East)   5   41

              NAICSCat   NAICSDescr \
    0 Wholesale Trade   Amusement and Sporting Goods Wholesaler-Distri…
    1   Manufacturing   Support Activities for Printing
    2   Manufacturing   Support Activities for Printing
    3   Manufacturing   Other Printing
    4 Wholesale Trade   Industrial Machinery, Equipment and Supplies W…

              Phone   Fax TollFree EMail WebAddress EmplRange \
    0 905-795-8900 905-795-8988   Yes   Yes   Yes   3
```

```
1  905-795-9575  905-795-8775          No   Yes        Yes            4
2  905-795-9519  905-795-8775          No   No          No            5
3  905-564-8121  905-564-7395          No   Yes        Yes            1
4  905-564-8080  905-564-5003          No   Yes        Yes            2


        CENT_X          CENT_Y    Year  isnew  Closed
0  605668.2538  4.833187e+06    2016     No      No
1  605699.9370  4.833277e+06    2016     No      No
2  605699.9370  4.833277e+06    2016     No      No
3  605699.9370  4.833277e+06    2016     No      No
4  605598.6442  4.833332e+06    2016     No      No
```

[ ]: # Save the merged data set to a new file
     #merged_traintestdf.to_csv("/content/drive/MyDrive/CIND 820 Capstone Project/
      ↪merged_traintestdata.csv", index=False)

[ ]: #use to check for null values and make decisions about columns to drop
     #merged_complete_df['Location'].isnull().values.any()
     #merged_complete_df['Location'].isnull().sum()
     #merged_complete_df['Location'].head()

     merged_complete_df.isnull().sum()

[ ]: RecordID   0
     X   0
     Y   0
     FID   0
     BusinessID   0
     Name   0
     Address   0
     StreetNo   0
     StreetName   0
     BldgNo   0
     UnitNo   0
     PostalCode   0
     Location   0
     Ward   0
     NAICSCode   0
     NAICSCat   0
     NAICSDescr   0
     Phone   0
     Fax   0
     TollFree   0
     EMail   0
     WebAddress   0
     EmplRange   0
     CENT_X   0

```
CENT_Y         0
Year           0
isnew          0
Closed         0
dtype: int64
```

[ ]: `merged_complete_df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 78032 entries, 0 to 78031
Data columns (total 28 columns):
 #   Column      Non-Null Count  Dtype
---  ------      --------------  -----
 0   RecordID    78032 non-null  int64
 1   X           78032 non-null  float64
 2   Y           78032 non-null  float64
 3   FID         78032 non-null  int64
 4   BusinessID  78032 non-null  int64
 5   Name        78032 non-null  object
 6   Address     78032 non-null  object
 7   StreetNo    78032 non-null  object
 8   StreetName  78032 non-null  object
 9   BldgNo      78032 non-null  object
 10  UnitNo      78032 non-null  object
 11  PostalCode  78032 non-null  object
 12  Location    78032 non-null  object
 13  Ward        78032 non-null  int64
 14  NAICSCode   78032 non-null  object
 15  NAICSCat    78032 non-null  object
 16  NAICSDescr  78032 non-null  object
 17  Phone       78032 non-null  object
 18  Fax         78032 non-null  object
 19  TollFree    78032 non-null  object
 20  EMail       78032 non-null  object
 21  WebAddress  78032 non-null  object
 22  EmplRange   78032 non-null  int64
 23  CENT_X      78032 non-null  float64
 24  CENT_Y      78032 non-null  float64
 25  Year        78032 non-null  int64
 26  isnew       78032 non-null  object
 27  Closed      78032 non-null  object
dtypes: float64(4), int64(6), object(18)
memory usage: 16.7+ MB
```

[ ]: `merged_complete_df.head()`

```
[ ]:    RecordID         X          Y  FID  BusinessID  \
    0         1 -79.689829  43.644181    1        1055
    1         2 -79.689419  43.644988    2        1057
    2         3 -79.689419  43.644988    3        1058
    3         4 -79.689419  43.644988    4        1060
    4         5 -79.690664  43.645493    5        1061

                                  Name            Address StreetNo  \
    0                 Golf Trends Inc.  300 Ambassador Dr      300
    1               Apex Graphics Inc.  320 Ambassador Dr      320
    2   Sands, John & Associates Limited  320 Ambassador Dr    320
    3       Printmedia-Tackaberry Times  320 Ambassador Dr      320
    4             S W R Industries Ltd.  321 Ambassador Dr      321

         StreetName BldgNo UnitNo PostalCode           Location  Ward NAICSCode  \
    0  Ambassador Dr     No     No        L5T  Gateway EA (East)     5        41
    1  Ambassador Dr     No     No        L5T  Gateway EA (East)     5        32
    2  Ambassador Dr     No     No        L5T  Gateway EA (East)     5        32
    3  Ambassador Dr     No     No        L5T  Gateway EA (East)     5        32
    4  Ambassador Dr     No     No        L5T  Gateway EA (East)     5        41

                NAICSCat                               NAICSDescr  \
    0  Wholesale Trade  Amusement and Sporting Goods Wholesaler-Distri…
    1    Manufacturing              Support Activities for Printing
    2    Manufacturing              Support Activities for Printing
    3    Manufacturing                              Other Printing
    4  Wholesale Trade  Industrial Machinery, Equipment and Supplies W…

                Phone           Fax TollFree EMail WebAddress  EmplRange  \
    0  905-795-8900  905-795-8988      Yes   Yes        Yes          3
    1  905-795-9575  905-795-8775       No   Yes        Yes          4
    2  905-795-9519  905-795-8775       No    No         No          5
    3  905-564-8121  905-564-7395       No   Yes        Yes          1
    4  905-564-8080  905-564-5003       No   Yes        Yes          2

            CENT_X        CENT_Y  Year isnew Closed
    0  605668.2538  4.833187e+06  2016    No     No
    1  605699.9370  4.833277e+06  2016    No     No
    2  605699.9370  4.833277e+06  2016    No     No
    3  605699.9370  4.833277e+06  2016    No     No
    4  605598.6442  4.833332e+06  2016    No     No
```

```python
[ ]: #histograms of numeric attributes
     merged_complete_df.hist(figsize=(20, 10))
```

```
[ ]: array([[<AxesSubplot:title={'center':'RecordID'}>,
             <AxesSubplot:title={'center':'X'}>,
```

```
       <AxesSubplot:title={'center':'Y'}>],
      [<AxesSubplot:title={'center':'FID'}>,
       <AxesSubplot:title={'center':'BusinessID'}>,
       <AxesSubplot:title={'center':'Ward'}>],
      [<AxesSubplot:title={'center':'EmplRange'}>,
       <AxesSubplot:title={'center':'CENT_X'}>,
       <AxesSubplot:title={'center':'CENT_Y'}>],
      [<AxesSubplot:title={'center':'Year'}>, <AxesSubplot:>,
       <AxesSubplot:>]], dtype=object)
```



```
[ ]:  #boxplots of numeric attributes
      merged_complete_df.plot.box(figsize=(20, 10))
```

```
[ ]:  <AxesSubplot:>
```

```
[ ]:   #bar plots of categorical attributes by year - EmplRange
       (merged_complete_df.groupby(['Year','EmplRange'])['Year']
           .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

```
[ ]:   <AxesSubplot:xlabel='EmplRange'>
```



```
[ ]:   #bar plots of categorical attributes by year - NAICSCat
       (merged_complete_df.groupby(['Year','NAICSCat'])['Year']
           .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

14

[ ]: <AxesSubplot:xlabel='NAICSCat'>



[ ]: ```
#bar plots of categorical attributes by year – NAICSCode
(merged_complete_df.groupby(['Year','NAICSCode'])['Year']
    .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

[ ]: <AxesSubplot:xlabel='NAICSCode'>

```
[ ]: #bar plots of categorical attributes by year – Closed
      (merged_complete_df.groupby(['Year','Closed'])['Year']
          .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

```
[ ]: <AxesSubplot:xlabel='Closed'>
```



```
[ ]: #bar plots of categorical attributes by year – isnew
      (merged_complete_df.groupby(['Year','isnew'])['Year']
          .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

16

`[ ]:` `<AxesSubplot:xlabel='isnew'>`


```python
[ ]: #bar plots of categorical attributes by year - Location
(merged_complete_df.groupby(['Year','Location'])['Year']
    .count().unstack('Year').plot.bar(figsize=(20, 10)))
```

`[ ]:` `<AxesSubplot:xlabel='Location'>`