

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.0 Revision Date 05.03.2024 Print Date 16.08.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Cobalt(II) nitrate hexahydrate

Product Number : 239267 Brand : SIGALD

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 10026-22-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Oxidizing solids, (Category 2) H272: May intensify fire; oxidizer.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Serious eye damage, (Category H318: Causes serious eye damage.

SIGALD- 239267 Page 1 of 15



Respiratory sensitization,

(Category 1)

H334: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Skin sensitization, (Category 1)

H317: May cause an allergic skin reaction.

Germ cell mutagenicity,

(Category 2)

H341: Suspected of causing genetic

defects.

Carcinogenicity, (Category 1B)

H350i: May cause cancer by inhalation.

Reproductive toxicity, (Category

1B)

H360FD: May damage fertility. May

damage the unborn child.

Specific target organ toxicity - repeated exposure, (Category 2),

Lungs

H373: May cause damage to organs through prolonged or repeated exposure if

inhaled.

Short-term (acute) aquatic hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, (Category 1)

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H341 Suspected of causing genetic defects. H350i May cause cancer by inhalation.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

SIGALD- 239267 Page 2 of 15



protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H318 Causes serious eye damage.

H360FD May damage fertility. May damage the unborn child.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SIGALD- 239267 Page 3 of 15



SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Cobaltous nitrate

Formula : $CoN_2O_6 \cdot 6H_2O$ Molecular weight : 291,03 g/mol CAS-No. : 10026-22-9EC-No. : 233-402-1

Component		Classification	Concentration
Cobaltous nitrate, hexahydrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No. EC-No.	10026-22-9 233-402-1	Ox. Sol. 2; Acute Tox. 4; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H318, H334, H317, H341, H350i, H360FD, H360F, H373, H400, H410 Concentration limits: >= 0,01 %: Carc. 1B, H350i; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

SIGALD- 239267 Page 4 of 15

A

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Cobalt/cobalt oxides

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SIGALD- 239267 Page 5 of 15

A

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

SIGALD- 239267 Page 6 of 15

A

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state crystalline

b) Color red

c) Odor No data available

d) Melting Melting point/range: 55 °C - lit.

point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower No data available

flammability or explosive limits

h) Flash point Not applicable

i) Autoignition No data available temperature

j) Decomposition No data available

SIGALD- 239267 Page 7 of 15

A

temperature

k) pH 4,0 at 100 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility soluble

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure No data available

p) Density 1,88 g/cm3

Relative density No data available q) Relative vapor No data available

dencity

density

r) Particle

No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 2.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with: ammonium compounds carbon/soot oxidisable substances

10.4 Conditions to avoid

Heat. Exposure to moisture. no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SIGALD- 239267 Page 8 of 15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 434 mg/kg

(Calculation method)

LD50 Oral - Rat - male and female - 978 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 978 mg/kg

(ATE value derived from LD50/LC50 value)

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II) nitrate

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II) nitrate

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) (anhydrous substance) May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) (anhydrous substance)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Lungs

Aspiration hazard

No data available

SIGALD- 239267 Page 9 of 15



11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 3 mg/kg

RTECS: QU7355500

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Symptoms of an acute cobalt intoxication: diarrhoea, loss of appetite, drop in body temperature, drop in blood pressure. Toxic effect on kidneys (proteinuria, anuria), heart, and pancreas.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

somnolence

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Pimephales promelas (fathead minnow) -

1,866 mg/l - 96 h

(US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to daphnia

and other aquatic

static test LC50 - Ceriodaphnia dubia (water flea) - 0,39 mg/l $\,$ - 48 h (US-EPA)

invertebrates

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0,095 mg/l - 72

SIGALD- 239267 Page 10 of 15



h

(OECD Test Guideline 201) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to bacteria static test EC50 - activated sludge - 120 mg/l - 30 min

(OECD Test Guideline 209) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to semi-static test NOEC - Pimephales promelas (fathead minnow) - 0,9

fish(Chronic toxicity) mg/l - 7 d

(US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

Toxicity to daphnia and other aquatic

ohnia semi-static test NOEC - Ceriodaphnia dubia (water flea) - 0,02 mg/l atic - 7 d

invertebrates(Chronic (US-EPA) toxicity) Remarks:

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Cobalt(II)

nitrate

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SIGALD- 239267 Page 11 of 15

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1477 IMDG: 1477 IATA: 1477

14.2 UN proper shipping name

ADR/RID: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate) IMDG: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate)

IATA: Nitrates, inorganic, n.o.s.

14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very : Cobaltous nitrate, hexahydrate High Concern for Authorisation (Article 59).

REACH - Restrictions on the manufacture, : Cobaltous nitrate, hexahydrate placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

National legislation

Seveso III: Directive 2012/18/EU of the P8 OXIDISING LIQUIDS AND European Parliament and of the Council SOLIDS

SIGALD- 239267 Page 12 of 15



E1 ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Relevant changes since previous version

2. Hazards identification



SIGALD- 239267 Page 13 of 15

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 239267 Page 14 of 15

M

SIGALD- 239267 Page 15 of 15

