

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sulphanilic acid $\geq 98\%$ , p.a., ACS

article number: **4496**

Version: **3.0 en**

Replaces version of: 2022-06-01

Version: (2)

date of compilation: 2018-07-06

Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Sulphanilic acid <math>\geq 98\%</math>, p.a., ACS</b>
Article number	4496
Index No (GB CLP)	612-014-00-X
EC number	204-482-5
CAS number	121-57-3
Alternative name(s)	Sulphanilic acid

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

## Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

## 2.2 Label elements

### Labelling

#### Signal word

**Warning**

#### Pictograms

GHS07



#### Hazard statements

H315 Causes skin irritation  
H317 May cause an allergic skin reaction  
H319 Causes serious eye irritation

#### Precautionary statements

##### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

##### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3 Other hazards

### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sulphanilic acid  $\geq 98\%$ , p.a., ACS

article number: 4496

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Sulphanilic acid
Molecular formula	C <sub>6</sub> H <sub>7</sub> NO <sub>3</sub> S
Molar mass	173,2 g/mol
CAS No	121-57-3
EC No	204-482-5
Index No (GB CLP)	612-014-00-X

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SO<sub>x</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid dust formation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

## Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

#### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	13,33 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	3,33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,023 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,002 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

## • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

NBR (Nitrile rubber)

## • material thickness

>0,11 mm


## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

## • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

## Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	grey
Odour	odourless
Melting point/freezing point	285 – 290 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	331 °C (ECHA) (relative self-ignition temperature for solids)

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sulphanilic acid $\geq 98\%$ , p.a., ACS

article number: **4496**

Decomposition temperature	300 °C (ECHA)
pH (value)	2,5 (in aqueous solution: 10 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	12,51 g/l at 20 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	-2,298 (25 °C) (ECHA)
Vapour pressure	0 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	1,486 g/cm <sup>3</sup> at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	600 – 650 kg/m <sup>3</sup>
Particle characteristics	No data available.
<u>Other safety parameters</u>	
Oxidising properties	none
<b>9.2 Other information</b>	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Surface tension	72,3 mN/m (20 °C) (ECHA)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Strong alkali

### 10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: 300 °C.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid ≥ 98%, p.a., ACS**

article number: **4496**

## 10.5 Incompatible materials

combustible materials

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

**Classification acc. to GHS**

### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 mg/kg	rat		ECHA
dermal	LD50	>2.000 mg/kg	rat		ECHA

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

### • If in eyes

Causes serious eye irritation



# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

- **If inhaled**

Inhalation of dust may cause irritation of the respiratory system

- **If on skin**

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

- **Other information**

Headache, Spasms, Blood pressure drop, Cyanosis (blue coloured blood)

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	$>100 \text{ mg/l}$	fish	ECHA	96 h
EC50	$23 \text{ mg/l}$	aquatic invertebrates	ECHA	48 h
ErC50	$97 \text{ mg/l}$	algae	ECHA	72 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification):  $1,293 \text{ mg/mg}$

Theoretical Oxygen Demand (with nitrification):  $1,663 \text{ mg/mg}$

Theoretical Carbon Dioxide:  $1,525 \text{ mg/mg}$

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	31 %	28 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-2,298 (25 °C) (ECHA)
---------------------------	-----------------------

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

## 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

**HP 13** sensitising

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

- |   |   |
|---|---|
| <b>14.1 UN number or ID number</b>  | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>   | not assigned  |
| <b>14.3 Transport hazard class(es)</b>  | none  |
| <b>14.4 Packing group</b>   | not assigned  |
| <b>14.5 Environmental hazards</b>   | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>  | There is no additional information.                                   |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b>                       | The cargo is not intended to be carried in bulk.                      |
| <b>14.8 Information for each of the UN Model Regulations</b>                              |   |
| <b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>        |   |
| Not subject to IMDG.  |   |
| <b>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information</b> |   |
| Not subject to ICAO-IATA.   |   |

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sulphanilic acid  $\geq 98\%$ , p.a., ACS

article number: 4496

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

##### Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

##### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

##### Water Framework Directive (WFD)

not listed

##### Regulation on the marketing and use of explosives precursors

not listed

##### Regulation on drug precursors

not listed

##### Regulation on substances that deplete the ozone layer (ODS)

not listed

##### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

##### Regulation on persistent organic pollutants (POP)

not listed

##### National regulations(GB)

##### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

##### Restrictions according to GB REACH, Annex 17

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid ≥ 98%, p.a., ACS**

article number: **4496**

not listed

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN.		yes
15.1	VOC content: 0 % 0 g/l	VOC content: 0 %	yes
15.1		VOC content: 0 g/l	yes
15.1		National inventories: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	$\equiv$ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Sulphanilic acid  $\geq 98\%$ , p.a., ACS**

article number: **4496**

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.