

計算機程式設計

Computer Programming


C Basics 補充

Instructor: 林英嘉

2024/09/16



[W2 Slido: #6981334](#)



[GitHub repo](#)

ideone Compiler Setting (1)

The screenshot shows the ideone.com website interface. At the top, there is a navigation bar with links: [new code](#), [my codes](#), [範例](#) (Examples), [recent codes](#), and [my account](#). The main area features a code editor with the following C code:

```
</> enter your source code 或 insert 模板 or 範例 shortcuts
#include <stdio.h>

int main(void) {
    // your code goes here
    return 0;
}
```

Below the code editor, there is a toolbar with buttons for language selection (C), stdin, and other options, followed by a [more options](#) link and a green [Run](#) button. On the right side, there is a sidebar with a [settings](#) dropdown menu (containing [editor](#) and [sign out](#)), a [Sphere o](#) (Sphere Engine API) section, and an [IDE Widget](#) section.

What is Ideone?

How to use Ideone?

Follow us

[Follow @ideone](#)

ideone Compiler Setting (2)

ideone.com

[new code](#) [my codes](#) [範例](#) [recent codes](#) [my account](#)

account data

使用者名稱

yingjialin

email

yingjia.lin.public@gmail.com

帳號設定

介面語言

set your time zone

Europe/Warsaw

☒ 使用語法標示

☐ enable normal time stamps ?

☐ I agree to receive email newsletter on the topic of Ideone.

☐ I agree to receive commercial information about products, services and promotions of Sphere Research Labs Sp. z o.o., by means of electronic communication.

送出

Facebook

Connect with Facebook

manage codes

default execution time limit

☒ 5s

☐ 15s

預設程式語言

C (gcc 8.3)

C (clang 8.0)

送出