
Geographic Attestation Results

`draft-richardson-rats-geographic-results-03`

RATS Working Group IETF 127, San Francisco 17 November 2026

Michael Richardson, Sandelman Software Works

Source and issue tracker: github.com/mcr/geographicresult



AR = Attestation Result carrying geographic-result-claims:
jurisdiction-country, -subdivision, -city, ... (Section 3),
claim-uuid (label 13) and basis (label 14), pull request 6.

Figure 1: Geographic Attestation Result in the RATS data flow

```
Microsoft Azure, West Europe: basis endorsement, 25 bytes

a3                                      # map(3)
   00                                   #  key 0 jurisdiction-country
   62 4e4c                              #  text(2) "NL"
   0d                                   #  key 13 claim-uuid
   50 814f1a077ed25b798641788ef6dab3a1  #  bytes(16)
   0e                                   #  key 14 basis
   01                                   #  1 = endorsement

Google Cloud, europe-west4: basis attestation-result, 36 bytes

a4                                      # map(4)
   00                                   #  key 0 jurisdiction-country
   62 4e4c                              #  text(2) "NL"
   04                                   #  key 4 jurisdiction-city
   69 45656d73686176656e                #  text(9) "Eemshaven"
   0d                                   #  key 13 claim-uuid
   50 5e1a26c009cb5e8489c4f9efa68f78ad  #  bytes(16)
   0e                                   #  key 14 basis
   02                                   #  2 = attestation-result

The jurisdiction is the same four bytes, 00 62 4e 4c, in both;
the classes differ.  Both maps validate against the CDDL.
```

Figure 2: Two geographic results on the wire




Figure 3: A result that rests on another result




Figure 4: A relayed Result, and the binding that defeats it