

## VANTREL LOW-VOLTAGE DISTRIBUTION

Quiet power for compact civic and learning spaces

### A FICTIONAL PRODUCT PACKAGE FOR NAVIGATION EVALUATION

This marketing page describes a made-up equipment family and is not a project approval.

Technical values appear only on the identified interior product pages.

Manufacturer: Zarqelune Industrial Assemblies | Package revision: demonstration

### PACKAGE MAP

---

Pages 1-3: portfolio marketing and family selection.

Pages 4-5: alternate and selected product introductions.

Pages 6-9: selected Vantrel L-36 technical schedules.

Page 10: certifications and declarations.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

## WHY VANTREL

Marketing overview - no selected-product requirement is stated on this page.

### CLEAR ACCESS

Front service concept for routine inspection.

### QUIET FORM

Compact enclosure proportions for occupied rooms.

### FLEXIBLE FIT

Two fictional models share one package family.

### RECORD READY

Product pages carry tables for a searchable handoff.

**Application sketches are promotional context only.**

Use the selected product schedule, not this page, when comparing a submittal to a specification.

**This cut sheet is invented for SpecGuard; all package content is fictional.**

No endorsement, certification, or product availability is implied by this fixture.

VANTREL FAMILY SELECTION

Two fictional products are shown so a reviewer must identify the selected model.

| MODEL        | MARKETING POSITION             | PACKAGE LOCATION           |
|--------------|--------------------------------|----------------------------|
| Vantrel L-18 | compact auxiliary distribution | alternate product, page 4  |
| Vantrel L-36 | selected service distribution  | technical data, pages 6-10 |

SELECTION NOTES

- The L-36 pages are the relevant interior product record for this fixture.
- The L-18 page is included as realistic package noise and is not the selected model.
- Marketing wording is not a substitute for a tabulated value or declaration.

This cut sheet is invented for SpecGuard; all package content is fictional.  
No endorsement, certification, or product availability is implied by this fixture.

Zarqelune Vantrel L-18

ALTERNATE PRODUCT OVERVIEW - INCLUDED FOR PACKAGE REALISM

The L-18 model supports smaller fictional loads and is not the selected product.

| FEATURE       | L-18 DESCRIPTION       | STATUS            |
|---------------|------------------------|-------------------|
| Product role  | auxiliary distribution | alternate         |
| Access        | front removable cover  | family feature    |
| Documentation | factory data packet    | marketing summary |
| Package use   | comparison noise       | do not select     |

The selected Vantrel L-36 record begins on page 5 and its technical tables begin on page 6.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

## Zarqelune Vantrel L-36

### SELECTED PRODUCT OVERVIEW

The selected product is a fictional panelboard assembly for a compact service room.

Technical comparison data is carried on the following interior schedules.

#### PRODUCT NAVIGATION

- Page 6 - electrical performance schedule
- Page 7 - terminals and branch configuration schedule
- Page 8 - dimensions and service clearances
- Page 9 - construction and environmental schedule
- Page 10 - certifications and declarations

Model identifier: ZVA-L36-480 | Document: ZIA-VL36-7C

**This cut sheet is invented for SpecGuard; all package content is fictional.**

No endorsement, certification, or product availability is implied by this fixture.

ELECTRICAL PERFORMANCE SCHEDULE

Selected product - values are shown in a multi-row table.

| PERFORMANCE ITEM      | VANTREL L-36 VALUE         | PACKAGE NOTE            |
|-----------------------|----------------------------|-------------------------|
| System voltage        | 480 V, three-phase         | selected service family |
| Fault-duty rating     | 42 kA symmetrical at 480 V | factory schedule        |
| Main disconnect       | front accessible           | included in assembly    |
| Neutral arrangement   | full-size neutral bar      | standard build          |
| Grounding arrangement | dedicated ground bar       | standard build          |

The value in this schedule is not repeated in the marketing pages.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

TERMINAL AND BRANCH CONFIGURATION

Selected product - configuration values are embedded in the schedule.

| CONFIGURATION ITEM         | VANTREL L-36 VALUE      | FACTORY NOTE       |
|----------------------------|-------------------------|--------------------|
| Continuous terminal rating | 140 deg F (60 deg C)    | terminal group A   |
| Spare branch positions     | 2 positions             | factory fitted     |
| Accessory control supply   | 24-volt direct-current  | indication circuit |
| Branch circuit range       | 20 A through 100 A      | model schedule     |
| Barrier arrangement        | removable front barrier | service access     |

Factory terminology may differ from the project specification terminology.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

DIMENSIONS AND SERVICE CLEARANCES

Selected product - dimensions are nominal package values.

| DIMENSION ITEM          | VANTREL L-36 VALUE | REFERENCE         |
|-------------------------|--------------------|-------------------|
| Overall height          | 1980 mm            | outline           |
| Overall width           | 920 mm             | outline           |
| Overall depth           | 280 mm             | outline           |
| Front service clearance | 760 mm recommended | installation note |
| Side access             | 150 mm minimum     | barrier path      |

Set-out dimensions must be coordinated with the project room and not inferred from marketing drawings.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.



CONSTRUCTION AND ENVIRONMENTAL SCHEDULE

Selected product - materials and enclosure information appear in the table.

| CONSTRUCTION ITEM        | VANTREL L-36 VALUE                      | PACKAGE NOTE     |
|--------------------------|-----------------------------------------|------------------|
| Enclosure classification | E-2 indoor enclosure                    | painted body     |
| Main bus material        | aluminum alloy with plated contact pads | standard build   |
| Finish                   | graphite-grey baked coating             | color family G-3 |
| Mounting                 | floor channel with anchor slots         | field anchor     |
| Access                   | front removable barrier                 | routine service  |

The construction table is package data; it does not represent a third-party certification.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

CERTIFICATIONS AND DECLARATIONS

This fictional page lists the manufacturer's own declarations for the selected product.

DECLARATION STATUS

Declared review marks: QF-2 factory review; QP-7 factory traceability; no QL-4 listing included.

This declaration is not a claim of compliance with a real-world listing program.

| RECORD                | PACKAGE STATUS       | OWNER ACTION             |
|-----------------------|----------------------|--------------------------|
| Factory review        | QF-2 recorded        | retain declaration       |
| Material traceability | QP-7 recorded        | retain batch record      |
| Panelboard listing    | not included         | compare to specification |
| Routine test          | available on request | request before turnover  |

END OF FICTIONAL PACKAGE

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.