

VANTREL LOW-VOLTAGE DISTRIBUTION

Quiet power for compact civic and learning spaces

A FICTIONAL PRODUCT PACKAGE FOR NAVIGATION EVALUATION

This marketing page describes a made-up equipment family and is not a project approval.

Technical values appear only on the identified interior product pages.

Manufacturer: Zarqelune Industrial Assemblies | Package revision: demonstration

PACKAGE MAP

Pages 1-3: portfolio marketing and family selection.

Pages 4-5: alternate and selected product introductions.

Pages 6-9: selected Vantrel L-36 technical schedules.

Page 10: certifications and declarations.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

WHY VANTREL

Marketing overview - no selected-product requirement is stated on this page.

CLEAR ACCESS

Front service concept for routine inspection.

QUIET FORM

Compact enclosure proportions for occupied rooms.

FLEXIBLE FIT

Two fictional models share one package family.

RECORD READY

Product pages carry tables for a searchable handoff.

Application sketches are promotional context only.

Use the selected product schedule, not this page, when comparing a submittal to a specification.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

VANTREL FAMILY SELECTION

Two fictional products are shown so a reviewer must identify the selected model.

MODEL	MARKETING POSITION	PACKAGE LOCATION
Vantrel L-18	compact auxiliary distribution	alternate product, page 4
Vantrel L-36	selected service distribution	technical data, pages 6-10

SELECTION NOTES

- The L-36 pages are the relevant interior product record for this fixture.
- The L-18 page is included as realistic package noise and is not the selected model.
- Marketing wording is not a substitute for a tabulated value or declaration.

This cut sheet is invented for SpecGuard; all package content is fictional.
No endorsement, certification, or product availability is implied by this fixture.

Zarqelune Vantrel L-18

ALTERNATE PRODUCT OVERVIEW - INCLUDED FOR PACKAGE REALISM

The L-18 model supports smaller fictional loads and is not the selected product.

FEATURE	L-18 DESCRIPTION	STATUS
Product role	auxiliary distribution	alternate
Access	front removable cover	family feature
Documentation	factory data packet	marketing summary
Package use	comparison noise	do not select

The selected Vantrel L-36 record begins on page 5 and its technical tables begin on page 6.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

Zarqelune Vantrel L-36

SELECTED PRODUCT OVERVIEW

The selected product is a fictional panelboard assembly for a compact service room.

Technical comparison data is carried on the following interior schedules.

PRODUCT NAVIGATION

- Page 6 - electrical performance schedule
- Page 7 - terminals and branch configuration schedule
- Page 8 - dimensions and service clearances
- Page 9 - construction and environmental schedule
- Page 10 - certifications and declarations

Model identifier: ZVA-L36-480 | Document: ZIA-VL36-7C

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

ELECTRICAL PERFORMANCE SCHEDULE

Selected product - values are shown in a multi-row table.

PERFORMANCE ITEM	VANTREL L-36 VALUE	PACKAGE NOTE
System voltage	480 V, three-phase	selected service family
Fault-duty rating	42 kA symmetrical at 480 V	factory schedule
Main disconnect	front accessible	included in assembly
Neutral arrangement	full-size neutral bar	standard build
Grounding arrangement	dedicated ground bar	standard build

The value in this schedule is not repeated in the marketing pages.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

TERMINAL AND BRANCH CONFIGURATION

Selected product - configuration values are embedded in the schedule.

CONFIGURATION ITEM	VANTREL L-36 VALUE	FACTORY NOTE
Continuous terminal rating	140 deg F (60 deg C)	terminal group A
Spare branch positions	2 positions	factory fitted
Accessory control supply	24-volt direct-current	indication circuit
Branch circuit range	20 A through 100 A	model schedule
Barrier arrangement	removable front barrier	service access

Factory terminology may differ from the project specification terminology.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

DIMENSIONS AND SERVICE CLEARANCES

Selected product - dimensions are nominal package values.

DIMENSION ITEM	VANTREL L-36 VALUE	REFERENCE
Overall height	1980 mm	outline
Overall width	920 mm	outline
Overall depth	280 mm	outline
Front service clearance	760 mm provided	as furnished
Side access	150 mm minimum	barrier path

Set-out dimensions must be coordinated with the project room and not inferred from marketing drawings.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

CONSTRUCTION AND ENVIRONMENTAL SCHEDULE

Selected product - materials and enclosure information appear in the table.

CONSTRUCTION ITEM	VANTREL L-36 VALUE	PACKAGE NOTE
Enclosure classification	E-2 indoor enclosure	painted body
Main bus material	aluminum alloy with plated contact pads	standard build
Finish	graphite-grey baked coating	color family G-3
Mounting	floor channel with anchor slots	field anchor
Access	front removable barrier	routine service

The construction table is package data; it does not represent a third-party certification.

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.

CERTIFICATIONS AND DECLARATIONS

This fictional page lists the manufacturer's own declarations for the selected product.

DECLARATION STATUS

Declared review marks: QF-2 factory review; QP-7 factory traceability; no QL-4 listing included.

This declaration is not a claim of compliance with a real-world listing program.

RECORD	PACKAGE STATUS	OWNER ACTION
Factory review	QF-2 recorded	retain declaration
Material traceability	QP-7 recorded	retain batch record
Panelboard listing	not included	compare to specification
Routine test	available on request	request before turnover

END OF FICTIONAL PACKAGE

This cut sheet is invented for SpecGuard; all package content is fictional.

No endorsement, certification, or product availability is implied by this fixture.