Oracle Utilities Customer Care and Billing v25.10HOT

Product Fix Design

Bug 38864910

Last Modified: February 10, 2026 11:49 PM
Printed On: February 11, 2026

Oracle Utilities Customer Care and Billing Product Fix Design

Copyright 2026 by Oracle. All rights reserved.

The information contained in this document is proprietary and confidential to Oracle and is subject to the non-disclosure obligations described in the license agreement between your company and Oracle. You may not provide this document or any copy of this document to third parties outside your company unless you first obtain the written permission of Oracle.

This document introduces new and changed business and technical features that Oracle has included in the ”Single Fix” described in this document.

The functionality of the Single Fix described in this document may be superseded by functionality included in a future Single Fix, Release or Update. Oracle reserves the right to revise or expand the functionality of any future Single Fix, Release or Update of Oracle Utilities Customer Care and Billing in a manner compatible with Oracle’s business objectives, and the business objectives of each of Oracle’s customers, at the time that Oracle makes the software code generally commercially available.

Oracle will provide you with additional information concerning product Releases or Updates after Oracle finalizes the related specifications and tests the product component(s). Final documentation will be shipped to you with the media containing the Release or Update.

Please contact Oracle Customer Service Group if you have any questions or comments concerning this document, which has been prepared for your benefit as a licensee of Oracle Utilities Customer Care and Billing.

 Copyright ©2026, Oracle. All rights reserved.

Table of Contents

Reported Issue....4
Description....4
Steps To Recreate....4
Data Set-up....4
Reported Issue....5

Solution Design....10
Summary....10
BPA Script....11
Add One-Time Payment Navigation (C1OTPayAddNv) (Existing)....11
Add One-Time Payment (C1OTPayAddMn) (Existing)....11

Data Clean-Up / Fixes....11

Recommended Test Cases....12
Test Case 1: Reported Issue....12
Add One-Time Payment from Account in Payment Event with No Global Context....12
Add One-Time Payment from Account in Payment Event with Global Context....12
Test Case 2: Add One-Time Payment through Account Context in Both Payment Event page and Global Context....12
Test Case 3: One-Time Payment UI is disabled....13
Test Case 3.1: Add Payment Event with No Global Context....13
Test Case 3.2: Add Payment Event with Global Context....13

Copyright ©2026, Oracle. All rights reserved.

Reported Issue

Description

The **Payor Account ID** and **Payment Amount** are incorrectly populated in Add One Time Payment UI when adding a Payment Event from account in Payment Event Page.

Steps To Recreate

Data Set-up

- Navigate to the Feature Configuration page, and filter Feature Type to Financial Transaction Options.



Feature Configuration Query – Financial Transaction Options

- Under the Financial Transaction Options feature, verify if the Enable Add One-Time Payment UI option type has a value of ‘Y’.

Copyright ©2026, Oracle. All rights reserved.



	Option Type	Seq	Value
15	▶ Default Auto Pay Method	1	CIDD
16	▶ Default Precision Level	1	0.01
17	▶ Delete Bill with only Temp Message	1	Y
18	▶ Disable Correction Note generation for Off Cycle Bills	1	N
19	▶ Disable Read Date Alignment (Y/N)	1	Y
20	▼ Enable Add One-Time Payment UI This option is used to enable the Add One Time Payment UI. If set to 'Y', all existing launch points for the Payment Event - Add Dialog will instead launch the Add One Time Payment BPA script - CIOTPayAddNv. Valid values are 'Y' and 'N'. Default is 'N'.	1	Y
21	▶ Enable Rates Item Type Validation	1	Y
22	▶ Handle Meter Read Size Overflow	1	N
23	▶ One-Time Payment Service Task Type	1	ZZ-ONETIMEPAYTASKTYPE
24	▶ Payment Advice Functionality Supported	1	Y

Feature Configuration (Financial Transaction Options) – Enable Add One-Time Payment UI

Reported Issue

Add One-Time Payment from Account in Payment Event with No Global Context

- Go to Main Menu > Financial > Payment Event Search. Search for any existing Payment Event.

Copyright ©2026, Oracle. All rights reserved.



Payment Event

- Click the Context menu icon on the listed **Account ID** and click Add Payment Event.

Account Context Menu – Add Payment Event

Copyright ©2026, Oracle. All rights reserved.



Add One-Time Payment – Account ID and Payment Amount is blank

- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event page, and the **Payment Amount** field is populated with its current balance.
- **Actual Result**: The **Payor Account ID** is blank, and the **Payment Amount** is left at the default value.

Add One-Time Payment from Account in Payment Event with Global Context

- Go to Main Menu > Control Central Search, and search for any Person with an existing Account. Select that Person to populate the global context.

Copyright ©2026, Oracle. All rights reserved.



Global Context

- Go to Main Menu > Financial > Payment Event Search. Search for any existing Payment Event to populate the page.

Copyright ©2026, Oracle. All rights reserved.



Account ID on Payment Event page (5922116763) and Global Context Account ID (3828515685)

- Click the Context menu icon on the **Account ID** and click Add Payment Event.



Payment Event – Add Payment Event through Context menu of Account ID (5922116763)

Copyright ©2026, Oracle. All rights reserved.



Add One-Time Payment

- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event page, and the **Payment Amount** field is populated with its respective current balance.
- **Actual Result**: The **Payor Account ID** is populated with the **Account ID** from the global context, and its current balance is reflected on the **Payment Amount** field.

Solution Design

- Update the Add One-Time Payment Navigation **(C1OTPayAddNv)** script to correctly pass the active **Account ID** from account context to the Add One-Time Payment page.
- Update the Add One-Time Payment **(C1OTPayAddMn)** script to refresh whenever the transaction is closed or cancelled to ensure the correct **Account ID** is passed on the next transaction.

Summary

Change Type	Y/N
Does this fix require any Admin (Soft) Table Changes to be made by the client?	N
Does this fix require upgrade data changes to be applied?	N
Does the fix involve DB Changes?	N

Copyright ©2026, Oracle. All rights reserved.

Is there an impact on any user interface or any other on-line behavior?	**Y**
Is there an impact on any batch process?	N
Is there an impact on CM – Custom Modification processing?	N
Does this fix require an application viewer update for Algorithm data (run F1-AVALG)?	N
Does this fix require an application viewer update for MO data (run F1-AVMO)?	N
Does this fix require an application viewer update for Table data (run F1-AVTBL)?	N

BPA Script

Add One-Time Payment Navigation (C1OTPayAddNv) (Existing)

Business Rules

- Add **Account ID** to temporary storage that will be passed to Add One-Time Payment page
- If navigation is to the old Add Payment Event page, add the **Account ID** to Page Data Model

Add One-Time Payment (C1OTPayAddMn) (Existing)

Business Rules

- Update script to refresh the current page when the user cancels or closes the One-Time Payment transaction

Data Clean-Up / Fixes

Not applicable.

Copyright ©2026, Oracle. All rights reserved.

Recommended Test Cases

Test Case 1: Reported Issue

Add One-Time Payment from Account in Payment Event with No Global Context

- Please refer to Steps to Recreate.
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event page, and the **Payment Amount** field is populated with its respective current balance.
- Click Save.
- **Expected Result**: The Payment Event is created and saved, and the current balance is reduced with respect to the **Payment Amount** set.

Add One-Time Payment from Account in Payment Event with Global Context

- Please refer to Steps to Recreate.
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event, and the **Payment Amount** field is populated with its respective current balance.
- Click Save.
- **Expected Result**: The Payment Event is created and saved, and the current balance is reduced with respect to the **Payment Amount** set.

Test Case 2: Add One-Time Payment through Account Context in Both Payment Event page and Global Context

- Go to Main Menu > Control Central Search, and search for any Person with existing Account. Select that Person to populate the global context.
- Go to Main Menu > Financial > Payment Event Search. Search for existing Payment Event.
- In the global context's **Account ID**, click Add Payment Event.
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from global context, and the **Payment Amount** is populated with its respective current balance.

 Copyright ©2026, Oracle. All rights reserved.

- Click the Cancel button.
- In the Payment Event page, click the account context using the **Account ID** in the Payment List
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the page, and the **Payment Amount** field is populated with its respective current balance.
- Click Cancel button.
- In the global context's **Account ID**, click Add Payment Event.
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from global context, and the **Payment Amount** field is populated with its respective current balance.

Test Case 3: One-Time Payment UI is disabled

- Navigate to the Feature Configuration page, and filter Feature Type to Financial Transaction Options.
- Under the Financial Transaction Options feature, verify if the Enable Add One-Time Payment UI option type has a value of 'N'.

Test Case 3.1: Add Payment Event with No Global Context

- Go to Main Menu > Financial > Payment Event Search. Search for existing Payment Event to populate the page.
- In the global context's **Account ID**, click Add Payment Event.
- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event page, and the **Payment Amount** field is populated with its current balance.
- Click OK.
- **Expected Result**: The Payment Event is created and saved, and the current balance is reduced with respect to the **Payment Amount** set.

Test Case 3.2: Add Payment Event with Global Context

- Go to Main Menu > Control Central Search, and search for any Person with existing Account. Select that Person to populate the global context.
- Go to Main Menu > Financial > Payment Event Search. Search for any existing Payment Event to populate the page.
- In the global context's **Account ID**, click Add Payment Event.

Copyright ©2026, Oracle. All rights reserved.

- **Expected Result**: The **Payor Account ID** field is populated with the **Account ID** from the Payment Event page, and the **Payment Amount** field is populated with its current balance.
- Click OK.
- **Expected Result**: The Payment Event is created and saved, and the current balance is reduced with respect to the **Payment Amount** set.

 Copyright ©2026, Oracle. All rights reserved.