Oracle Utilities Customer to Meter v25.10HOT

Product Fix Design

Bug 38711608

Last Modified: January 6, 2026 10:26 PM
Printed On: November 4, 2009

Oracle Utilities Customer to Meter Product Fix Design

Copyright 2026 by Oracle. All rights reserved.

The information contained in this document is proprietary and confidential to Oracle and is subject to the non-disclosure obligations described in the license agreement between your company and Oracle. You may not provide this document or any copy of this document to third parties outside your company unless you first obtain the written permission of Oracle.

This document introduces new and changed business and technical features that Oracle has included in the ”Single Fix” described in this document.

The functionality of the Single Fix described in this document may be superseded by functionality included in a future Single Fix, Release or Update. Oracle reserves the right to revise or expand the functionality of any future Single Fix, Release or Update of Oracle Utilities Customer to Meter in a manner compatible with Oracle’s business objectives, and the business objectives of each of Oracle’s customers, at the time that Oracle makes the software code generally commercially available.

Oracle will provide you with additional information concerning product Releases or Updates after Oracle finalizes the related specifications and tests the product component(s). Final documentation will be shipped to you with the media containing the Release or Update.

Please contact Oracle Customer Service Group if you have any questions or comments concerning this document, which has been prepared for your benefit as a licensee of Oracle Utilities Customer to Meter.

 Copyright ©2026, Oracle. All rights reserved.

Table of Contents

Reported Issue....4
Description....4
Steps to Recreate....4

Solution Design....4
Summary....4
Changes....5
Script....5

Recommended Test Cases....5
Test Case 1: Verify Device location on Service call process flow Service task....5

Copyright ©2026, Oracle. All rights reserved.

Reported Issue

Description

Bug 38711608 - Service Call picking incorrect device location.

Steps to Recreate

1.Select a metered service point with multiple device locations.

2. To get Multiple Device Locations: Create two enrollment flows—for Program A and Program B. During enrollment, assign different device location types in their respective service task types, resulting in two distinct device locations.

3.After completing enrollment for Program A, click the Service Call button in the Current Enrollment section.

4.Provide the required details in the Service Call Process Flow and finish the process.

5.Observe that a Service Task ID is created in the summary panel. However, incorrect device location is populated on service task.

Solution Design

At Script X1DAPSCEndS, In Step 20 replace below line
move "parm/digitalAssetTroubleReportTaskInfo/locationInfo/spId" to "X1DAPSCSrvc/input/spId";
with
move "parm/digitalAssetTroubleReportTaskInfo/relatedObjects/subscriptionId" to "X1DAPSCSrvc/input/subscriptionId";

At Script X1DAPSCSrvc, In Step 10,60 replace spId with subscriptionId.
In Step 900 update the query to get device location from D1_US_SP table.

Summary

Change Type	Y/N
Does this fix require any Admin (Soft) Table Changes to be made by the client?	N
Does this fix require upgrade data changes to be applied?	N
Does the fix involve DB Changes?	N

Copyright ©2026, Oracle. All rights reserved.

Is there an impact on any user interface or any other on-line behavior?	N
Is there an impact on any batch process?	N
Is there an impact on CM – Custom Modification processing?	N
Does this fix require an application viewer update for Algorithm data (run F1-AVALG)?	N
Does this fix require an application viewer update for MO data (run F1-AVMO)?	N
Does this fix require an application viewer update for Table data (run F1-AVTBL)?	N

Changes

Script

Script - X1DAPSCEndS
In Step 20 replace below line
move "parm/digitalAssetTroubleReportTaskInfo/locationInfo/spId" to "X1DAPSCSrvc/input/spId";
with
move "parm/digitalAssetTroubleReportTaskInfo/relatedObjects/subscriptionId" to "X1DAPSCSrvc/input/subscriptionId";

Script - X1DAPSCSrvc
In Step 10,60 replace spId with subscriptionId.
In Step 900 update the query to get device location from D1_US_SP table.

Recommended Test Cases

Test Case 1: Verify Device location on Service call process flow Service task.

1.Select a metered service point with multiple device locations.

2. To get Multiple Device Locations: Create two enrollment flows—for Program A and Program B. During enrollment, assign different device location types in their respective service task types, resulting in two distinct device locations.

3.After completing enrollment for Program A, click the Service Call button in the Current Enrollment section.

Copyright ©2026, Oracle. All rights reserved.

4. Provide the required details in the Service Call Process Flow and finish the process.
5. Observe that a Service Task ID is created in the summary panel.
6. Correct device location is populated on service task.

Copyright ©2026, Oracle. All rights reserved.