Oracle Utilities Customer Care and Billing v25.10HOT

Product Fix Design

Bug 38664105

Last Modified: February 10, 2026 12:16 AM
Printed On: November 4, 2009

Oracle Utilities Customer Care and Billing Product Fix Design

Copyright 2026 by Oracle. All rights reserved.

The information contained in this document is proprietary and confidential to Oracle and is subject to the non-disclosure obligations described in the license agreement between your company and Oracle. You may not provide this document or any copy of this document to third parties outside your company unless you first obtain the written permission of Oracle.

This document introduces new and changed business and technical features that Oracle has included in the “Single Fix” described in this document.

The functionality of the Single Fix described in this document may be superseded by functionality included in a future Single Fix, Release or Update. Oracle reserves the right to revise or expand the functionality of any future Single Fix, Release or Update of Oracle Utilities Customer Care and Billing in a manner compatible with Oracle’s business objectives, and the business objectives of each of Oracle’s customers, at the time that Oracle makes the software code generally commercially available.

Oracle will provide you with additional information concerning product Releases or Updates after Oracle finalizes the related specifications and tests the product component(s). Final documentation will be shipped to you with the media containing the Release or Update.

Please contact Oracle Customer Service Group if you have any questions or comments concerning this document, which has been prepared for your benefit as a licensee of Oracle Utilities Customer Care and Billing.

Table of Contents

Table of Contents.....3

Reported Issue.....4
Description.....4

Solution Design.....4
Summary.....4
User Interface and Business Rules.....4
Portal: Self-Service Task (WXSSTSK).....4
UI Map: Question Responses (C1-Question Responses) (New).....5
Service Scripts.....5
Zone Visibility – Question Responses (C1ShwQstnRsp) (New).....5
Build Service Task Responses (C1BldSTRsp) (New).....5
Process Question Responses (C1ProQstnRsp).....7
System Data.....9
Business Object: Customer Service Request Response (C1-CustSvcRequestResponse) (Existing).....9
Messages.....10
Background Processes.....11
Batch Control: Update Self-Service Start/Stop/Transfer Task Responses (C1-UPSSR) (New).....11
Plug-in Spot: Batch Control - Select Records.....12
Algorithm: Select Records for Update Self-Service Start/Stop/Transfer Task Responses - (C1UPSSRSR) (New).....12
Plug-in Spot: Batch Control – Process Record.....13
Algorithm Type: Process Record for Update Self-Service Start/Stop/Transfer Task Responses - (C1UPSSRPR) (New).....13

Data Clean-Up / Fixes.....17

Recommended Test Cases.....17
Test Case 1: Self-Service New Service.....17
Test Case 2: Self-Service Add Service.....18
Test Case 3: Self-Service Stop Service.....19
Test Case 4: Self-Service Transfer Service.....20
Test Case 5: CSRT with Multiple Same Questions.....21
Test Case 6: Update Existing Self-Service Start/Stop/Transfer Task Responses using C1-UPSSR Batch Control.....22

Copyright ©2026, Oracle. All rights reserved.

Reported Issue

Description

Question responses are not displayed on the Self-Service Task page.

Solution Design

This is an enhancement to create a new zone displaying question responses on the Self-Service Task page.

Summary

Change Type	Y/N
Does this fix require any Admin (Soft) Table Changes to be made by the client?	N
Does this fix require upgrade data changes to be applied?	**Y**
Does the fix involve DB Changes?	N
Is there an impact on any user interface or any other on-line behavior?	**Y**
Is there an impact on any batch process?	N
Is there an impact on CM – Custom Modification processing?	N
Does this fix require an application viewer update for Algorithm data (run F1-AVALG)?	N
Does this fix require an application viewer update for MO data (run F1-AVMO)?	N
Does this fix require an application viewer update for Table data (run F1-AVTBL)?	N

User Interface and Business Rules

Portal: Self-Service Task (WXSSTSK)

Add new Questions zone

Copyright ©2026, Oracle. All rights reserved.

Zone: Questions (C1-SSTQSTN) (New)

- New zone for Questions display

Properties

Property	Value
Display Object	Build Service Task Responses (new)
UI Map	Question Responses (new)
Zone Visibility Service Script	Zone Visibility – Question Responses (new)

UI Map: Question Responses (C1-Question Responses) (New)

- Display response depending on answer style, i.e. checkbox, radio button, date, date/time, text, predefined characteristic type.
- Added answer ID in schema

Service Scripts

Zone Visibility – Question Responses (C1ShwQstnRsp) (New)

- If there exists a response for the Service Task ID or Customer Service Request ID, set shouldShowZone output = true.
- Otherwise, set shouldShowZone output = false.

Build Service Task Responses (C1BldSTRsp) (New)

- Retrieve responses with given Service Task ID
  - For each response
    - Reset previous question and previous subsequence values
    - Retrieve list of response answers with given response
    - For each response answer

Copyright ©2026, Oracle. All rights reserved.

- Get question, answer style, and subsequence
- If answer style = text, date, or date/time
  - Populate output: New question list entry. Populate question text.
  - Populate response output: Add new answer list entry. Populate response value and answer style
- If answer style = radio button, predefined characteristic type, or checkbox
  - Check if initial question, previous question != current question, or previous subsequence != current subsequence
    - Populate output: New question list entry. Populate question text.
    - Retrieve list of question answers with given question and response
    - For each question answer
      - Populate response output: Add new answer list entry. Populate answer style, answer id, answer text, and default response = false
        - If answer style = predefined characteristic type, populate answer text using characteristic value instead
    - If question answer from response matches any existing question answers, populate response = true
- Set current question = previous question and current subsequence = previous subsequence

SQL

Retrieve Response

```
SELECT RESPONSE_ID
FROM C1_RESPONSE
WHERE F1_SVC_TASK_ID = :serviceTaskId
ORDER BY CRE_DTTM
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			2	3
SORT		ORDER BY	2	3
TABLE ACCESS	CISADM.C1_RESPONSE	BY INDEX ROWID BATCHED	2	2
INDEX	CISADM.C1C147S2	RANGE SCAN	2	1
Access Predicates				
F1_SVC_TASK_ID=:SERVICETASKID				

Retrieve Response

Retrieve Question Answers

```
SELECT
    QA.C1_ANSWER_CD
FROM
    C1_QUESTION_ANSWER QA
WHERE
    QA.C1_QUESTION_CD = :question
    AND (QA.C1_ANSWER_STATUS_FLG = 'C1AC'
        OR (QA.C1_ANSWER_STATUS_FLG = 'C1IN'
            AND EXISTS (
```

 Copyright ©2026, Oracle. All rights reserved.

```
                    SELECT 'X'
                     FROM C1_RESPONSE_ANSWER RA
                     WHERE
                           RA.RESPONSE_ID = :responseId
                           AND RA.C1_QUESTION_CD = QA.C1_QUESTION_CD
                           AND RA.C1_ANSWER_CD = QA.C1_ANSWER_CD
              )
          )
      )
ORDER BY QA.SEQ_NUM
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			2	3
SORT		ORDER BY	2	3
FILTER				
QA.C1_ANSWER_STATUS_FLG='C1AC' OR QA.C1_ANSWER_STATUS_FLG='C1IN' AND EXISTS (SELECT 0 FROM CISADM.C1_RESPONSE_ANSWER RA WHERE RA.RESPONSE_ID=:RESPONSEID AND RA.C1_				
TABLE ACCESS	CISADM.C1_QUESTION_ANSWER	BY INDEX ROWID BATCHED	2	2
INDEX	CISADM.C1C153P0	RANGE SCAN	2	1
TABLE ACCESS	CISADM.C1_RESPONSE_ANSWER	BY INDEX ROWID BATCHED	1	3
RA.C1_ANSWER_CD=:B1 AND RA.C1_QUESTION_CD=:B2				
INDEX	CISADM.C1C148P0	SKIP SCAN	1	2
Other XML				

Retrieve Question Answers

Process Question Responses (C1ProQstnRsp)

- After validating required responses step:
  - Check if list of responses is empty, proceed to main processing
  - Set responseCanBeSorted = false
  - Check if response can be sorted
    - If returned list is empty, set responseCanBeSorted = true
  - If responseCanBeSorted = false (use original list order)
    - For each response in responses and for each answer in answers
    - If answer has both valid answer and response value, throw an error
    - If valid answer is not valid for the response question, throw an error
    - Populate output: Add new response entry. Populate sequence, response value/valid answer, and question.
  - If responseCanBeSorted = true (sort based on Customer Service Request Type)
    - Populate sorted responses
      - Retrieve list of sorted questions
      - For each sorted question
        - Get list of answers with given question sequence
        - For each answer

Copyright ©2026, Oracle. All rights reserved.

- If answer has both valid answer and response value, throw an error
- If valid answer is not valid for the response question, throw an error
- Populate output: Add new response entry. Populate sequence, response value/valid answer, and question.

SQL

Check If Response Can Be Sorted

```
SELECT
REL_QSTN_SEQ_NUM,
COUNT(*)
FROM C1_CS_REQ_TYPE_QUESTION_REL
WHERE CS_REQ_TYPE_CD = :customerServiceRequestType
GROUP BY REL_QSTN_SEQ_NUM
HAVING COUNT(*) > 1
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			1	4
HASH		GROUP BY	1	4
COUNT(*)>1				
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTIO...	BY INDEX ROWID BATCHED	5	3
INDEX	CISADM.C1C166P0	RANGE SCAN	5	2
Other XML				

Check If Response Can Be Sorted

Retrieve Sorted CSRT Questions

```
WITH CSRT_QUESTIONS AS (
    SELECT
           A.CS_REQ_TYPE_CD,
           A.REL_QSTN_SEQ_NUM SEQ_NUM,
           A.SEQ_NUM PARENT_SEQ_NUM,
           B.SORT_SEQ5
    FROM
           C1_CS_REQ_TYPE_QUESTION_REL A,
           C1_CS_REQ_TYPE_QUESTION B
    WHERE
           A.CS_REQ_TYPE_CD = :customerServiceRequestType
           AND B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
           AND B.SEQ_NUM = A.SEQ_NUM
    UNION
    SELECT
           CS_REQ_TYPE_CD,
           SEQ_NUM,
           NULL PARENT_SEQ_NUM,
           SORT_SEQ5
    FROM
           C1_CS_REQ_TYPE_QUESTION A
    WHERE
           A.CS_REQ_TYPE_CD = :customerServiceRequestType
           AND NOT EXISTS (
                  SELECT 'X'
                  FROM C1_CS_REQ_TYPE_QUESTION_REL B
                  WHERE
                         B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
                         AND B.REL_QSTN_SEQ_NUM = A.SEQ_NUM
           )
```

 Copyright ©2026, Oracle. All rights reserved.

```
)
SELECT
    A.SEQ_NUM,
   B.SORT_SEQ5,
   B.C1_QUESTION_CD
FROM
   CSRT_QUESTIONS A,
   C1_CS_REQ_TYPE_QUESTION B
WHERE
   B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
   AND B.SEQ_NUM = A.SEQ_NUM
START WITH A.PARENT_SEQ_NUM IS NULL
CONNECT BY NOCYCLE A.PARENT_SEQ_NUM = PRIOR A.SEQ_NUM
ORDER SIBLINGS BY SORT_SEQ5
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			2	12
CONNECT BY		WITH FILTERING		
A.PARENT_SEQ_NUM=PRIOR A.SEQ_NUM				
HASH JOIN			1	3
B.CS_REQ_TYPE_CD=A.CS_REQ_TYPE_CD AND B.SEQ_NUM=A.SEQ_NUM				
NESTED LOOPS			1	3
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	FULL	1	1
HASH JOIN			1	8
B.CS_REQ_TYPE_CD=A.CS_REQ_TYPE_CD AND B.SEQ_NUM=A.SEQ_NUM				
NESTED LOOPS			1	8
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	FULL	1	1
Other XML				

Retrieve Sorted CSRT Questions

System Data

Business Object: Customer Service Request Response (C1-CustSvcRequestResponse) (Existing)

- Add version field in schema (used for invokeBO replace)

Messages

Message Category 11131 – Customer Service Request Management

Message Number	Text & Parameters Description	Long Description

Copyright ©2026, Oracle. All rights reserved.

12710	Question responses for Service Task %1 cannot be sorted. Service task was skipped.	One or more questions appear multiple times in the Service Task's Customer Service Type question tree. Existing responses cannot be reliably mapped to the correct questions and must be sorted manually.

Copyright ©2026, Oracle. All rights reserved.

Background Processes

Batch Control: Update Self-Service Start/Stop/Transfer Task Responses (C1-UPSSR) (New)

This is an upgrade batch.

Self-Service Start/Stop/Transfer task question responses displayed on the new Questions zone may not be in the same order as the corresponding Customer Service Request Type's question tree. This batch processes should be run to sort existing responses.

Properties

Property	Value
Batch Control	C1-UPSSR
Description	Update Self-Service Start/Stop/Transfer Task Responses
Detailed Description	This upgrade batch process sorts Self-Service Start/Stop/Transfer Tasks' question responses to match the sequence of Customer Service Request Type's questions.
Application Service	C1-UPSSR (new)
Batch Category	Upgrade
Program Type	Java
Program Name	com.splwg.base.domain.batch.pluginDriven.PluginDrivenGenericProcess

Batch Parameters

Sequence	Parameter Name	Description	Required
900	emailMode	Email Mode	N
910	DIST-THD-POOL	Thread Pool Name	N
920	maxErrors	Override maximum errors	N
930	overrideLowIdValue	Low Id Override Value	N
940	overrideHighIdValue	High Id Override Value	N
950	idRangeOverrideClass	Custom Id Class	N

Copyright ©2026, Oracle. All rights reserved.

Algorithms

System Event	Sequence	Value
Process Record	10	Process Record for Update Self-Service Start/Stop/Transfer Task Responses
Select Records	10	Select Records for Update Self-Service Start/Stop/Transfer Task Responses

Plug-in Spot: Batch Control - Select Records

Algorithm: Select Records for Update Self-Service Start/Stop/Transfer Task Responses - (C1UPSSRSR) (New)

Properties

Property	Value
Algorithm	C1UPSSRSR
Algorithm Type	F1-PDB-SR
Algorithm Entity	Batch Control – Select Records
Script	F1-PDBSelRec
Description	Select Records for Update Self-Service Start/Stop/Transfer Task Responses

Soft Parameters

Property	Value
SQL	Retrieve for Update Self-Service Start/Stop/Transfer Task Responses
Batch Strategy	THDS
Key Field	F1_SVC_TASK_ID

SQL Changes

Retrieve for Update Self-Service Start/Stop/Transfer Task Responses

```
SELECT ST.F1_SVC_TASK_ID
```

 Copyright ©2026, Oracle. All rights reserved.

```
FROM F1_SVC_TASK ST
WHERE ST.F1_SVC_TASK_ID BETWEEN :f1.lowId AND :f1.highId
    AND ST.BUS_OBJ_CD = 'C1-SSStartStopXferServiceTask'
    AND EXISTS (
        SELECT 'X'
        FROM C1_RESPONSE R
        WHERE R.F1_SVC_TASK_ID = ST.F1_SVC_TASK_ID
            AND R.BUS_OBJ_CD = 'C1-CustSvcRequestResponse'
    )
ORDER BY ST.F1_SVC_TASK_ID
```

Execution Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			1	5
NESTED LOOPS			1	5
NESTED LOOPS			1	5
SORT		UNIQUE	2	3
TABLE ACCESS	CISADM.C1_RESPONSE	BY INDEX ROWID	2	3
R.BUS_OBJ_CD='C1-CustSvcRequestResponse'				
INDEX	CISADM.C1C147S2	RANGE SCAN	5	1
INDEX	CISADM.F1C474P0	UNIQUE SCAN	1	0
R.F1_SVC_TASK_ID=ST.F1_SVC_TASK_ID				
ST.F1_SVC_TASK_ID>=:F1LOWID AND ST.F1_SVC_TASK_ID<=:F1HIGHID				
TABLE ACCESS	CISADM.F1_SVC_TASK	BY INDEX ROWID	1	1
ST.BUS_OBJ_CD='C1-SSStartStopXferServiceTask'				
Other XML				

Retrieve for Update Self-Service Start/Stop/Transfer Task Responses

Plug-in Spot: Batch Control – Process Record

Algorithm Type: Process Record for Update Self-Service Start/Stop/Transfer Task Responses - (C1UPSSRPR) (New)

Properties

Property	Value
Algorithm Type	C1UPSSRPR
Description	Process Record for Update Self-Service Start/Stop/Transfer Task Responses
Algorithm Entity	Batch Control – Process Record
Program Type	Plug-In Script
Plug-In Script	Process Record for Update Self-Service Start/Stop/Transfer Task Responses

Copyright ©2026, Oracle. All rights reserved.

Business Rules

- Retrieve service task
- Invoke C1-SSStartStopXferServiceTask BO for read
- Get customer service request type
- Set responseCanBeSorted = false
- Check if response can be sorted
  - If "Check Same CSRT Sequence And Question" query returned list, add warning and return
  - If "Check Same Question in CSRT" query returned list, add warning and return
  - Set responseCanBeSorted = true
- If responseCanBeSorted = false
  - Display warning on logs and terminate
- Sort responses
  - Retrieve response list
  - Retrieve CSRT questions list
  - For each response
    - Declare C1-CustSvcRequestResponse BO (original) and a temporary BO
    - For each sorted CSRT question
      - Get corresponding responses from original BO
      - For each response
        - Populate output in temporary BO: Add new response list. Populate sequence, response value/valid answer, and question
    - Invoke temporary BO for replace

SQL

Check Same CSRT Sequence And Question

```
SELECT Q.C1_QUESTION_CD, COUNT(*)
FROM
   C1_CS_REQ_TYPE_QUESTION_REL QR,
   C1_CS_REQ_TYPE_QUESTION Q
WHERE QR.CS_REQ_TYPE_CD = :customerServiceRequestType
   AND Q.CS_REQ_TYPE_CD = QR.CS_REQ_TYPE_CD
   AND Q.SEQ_NUM = QR.REL_QSTN_SEQ_NUM
GROUP BY Q.C1_QUESTION_CD
HAVING COUNT(*) > 1
```

 Copyright ©2026, Oracle. All rights reserved.

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			1	8
FILTER				
COUNT(*)>1				
HASH		GROUP BY	1	8
HASH JOIN			4	7
Q.CS_REQ_TYPE_CD=QR.CS_REQ_TYPE_CD AND Q.SEQ_NUM=QR.REL_QSTN_SEQ_NUM				
NESTED LOOPS			4	7
NESTED LOOPS				
STATISTICS COLLECTOR				
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTIO...	BY INDEX ROWID BATCHED	5	3
INDEX	CISADM.C1C165P0	UNIQUE SCAN	11	2
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	BY INDEX ROWID	1	4
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	BY INDEX ROWID BATCHED	11	4
Other XML				

Check Same Csrt Sequence And Question

Check Same Question in CSRT

```
SELECT C1_QUESTION_CD, COUNT(*)
FROM C1_CS_REQ_TYPE_QUESTION
WHERE CS_REQ_TYPE_CD = :customerServiceRequestType
GROUP BY C1_QUESTION_CD
HAVING COUNT(*) > 1
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			1	5
HASH		GROUP BY	1	5
COUNT(*)>1				
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	BY INDEX ROWID BATCHED	11	4
INDEX	CISADM.C1C165P0	RANGE SCAN	11	2
Other XML				

Check Same Question in Csrt

Retrieve Response

```
SELECT RESPONSE_ID
FROM C1_RESPONSE
WHERE F1_SVC_TASK_ID = :serviceTaskId
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			2	2
TABLE ACCESS	CISADM.C1_RESPONSE	BY INDEX ROWID BATCHED	2	2
INDEX	CISADM.C1C147S2	RANGE SCAN	2	1
F1_SVC_TASK_ID=:SERVICETASKID				
Other XML				

Retrieve Response

Retrieve Sorted CSRT Questions

```
WITH CSRT_QUESTIONS AS (
    SELECT
           A.CS_REQ_TYPE_CD,
           A.REL_QSTN_SEQ_NUM SEQ_NUM,
           A.SEQ_NUM PARENT_SEQ_NUM,
           B.SORT_SEQ5
    FROM
```

Copyright ©2026, Oracle. All rights reserved.

```
            C1_CS_REQ_TYPE_QUESTION_REL A,
            C1_CS_REQ_TYPE_QUESTION B
    WHERE
            A.CS_REQ_TYPE_CD = :customerServiceRequestType
            AND B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
            AND B.SEQ_NUM = A.SEQ_NUM
    UNION
    SELECT
            CS_REQ_TYPE_CD,
            SEQ_NUM,
            NULL PARENT_SEQ_NUM,
            SORT_SEQ5
    FROM
            C1_CS_REQ_TYPE_QUESTION A
    WHERE
            A.CS_REQ_TYPE_CD = :customerServiceRequestType
            AND NOT EXISTS (
                  SELECT 'X'
                  FROM C1_CS_REQ_TYPE_QUESTION_REL B
                  WHERE
                        B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
                        AND B.REL_QSTN_SEQ_NUM = A.SEQ_NUM
            )
)
SELECT
   A.SEQ_NUM,
   B.SORT_SEQ5,
   B.C1_QUESTION_CD
FROM
   CSRT_QUESTIONS A,
   C1_CS_REQ_TYPE_QUESTION B
WHERE
   B.CS_REQ_TYPE_CD = A.CS_REQ_TYPE_CD
   AND B.SEQ_NUM = A.SEQ_NUM
START WITH A.PARENT_SEQ_NUM IS NULL
CONNECT BY NOCYCLE A.PARENT_SEQ_NUM = PRIOR A.SEQ_NUM
ORDER SIBLINGS BY SORT_SEQ5
```

Explain Plan

OPERATION	OBJECT_NAME	OPTIONS	CARDINALITY	COST
SELECT STATEMENT			2	12
CONNECT BY		WITH FILTERING		
A.PARENT_SEQ_NUM=PRIOR A.SEQ_NUM				
HASH JOIN			1	3
B.CS_REQ_TYPE_CD=A.CS_REQ_TYPE_CD AND B.SEQ_NUM=A.SEQ_NUM				
NESTED LOOPS			1	3
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	FULL	1	1
HASH JOIN			1	8
B.CS_REQ_TYPE_CD=A.CS_REQ_TYPE_CD AND B.SEQ_NUM=A.SEQ_NUM				
NESTED LOOPS			1	8
TABLE ACCESS	CISADM.C1_CS_REQ_TYPE_QUESTION	FULL	1	1
Other XML				

Retrieve Sorted CSRT Questions

Copyright ©2026, Oracle. All rights reserved.

Algorithm: Process Record for Update Self-Service Start/Stop/Transfer Task Responses - (C1UPSSRPR) (New)

Properties

Property	Value
Algorithm	C1UPSSRPR
Algorithm Type	C1UPSSRPR
Algorithm Entity	Batch Control – Process Record
Script	C1UPSSRPR
Description	Process Record for Update Self-Service Start/Stop/Transfer Task Responses

Data Clean-Up / Fixes

Self-Service Start/Stop/Transfer task question responses displayed on the new Questions zone may not be in the same order as the corresponding Customer Service Request Type's question tree.

Run **Update Self-Service Start/Stop/Transfer Tasks Responses** (***C1-UPSSR***) batch control to sort existing responses. Note that the batch control may skip records it cannot reliably sort. This happens when one or more questions appear multiple times in the service task's Customer Service Type question tree. These responses must be sorted manually.

Recommended Test Cases

Test Case 1: Self-Service New Service

- Setup the Self-Service Task Type and Customer Service Request Type
- Setup the action method to "Self-Service New Service"
  - Create a Service Task via **Inbound Web Service *(IWS)***
- Invoke the *serviceEligibility* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the created premise and account
- **HTTP Method:** POST

Copyright ©2026, Oracle. All rights reserved.

- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceEligibility*
- Verify that Pending status Self-Service Task is created
- Invoke the *servicesToStart* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStart*
- Verify Service Task populate the SA Type list (unchecked)
- Invoke the *serviceToStartProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStartProcessing*
- Verify Service Task populate the SA Type list (checked) and displays Self-Service Task Questions zone
  - **Expected Results**: Questions and Responses are displayed on Self-Service Task page.

Test Case 2: Self-Service Add Service

- Setup the Self-Service Task Type and Customer Service Request Type
- Setup the action method to “Self-Service Add Service”
  - Create a Service Task via **Inbound Web Service *(IWS)***
- Invoke the *serviceEligibility* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the created premise and account
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceEligibility*
- Verify that Pending status Self-Service Task is created
- Invoke the *servicesToStart* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStart*
- Verify Service Task populate the SA Type list (unchecked)
- Invoke the *serviceToStartProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST

 Copyright ©2026, Oracle. All rights reserved.

- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStartProcessing*
- Verify Service Task populate the SA Type list (checked) and displays Self-Service Task Questions zone
  - **Expected Results**: Questions and Responses are displayed on Self-Service Task page.

Test Case 3: Self-Service Stop Service

- Setup the Self-Service Task Type and Customer Service Request Type
- Setup the action method to “Self-Service Stop Service”
  - Create a Service Task via **Inbound Web Service *(IWS)***
- Invoke the *servicesToStop* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the created account
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStop*
- Verify that Pending status Self-Service Task is created
- Invoke the *stopSASelectionValidation* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/stopSASelectionValidation*
- Verify Self-Service Task displays services to be stopped (unchecked)
- Invoke the *serviceToStopProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStopProcessing*
- Verify Service Task has both SAs tagged to Stop (checked) and displays Self-Service Task Questions zone
  - **Expected Results**: Questions and Responses are displayed on Self-Service Task page.

Test Case 4: Self-Service Transfer Service

- Setup the Self-Service Task Type and Customer Service Request Type

Copyright ©2026, Oracle. All rights reserved.

- Setup the action method to “Self-Service Transfer Service”
  - Create a Service Task via **Inbound Web Service *(IWS)***
- Invoke the *serviceEligibility* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the created premise and account
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceEligibility*
- Verify that Pending status Self-Service Task is created
- Invoke the *servicesToStart* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStart*
- Verify Self-Service Task populate the SA Type list (unchecked)
- Invoke the *serviceToStartProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStartProcessing*
- Verify Service Task has SAs tagged to Start (checked) and displays Self-Service Task Questions zone
- **Expected Results**: Questions and Responses are displayed on Self-Service Task page.
- Invoke the *servicesToStop* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the same Service Task
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStop*
- Verify that Self-Service Task is in Pending status
- Invoke the *stopSASelectionValidation* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/stopSASelectionValidation*
- Verify Self-Service Task displays services to be stopped (unchecked)
- Invoke the *serviceToStopProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST

 Copyright ©2026, Oracle. All rights reserved.

- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStopProcessing*
- Verify Pending Self-Service Task has SAs tagged to Stop (checked) and displays Self-Service Task Questions zone
  - **Expected Results**: Questions and Responses are displayed on Self-Service Task page.

Test Case 5: CSRT with Multiple Same Questions

- Setup the Self-Service Task Type and Customer Service Request Type
- Setup the action method to “Self-Service New Service”
- In Customer Service Request Type – Questions, add new question (must be already existing to questions list)
  - Create a Service Task via **Inbound Web Service *(IWS)***
- Invoke the *serviceEligibility* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input using the created premise and account
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceEligibility*
- Verify that Pending status Self-Service Task is created
- Invoke the *servicesToStart* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid input
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/servicesToStart*
- Verify Service Task populate the SA Type list (unchecked)
- Invoke the *serviceToStartProcessing* operation of IWS *C1-StartStopTransferTasks* through a REST Client with a valid Customer Question Response
- **HTTP Method:** POST
- **Request URL:** *<BASE_URL>/spl/rest/apis/customer/service/startStopTransferTasks/serviceToStartProcessing*
- Verify Service Task populate the SA Type list (checked) and displays Self-Service Task Questions zone
  - **Expected Results**: Responses displayed on Self-Service Task page should retain its original unsorted order.

Copyright ©2026, Oracle. All rights reserved.

Test Case 6: Update Existing Self-Service Start/Stop/Transfer Task Responses using C1-UPSSR Batch Control

- Search for existing responses using Customer Service Request Type having multiple same questions and another Customer Service Request Type without multiple same questions.
- Run Update Self-Service Start/Stop/Transfer Task Responses (***C1-UPSSR***) batch to update existing records.
- Go to Batch Run Tree results.
- **Expected Results:** Response answers under Customer Service Request Type without multiple same questions should be sorted out based on the CSRT's question tree order. Response answers under Customer Service Request Type with multiple same questions should skip processing (this displays warning in the batch run).

 Copyright ©2026, Oracle. All rights reserved.