Oracle Utilities Service and Measurement Data Foundation v25.10HOT

Product Fix Design

Bug 39127058

Last Modified: March 26, 2026 10:38 PM
Printed On: November 4, 2009

Oracle Utilities Service and Measurement Data Foundation Product Fix Design

Copyright 2026 by Oracle. All rights reserved.

The information contained in this document is proprietary and confidential to Oracle and is subject to the non-disclosure obligations described in the license agreement between your company and Oracle. You may not provide this document or any copy of this document to third parties outside your company unless you first obtain the written permission of Oracle.

This document introduces new and changed business and technical features that Oracle has included in the ”Single Fix” described in this document.

The functionality of the Single Fix described in this document may be superseded by functionality included in a future Single Fix, Release or Update. Oracle reserves the right to revise or expand the functionality of any future Single Fix, Release or Update of Oracle Utilities Service and Measurement Data Foundation in a manner compatible with Oracle’s business objectives, and the business objectives of each of Oracle’s customers, at the time that Oracle makes the software code generally commercially available.

Oracle will provide you with additional information concerning product Releases or Updates after Oracle finalizes the related specifications and tests the product component(s). Final documentation will be shipped to you with the media containing the Release or Update.

Please contact Oracle Customer Service Group if you have any questions or comments concerning this document, which has been prepared for your benefit as a licensee of Oracle Utilities Service and Measurement Data Foundation.

 Copyright ©2026, Oracle. All rights reserved.

Table of Contents

Reported Issue **4**
Description 4
Steps To Recreate 4

Solution Design **5**
Summary 5
Other Changes 6

Data Clean-Up / Fixes **6**

Recommended Test Cases **6**
Test Case 1: Verify UT picks up correct Rate for “Use Only One Rate (Y/N)" set to Y. 6
Test Case 2: Create UT for less than a day period, use Suppress Partial Day Effective Rates (Y/N) as Y and “Use Only One Rate (Y/N)" as Y 7

Copyright ©2026, Oracle. All rights reserved.

Reported Issue

Description

D2-DRVUSGGRP parm "Use Only One Rate" Y uses first Rate on US instead of first Rate on UT

Steps To Recreate

1. Create V set up for an Interval MC.
2. Ensure algorithm Derive Usage Group Based On Rate and Installed Device (D2-DRVUSGGRP) is plugged-in on the US Type.
    - **Algorithm Use Only One Rate (Y/N) is set to 'Y'.**
3. Create Usage Subscription
    - Add the SP
    - Rate Schedule is configured as
        - 01-01-2024 → ZZEU1 → Configure Usage Group 1 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 1 with Math Usage Rule
        - 06-06-2024 → ZZEU2 → Configure Usage Group 2 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 2 with Math Usage Rule
        - 01-03-2025 → ZZEU3 → Configure Usage Group 3 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 3 with Math Usage Rule
    - Ensure interval MC has reads from 01-01-2025 12:00AM to 01-05-2025 12:00AM
4. Create usage transaction for dates
    - Interval Start 01-01-2025 12:00AM
    - Interval End From 01-05-2025 12:00AM
    - Interval End To 01-05-2025 12:00AM
    - Scalar Start 01-01-2025 12:00AM
    - Scalar End From 01-04-2025 12:00AM
    - Scalar End To 01-04-2025 11:59PM
5. UT is created successfully but instead of Rate ZZEU2, ZZEU1 was picked, i.e. incorrect Usage group is selected.

 Copyright ©2026, Oracle. All rights reserved.

Solution Design

Summary

Usage Group selected would be associated with the Rate that was in effect at the beginning of the UT period.

When an SA has a rate change within a billing period and the SA Type is configured to select the rate effective at the start of the billing period, BCS should:

- Apply only one rate schedule for the entire bill period
- Use a single Usage Group (No Sub UT's created)

The Algorithm Derive Usage Group Based On Rate and Installed Device (D2-DRVUSGGRP) is updated to pick the Rate that is in effect at the beginning of the UT period.

Objects modified:

1. Plug-in script: D2-DrvUsgGrp
    a. Pass the algorithm soft parm 3 - Use Only One Rate (Y/N) to the service script: D2-CreWRL
2. Service script: D2-CreWRL
    a. Removed the references and code for $inputUseOnlyOneRate

Note to customer: Once the SA Type is configured to select a single rate, i.e. SA Type configuration is set up to select the rate at the start of the billing period, User needs to make the corresponding change in MDM for the Algorithm: D2-DRVUSGGRP () to update the soft parm 3 - Use Only One Rate (Y/N) to "Y".

Change Type	Y/N
Does this fix require any Admin (Soft) Table Changes to be made by the client?	N
Does this fix require upgrade data changes to be applied?	N
Does the fix involve DB Changes?	N
Is there an impact on any user interface or any other on-line behavior?	N
Is there an impact on any batch process?	N
Is there an impact on CM – Custom Modification processing?	N
Does this fix require an application viewer update for Algorithm data (run F1-AVALG)?	N
Does this fix require an application viewer update for MO data (run F1-AVMO)?	N
Does this fix require an application viewer update for Table data (run F1-AVTBL)?	N

Copyright ©2026, Oracle. All rights reserved.

Other Changes

Data Clean-Up / Fixes

Not applicable

Recommended Test Cases

Test Case 1: Verify UT picks up correct Rate for “Use Only One Rate (Y/N)" set to Y.

1. Create V set up for an Interval MC.
2. Ensure algorithm Derive Usage Group Based On Rate and Installed Device (D2-DRVUSGGRP) is plugged-in on the US Type. Update the below algorithm soft parameter
    - **Use Only One Rate (Y/N) = Y**
3. Create Usage Subscription
    - Add the SP
    - Rate Schedule is configured as
        - 01-01-2024 → ZZEU1 → Configure Usage Group 1 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 1 with Math Usage Rule
        - 06-06-2024 → ZZEU2 → Configure Usage Group 2 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 2 with Math Usage Rule
        - 01-03-2025 → ZZEU3 → Configure Usage Group 3 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
            - Usage Group 3 with Math Usage Rule
    - Ensure interval MC has reads from 01-01-2025 12:00AM to 01-05-2025 12:00AM
4. Create usage transaction for dates
    - Interval Start 01-01-2025 12:00AM
    - Interval End From 01-05-2025 12:00AM
    - Interval End To 01-05-2025 12:00AM
    - Scalar Start 01-01-2025 12:00AM

 Copyright ©2026, Oracle. All rights reserved.

- Scalar End From 01-04-2025 12:00AM
- Scalar End To 01-04-2025 11:59PM

5. UT is created successfully and Rate ZZEU2 was picked, i.e. correct Usage group is selected for calculations.

Test Case 2: Create UT for less than a day period, use Suppress Partial Day Effective Rates (Y/N) as Y and “Use Only One Rate (Y/N)" as Y

1. Create V set up for an Interval MC.
2. Ensure algorithm Derive Usage Group Based On Rate and Installed Device (D2-DRVUSGGRP) is plugged-in on the US Type. Update the below algorithm soft parameters
   - **Suppress Partial Day Effective Rates (Y/N) = Y**
   - **Use Only One Rate (Y/N) = Y**
3. Create Usage Subscription
   - Add the SP
   - Rate Schedule is configured as
     - 01-01-2024 → ZZEU1 → Configure Usage Group 1 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
       - Usage Group 1 with Math Usage Rule
     - 06-06-2024 → ZZEU2 → Configure Usage Group 2 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
       - Usage Group 2 with Math Usage Rule
     - 01-03-2025 → ZZEU3 → Configure Usage Group 3 in Rate Schedule (D2-CCBRateScheduleLookup) extendable lookup.
       - Usage Group 3 with Math Usage Rule
   - Ensure interval MC has reads from 01-01-2025 12:00AM to 01-05-2025 12:00AM
4. Create usage transaction for dates
   - Interval Start 01-04-2025 12:00AM
   - Interval End From 01-04-2025 12:00PM
   - Interval End To 01-04-2025 12:00PM
   - Scalar Start 01-04-2025 12:00AM
   - Scalar End From 01-04-2025 12:00PM

Copyright ©2026, Oracle. All rights reserved.

- Scalar End To 01-04-2025 12:00PM

5. UT is created successfully and an error “Usage Group not found.” Is thrown as the period is less than a day, it is suppressed, so no usage group is determined.

Copyright ©2026, Oracle. All rights reserved.