Oracle Utilities Cloud Service Foundation v25.10HOT

Product Fix Design

Bug 38717020

Last Modified: February 10, 2026 9:55 PM
Printed On: November 4, 2009

Oracle Utilities Cloud Service Foundation Product Fix Design

Copyright 2026 by Oracle. All rights reserved.

The information contained in this document is proprietary and confidential to Oracle and is subject to the non-disclosure obligations described in the license agreement between your company and Oracle. You may not provide this document or any copy of this document to third parties outside your company unless you first obtain the written permission of Oracle.

This document introduces new and changed business and technical features that Oracle has included in the ”Single Fix” described in this document.

The functionality of the Single Fix described in this document may be superseded by functionality included in a future Single Fix, Release or Update. Oracle reserves the right to revise or expand the functionality of any future Single Fix, Release or Update of CSF in a manner compatible with Oracle’s business objectives, and the business objectives of each of Oracle’s customers, at the time that Oracle makes the software code generally commercially available.

Oracle will provide you with additional information concerning product Releases or Updates after Oracle finalizes the related specifications and tests the product component(s). Final documentation will be shipped to you with the media containing the Release or Update.

Please contact Oracle Customer Service Group if you have any questions or comments concerning this document, which has been prepared for your benefit as a licensee of CSF.

 Copyright ©2026, Oracle. All rights reserved.

Table of Contents

Reported Issue....4
Description....4
Steps to Recreate....4

Solution Design....4
Summary....4
Java....5
Rebuild Table Indexes - RebuildTableIndexes_Impl.java....5
Other Changes....5
CSF_CONVERSION (Change)....5

Data Clean-Up / Fixes....6

Recommended Test Cases....7

Copyright ©2026, Oracle. All rights reserved.

Reported Issue

Description

Slowness was observed during the Index Rebuild phase of one of large tables.

Steps to Recreate

Prerequisites:

1. Current schema is Production.
2. Problem appears with half a billion records, so consider a similar load.

Steps:

1. Go to Add Batch Job Submission.
2. Select K1-RIUSP and fill table parameter or the MO parameter.
3. Save the submission and wait for the thread to be Ended.
4. Go to the Batch Run and go to Threads.
5. Click on Messages

Actual Result: Finishes after more than 24 hours.

Expected Result: It is needed to finish faster.

Solution Design

Summary

Change Type	Y/N
Does this fix require any Admin (Soft) Table Changes to be made by the client?	N
Does this fix require upgrade data changes to be applied?	N
Does the fix involve DB Changes?	Y
Is there an impact on any user interface or any other on-line behavior?	N
Is there an impact on any batch process?	Y
Is there an impact on CM – Custom Modification processing?	N
Does this fix require an application viewer update for Algorithm data (run F1-AVALG)?	N
Does this fix require an application viewer update for MO data (run F1-AVMO)?	N
Does this fix require an application viewer update for Table data (run F1-AVTBL)?	N

Copyright ©2026, Oracle. All rights reserved.

Java

Rebuild Table Indexes - RebuildTableIndexes_Impl.java

Package: com.splwg.csf.domain.conversion.orchestration

Added variable to check if table Classification is transactional.

Added the parameter to the call of the stored procedure.

Other Changes

Store Procedure

CSF_CONVERSION (Change)

This is the store procedure that is executed by the Batch Control to Rebuild Indexes.

The change involves implementing parallelism on each index rebuild.

Add a default param p_is_transactional_table defaults to false, to allow parallelism.

Add a query to get the degree of parallelism.

Properties

Property	Value
package	CSF_CONVERSION
Program Type	Stored Procedute
Program Name	Rebuild_Index

Main Processing

p_is_transactional_table in String DEFAULT ‘False’;

get the available degree of parallelism.

1. Set part_ind_count = resulting count of querying the partitions for this index on all_ind_partitions and all_indexes tables

Copyright ©2026, Oracle. All rights reserved.

Set sub_part_ind_count = resulting count of querying the subpartitions for this index on all_ind_subpartitions and all_indexes tables

2. If part_ind_count == 0:

// Index is not partitioned

If it's transactional table (p_is_transactional_table = 'False')

Rebuild the index online

Else

Enable parallel DDL in session

Rebuild the index online with parallel operations using DOP

Alter index to NOPARALLEL

Disable parallel DDL in session

End if

Else

Enable parallel DDL in session

if Index is partitioned, but has no subpartitions (sub_part_ind_count == 0)

For each partition in index:

Rebuild each partition index online with parallel operations using DOP

Alter index to NOPARALLEL

Else:

// Index is partitioned with subpartitions

For each subpartition in index:

Rebuild the subpartition index online with parallel operations using DOP

Alter index to NOPARALLEL

Disable parallel DDL in session

Data Clean-Up / Fixes

N/A.

Copyright ©2026, Oracle. All rights reserved.

Recommended Test Cases

Test Case 1: Rebuild Index by table PDB.

Steps:

1. Go to Add Batch Job Submission.
2. Select K1-RIUSP and fill table parameter.
3. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Test Case 2: Rebuild Index by MO PDB.

Steps:

1. Go to Add Batch Job Submission.
2. Select K1-RIUSP and fill MO parameter.
3. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Test Case 3: Rebuild Index with no table or MO PDB.

Steps:

1. Go to Add Batch Job Submission.
2. Select K1-RIUSP and don’t fill table parameter or MO parameter.
3. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Test Case 4: Rebuild Index by table ADB.

Steps:

4. Go to Add Batch Job Submission.
5. Select K1-RIUSP and fill table parameter.
6. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Copyright ©2026, Oracle. All rights reserved.

Test Case 5: Rebuild Index by MO ADB.

Steps:

4. Go to Add Batch Job Submission.
5. Select K1-RIUSP and fill MO parameter.
6. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Test Case 6: Rebuild Index with no table or MO ADB.

Steps:

4. Go to Add Batch Job Submission.
5. Select K1-RIUSP and don’t fill table parameter or MO parameter.
6. Save the submission and wait for the thread to be Ended.

Expected Result: Indexes are rebuilt.

Copyright ©2026, Oracle. All rights reserved.