PROJECT RECORD

NASA and ESA Data Projects

Learning and exploring with open data from NASA and ESA

Asteroid Tracker · Image Explorer · Mars Data

EDITION
November 11, 2026 · repository bcb5630 · 92 recorded changes

DEVELOPER
Malcolm Syme · mcsyme11@gmail.com

PREPARED WITH
Claude (Anthropic), from the project repository

© 2026 Malcolm Syme. Released under the MIT License. Data courtesy of NASA and ESA; not endorsed by NASA or ESA.

Document control

Title	NASA and ESA Data Projects: Project Record
Edition	November 11, 2026, built from repository commit `bcb5630`
Owner	Malcolm Syme · mcsyme11@gmail.com
Source	The project repository on GitHub (mcsyme11-byte/NASA-ESA-Data-and-API-Projects), main branch
How it is kept	Rebuilt automatically on GitHub after every change to the repository, except the daily data updates (which change only data files, none of them in this record), and saved to the repository straight after, so each edition matches the repository at the commit it names
Status	Public project record (the repository is public)

Latest changes

The twelve most recent changes in this edition, not counting the record's own rebuilds and the daily data updates, with long descriptions shortened; the full list is in Part 13, Repository History.

Date	Commit	Change
2026-11-11	`bcb5630`	Roadmap: developer testing of the Image Explorer's Nov 10 additions
2026-11-11	`099c705`	Image Explorer: the map's place card offers pictures from both libraries
2026-11-11	`266ff5d`	Image Explorer: place search help and credits name the smaller natural features
2026-11-11	`8cf596b`	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	`15b5173`	Image Explorer: smaller places ranked by how widely they are named; Antarctica's last
2026-11-11	`9aec1e6`	Image Explorer: each ESA archive gets at most 12 seconds before results are shown without it
2026-11-11	`c918bf6`	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	`4c00b3f`	Project Record: the whole project as one PDF, rebuilt by GitHub after every push except the daily data ...
2026-11-11	`230aad9`	Image Explorer: ESA's videos in the Picture library; smaller places ranked by Wikipedia languages
2026-11-11	`f986b09`	Asteroid Tracker: risk-list asteroids in rose on the map, ESA and NASA compared on each asteroid page ...
2026-11-11	`1006e93`	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	`a4577c1`	Image Explorer: the smaller-places job checks its list and commits it; place search reads it

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Contents

Introduction **1**
About this record 1
The projects at a glance 1
Where things stand 2
How the work is done 2
The projects in brief 2
How this record is made 4

Status and Roadmap **6**
Roadmap 6

Project History **9**
History 9

Change Log **12**

Asteroid Tracker **23**

Image Explorer **26**

Mars Data **28**

Data Sources **29**

Design Language **42**
Design guide — "old money", under a night sky 42

Decisions and Working Rules **45**
Working rules 45
Project notes and decisions 46

The Site's Pages **53**
About 53
Privacy 53
Terms of use 54
Credits 56
Contact 57

Licence and Credits **59**
Licence 59
Credits 59

Repository History **62**

Glossary **66**

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 1

Introduction

About this record

This is the complete record of **NASA and ESA Data Projects**, Malcolm Syme's three learning-and-exploring projects built on the open data of NASA and ESA (the European Space Agency): what each project is and how it works, where everything stands, what is planned, every change so far, the data sources and their terms, the design, the decisions and working rules, the site's own pages, the licence and credits, and the repository's full history.

It is built from the project's public GitHub repository (mcsyme11-byte/NASA-ESA-Data-and-API-Projects) and rebuilt automatically after every change, so it matches the repository at the commit named on its cover and on the Document control page. The one exception is the daily data updates: automatic commits that only refresh data files (the asteroid data, the astronaut photos and similar). None of those files are in this record, so they don't start a rebuild, and the Repository History counts them instead of listing them. Each chapter names the repository file it comes from; links lead to that file on GitHub.

Developer	Malcolm Syme · mcsyme11@gmail.com
Built with	Claude (Anthropic)
Repository	github.com/mcsyme11-byte/NASA-ESA-Data-and-API-Projects (public)
The site	mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects
Licence	MIT License (the project's own code and documents); outside data and libraries keep their own terms
Edition	see the cover and Document control

The projects at a glance

Project	What it does	Data	Where it stands
Asteroid Tracker	The near-Earth objects passing Earth this week and every year since 2000, sorted by size and distance (also in Moon distances), a page and orbit diagram for each, a search, and a map of all of them with the planets and spacecraft; impact-risk lists from NASA/JPL and ESA side by side	NASA NeoWs; NASA/JPL close-approach data, Small-Body Database, Horizons and Sentry; ESA NEO Coordination Centre	Live since November 8, 2026; its data is refreshed daily
Image Explorer	The Earth from orbit on any day since 2000, a globe inside the real sky with natural events and astronaut photos, and the picture libraries of NASA, ESA/Webb and ESA/Hubble, searchable by subject, mission and date	NASA GIBS, EONET, Image and Video Library and astronaut photography; ESA/Webb and ESA/Hubble	Live since November 9, 2026
Mars Data	Weather measured on the surface of Mars, cleaned, organised by sol, season and time of day, with statistics and charts that show the patterns of a Martian year	NASA Planetary Data System (Curiosity's REMS first), ESA where it helps	Planned; started in its own chat on November 11, 2026

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Where things stand

- **Live:** the Asteroid Tracker and the Image Explorer, on the site, with the site's information pages (About, Privacy, Terms of use, Credits, Contact), linked from every page's footer.
- **NASA and ESA:** since November 9, 2026 ESA's data is added alongside NASA's where it helps; NASA stays the main source. Every page credits its sources and says the project isn't endorsed by NASA or ESA.
- **Waiting:** the astronaut photos on the globe wait for a key from NASA's astronaut photography service, kept as a GitHub repository secret, never in the code.
- **Next:** Mars Data, starting with the choice of datasets, checked against NASA's and ESA's documentation, and a mock-up of its page for the developer's approval.
- **The repository:** public, with `main` protected against force pushes and deletion; GitHub checks every push for wording, personal details and keys, and rebuilds this record.

How the work is done

- **The developer decides:** what is built and when. Questions are answered without building anything until the developer explicitly says go; new pages start as mock-ups the developer approves.
- **Real data, checked first:** every source is checked against NASA's or ESA's current documentation before anything is built on it, recorded in the data-source notes, and credited wherever its data appears.
- **Free to run:** static pages on GitHub Pages, free NASA and ESA services, no paid services, no keys in the code.
- **Tested before it goes live:** every page is checked at phone, tablet and computer widths, with its empty, loading and error states.
- **Every change is recorded:** each finished change is pushed with its roadmap and change-log entries, and this record is rebuilt.
- **Public-ready:** no personal details anywhere, except the developer credit: © 2026 Malcolm Syme · mcsyme11@gmail.com.

The projects in brief

Source: `README.md` · *last changed 2026-11-11*

Three ways to learn and explore with real data from NASA and ESA (the European Space Agency) and their APIs. Designed by **Malcolm Syme** and built with Claude.

The site: https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/

The projects

Project	What it is	Data	Status
Asteroid Tracker	The near-Earth objects passing Earth this week and every year since 2000, a page and orbit diagram for each, a search, and a turnable map of all 43,000 with the planets and spacecraft	NASA NeoWs; NASA/JPL close-approach data, Small-Body Database, Horizons and Sentry; ESA NEO Coordination Centre (risk lists, close approaches)	**Live**

Project	What it is	Data	Status
Mars Data	Weather measured on Mars, cleaned and organised by time and place, with statistics and charts that show its patterns	NASA Planetary Data System (Curiosity's REMS)	Planned
Image Explorer	The Earth from orbit on any day since 2000, a globe inside the real sky with natural events and astronaut photos, and the picture libraries of NASA and ESA, searchable by subject, mission and date	NASA GIBS, EONET and Image and Video Library; ESA/Webb and ESA/Hubble picture archives	**Live**

Order of work: Asteroid Tracker (live), then Image Explorer (live), then Mars Data (next); each builds skills the next one uses.

How it fits together

```
NASA-ESA-Data-and-API-Projects/
├── index.html          home page linking the three projects
├── about/ privacy/ terms/ credits/ contact/   the site's information pages
├── shared/             the look (theme.css, emblem), the NASA API helper (nasa.js) and the footer links
(footer.js)
├── asteroid-tracker/   Project 1
├── image-explorer/     Project 2
├── mars-data/          Project 3 (Python analysis + a charts page)
├── docs/               design guide, data sources, notes, roadmap, history, and the Project Record
(record/ builds it)
└── .github/workflows/  checks after every push, the daily data updates, and the Project Record rebuild
```

- **Pages run in the browser,** with no build step: plain HTML, CSS and JavaScript, hosted free on GitHub Pages.
- **One look everywhere:** the Flight Deck Suite's "old money" style (navy, brass and cream, serif type) with a night-sky touch. See docs/DESIGN.md.
- **API keys are never committed.** On the web pages, each visitor's own key stays in their browser (NASA's shared `DEMO_KEY` until they add one). Python scripts read `NASA_API_KEY` from a local `.env` file, which Git ignores.

Getting started (developers)

1. Get a free NASA API key at **api.nasa.gov** (issued by email).
2. For the Python analysis: copy `.env.example` to `.env` and paste the key in.
3. To try the pages on your own computer, serve the folder (modules don't load from `file://`):

```
python3 -m http.server 8000
```

then open `http://localhost:8000`.

Documentation

Document	What's in it
docs/DESIGN.md	Colours, type, components and chart colours
docs/DATA-SOURCES.md	Every NASA and ESA source used: endpoints, keys, limits, terms and credit lines
docs/PROJECT-NOTES.md	How it's built, decisions, how to run and publish
docs/ROADMAP.md	What's next and every pending to-do
docs/HISTORY.md	How the project came about, in order

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Document	What's in it
Project Record (PDF)	The whole project as one PDF, rebuilt automatically after every change (how)
CHANGELOG.md	Every change, newest first
LICENSE.md	The MIT License (the project's own code and documents)
CREDITS.md	Every outside data source and library, with its terms

---

Data courtesy of NASA and ESA. Imagery from NASA's Global Imagery Browse Services (GIBS), part of NASA's Earth Science Data and Information System (ESDIS). An independent project, not endorsed by NASA or ESA.

NASA and ESA Data Projects · Created by **Malcolm Syme** · mcsyme11@gmail.com Copyright © 2026 Malcolm Syme. Released under the MIT License; third-party data and libraries keep their own terms, listed in CREDITS.md.

How this record is made

Source: `docs/record/README.md` · *last changed 2026-11-11*

`docs/NASA and ESA Data Projects - Project Record.pdf` is the project's complete record as one PDF: what each project is and how it works, where everything stands, the roadmap, the history, the change log, the data sources, the design, the decisions and working rules, the site's own pages, the licence and credits, the full repository history and a glossary.

It is built from this repository, never edited by hand, and **rebuilt automatically on GitHub** (since Nov 11, 2026) after every push to main: `.github/workflows/project-record.yml` runs the build below and commits the record on its own ("Project Record rebuilt (automatic)"). Each edition matches the repository at the commit its cover and Document control name. Chats don't build or commit it themselves; they only check that the automatic commit arrived after their push. It can also be run by hand: GitHub › Actions › Project Record › Run workflow.

Daily data updates are skipped (decided Nov 11, 2026). Pushes that change only data files (`asteroid-tracker/data/`, `image-explorer/data/`, `mars-data/data/`), such as the daily asteroid and astronaut-photo updates, don't start a rebuild: none of those files are in the record, so each rebuild would make the same PDF again. A push that also changes anything else starts one as usual. The Repository History chapter counts the data updates instead of listing them.

Build

The automatic build runs exactly this. To build by hand (only if the automatic run failed), use a clone with full history: a shallow clone cuts the Repository History chapter short.

```
sh docs/record/build.sh          # writes docs/NASA and ESA Data Projects - Project Record.pdf
```

It is laid out as a Word document in a temporary folder first, then made into the PDF; only the PDF is kept. Needs python3 (with pypdf and fontTools), node with the npm packages `docx` and `marked`, and LibreOffice (`soffice`).

File	What it does
`build.sh`	Runs everything below, then checks the record for personal details (a personal folder path, any e-mail address but the developer's and the agencies' public contact addresses) and stops if it finds one
`build_record.js`	Lays out the document: cover, Document control, Contents, the Parts. The list of repository documents in each Part is `PARTS` at the top
`export_extras.py`	The parts that aren't Markdown files: the repository history (without the daily data updates and the record's own rebuilds, which are counted), the site's own pages (About, Privacy, Terms of use, Credits, Contact, from their HTML) and the working rules (from CLAUDE.md)
`page_map.py`	Measures which page each Part and chapter starts on (a first build laid out by LibreOffice), for the page numbers in the Contents
`fonts.sh`	Build machine only: installs Gelasio, which has Georgia's exact letter widths, so the measured page numbers match Word
`front.md`	About this record, the projects at a glance, where things stand, how the work is done (keep "Where things stand" current)
`glossary.md`	The glossary

The build is adapted from the Flight Deck Suite's and Hot Mic's Project Records, which work the same way.

Everything goes in, every time

Every Markdown and text document in the repository is in the record, except the few left out on purpose below. A document listed in `PARTS` (`build_record.js`) sits in its own Part. **Any other document goes in by itself**, in full, in a Part called "Newly added documents", and the build names it in its output ("Newly added documents (not yet in PARTS): ..."). So nothing can be missed, even if a chat forgets the list.

When adding a document: add it to the right Part in `PARTS` in the same change, so it doesn't sit in "Newly added documents".

Left out on purpose (`LEFT_OUT` in `build_record.js`): `docs/handoffs/` (working notes between chats), `docs/CLAUDE-PROJECT-SETUP.md` (the Claude project's set-up), `CLAUDE.md` (its standing rules are in Part Decisions and Working Rules), the outside libraries' own licence texts and copies (`vendor/`), data files (`data/` folders), test data and GitHub's settings.

© 2026 Malcolm Syme · mcsyme11@gmail.com

PART 2

Status and Roadmap

What is agreed next and every pending to-do.

Roadmap

Source: `docs/ROADMAP.md` · *last changed 2026-11-11*

What's next, as of November 8, 2026. Every pending to-do lives here; items are done at the developer's own pace. Everything finished moves to CHANGELOG.md.

0. Repository (set up Nov 8, 2026)

1. Asteroid Tracker (version 1 live Nov 8, 2026)

- ☐ Watch the scheduled "Asteroid data" runs (06:17 and the 14:47 backup, added Nov 9, 2026): at least one should run each day.
- ☐ Confirm the monthly refresh of `data/famous.json` on the 1st of the month (the "Asteroid data" log shows "famous.json written").
- ☐ **Developer testing of the Nov 10 additions,** on a computer and a phone: the orbit diagram turning past edge-on with a mouse; the rose risk-list dots on the map, the diamonds when zoomed in, and "Show in their orbit colours"; the "ESA and NASA compared" chart on an asteroid page (for example Bennu, 1950 DA, Duende); "Share this view" on the map and "Share this week" on the tracker, opened on another device.
- ☐ Watch the "Fetch impact-risk lists and ESA close approaches" step in the "Asteroid data" runs: ESA calls its automated access experimental, so a change of format stops the step (the previous files are kept) and needs a fix in `fetch_risk.py`.
- ☐ Optional: if ESA's credit form or terms for the NEOCC figures are in doubt, ask the NEOCC by email (`neocc@esa.int`) and record the answer in `docs/DATA-SOURCES.md`.

2. Image Explorer (version 1 live Nov 9, 2026; additions Nov 9)

- ☐ **Astronaut photos: request the free API key** by email from jsc-earthweb@mail.nasa.gov (Gateway to Astronaut Photography of Earth), then store it on github.com as the repository secret `EOL_API_KEY` (Settings › Secrets and variables › Actions › New repository secret) and run Actions › Astronaut photos › Run workflow once. Until then the globe hides the astronaut photos. The first real run is the first test of `fetch_astronaut_photos.py` against the API (it was tested on records shaped like the API documentation's examples).
- ☐ **Developer testing of the Nov 10, 2026 additions,** on a computer and a phone: the Earth map's colour keys and the note under the map when a layer shows another day; place search for smaller places (for example Moraine Lake, Mount Rundle); the globe zoomed in close (sharper Earth) and the Day and night button; ESA videos with "Pictures and videos" or "Videos".
- ☐ Picture library: tune the ranking further as the developer reviews searches (the weights are in `scoreOf` in `image-explorer/app.js`).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- ☐ Polar views: a sea ice layer that works through the polar night. GIBS's microwave sea-ice records ended (SSMIS Aug 2021, AMSR2 Sep 2025); the current one is MODIS (a camera, daylight only). Ice surface temperature (`MODIS_Terra_Ice_Surface_Temp_Night`, thermal) is an option to consider.
- ☐ Further rounds of changes to the globe, as the developer reviews it.
- ☐ Picture library: subtitles for videos (NASA's files cannot be attached from another site; would need a copy).
- ☐ Shared parts used by both projects (tabs, "How to read this", the big search box, the tooltip) moved from `asteroid-tracker/tracker.css` into `shared/theme.css`; the page still loads `tracker.css` for them.
- ☐ Globe: more sky objects (fainter galaxies), if wanted.
- ☐ Keyboard use of the globe's markers (today they are reached through Find). With reduced motion set, the globe does not turn by itself and moves without animation; to be rechecked on a phone.

3. Mars Data (third)

Plan confirmed Nov 11, 2026 (see PROJECT-NOTES.md): three missions, updated automatically by a GitHub Actions job.

Data and analysis

- ☐ Check each source against the agency's current documentation and record it in `docs/DATA-SOURCES.md` with its exact credit line: Curiosity REMS (MODRDR), Perseverance MEDA, Mars Express MaRS profiles (ESA, CC BY-NC 3.0 IGO).
- ☐ Test that GitHub's servers can reach the NASA PDS Atmospheres Node and ESA's Planetary Science Archive (the project's cloud workspace cannot).
- ☐ Download the REMS record in chunks (the whole mission, sol 1 to the newest released sol); look at the files' columns on the first chunk. Confirm the newest sol in the archive (the REMS page gives sol 4488, its volume list sols 1–3778).
- ☐ Cleaning, chunk by chunk: missing and impossible values, confidence flags, units, gaps marked; a cleaning report per chunk (rows kept and removed, reasons, gaps) checked before the next chunk.
- ☐ Organise by sol, Ls (season), time of day and site.
- ☐ Statistics: daily highs and lows, seasonal averages, relationships between measurements.
- ☐ Add MEDA (Jezero Crater) and the MaRS profiles (ESA) to the same pipeline.

Automatic updates

- ☐ GitHub Actions job "Mars data", twice a week to start (to be reduced to weekly once stable): check each mission's archive for new or replaced files, download only those, clean and summarise with the same code, run the checks, and commit the summaries if they changed.
- ☐ Manifest of processed files (name, size, checksum), committed, so nothing is downloaded twice and replaced files are reprocessed.
- ☐ Checks before saving: expected columns, values within physical limits, sol count never decreasing, no duplicate sols. On any failure the previous summaries are kept and the job stops with an error.
- ☐ Email notice: when a run finds new data, the job opens a GitHub issue ("New Mars data: …"), which GitHub emails to the repository owner; a failed run is reported the same way.
- ☐ The page shows, for each mission, "Data up to sol X · checked [date]".

Page

- ☐ Charts page mock-up for approval: pressure over the Mars year, one sol hour by hour, daily highs and lows, season × time of day, one relationship; later the Mars Express profiles.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- ☐ Charts page in the project′s look; a short write-up of what the patterns show.
- ☐ `CREDITS.md`, the Credits page and the Privacy page updated for the new sources in the same change.

PART 3

Project History

History

Source: `docs/HISTORY.md` · *last changed 2026-11-11*

How NASA and ESA Data Projects came about, in order.

November 8, 2026 — the idea and the repository

- The developer planned three learning projects built on NASA's open data and APIs, in one Claude project named "NASA and ESA Data Projects": an **asteroid tracker** (near-Earth objects sorted by size and distance, with an interactive dashboard), a **Mars data** study (cleaning, organising, statistics and charts of mission measurements) and a **NASA image explorer** (searching NASA imagery by date, location and mission, starting from GIBS).
- Notes from the first discussion: NeoWs's feed covers at most 7 days per request; some older Mars APIs (such as InSight's weather feed) ended with their missions, so archived PDS data is the better source; GIBS is imagery of Earth without missions to filter by, so it is paired with the NASA Image and Video Library.
- Decided: one repository, a folder per project; public, for free GitHub Pages hosting and as a portfolio, with no API key ever committed.
- The repository was set up with the shared look of the developer's other projects, a NASA API helper, a home page, placeholder pages and the documents in `docs/`.

November 8, 2026 — Asteroid Tracker, version 1

- The plan was confirmed in the project's own chat: hand-drawn SVG charts, the year view from JPL data in version 1, and a mock-up first. The mock-up (with made-up data) was approved the same day.
- Checking the live services showed two limits: the JPL close-approach API cannot be called from a web page, and NeoWs's rate-limit headers cannot be read by one. The year view therefore reads a file refreshed daily by GitHub Actions, and the key settings show the key's limits instead of the requests left.
- The page went live on GitHub Pages with the week view, filters, three graphs, the year view and key settings.

November 8, 2026 — Asteroid Tracker: each asteroid's page, the orbit diagram, past years

- After version 1 the charts gained "How to read this" notes, and three additions were built the same evening: a page for each asteroid, past years in the year view, and an orbit diagram, the one singled out for particular care.
- The orbit maths was checked before the diagram was drawn: Earth's distance from the Sun at perihelion and aphelion, and an asteroid's distance from Earth on the day of a close approach, matched NASA's figures.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

November 9, 2026 — famous close passes and going back

- The developer reported choppy frames when zoomed in close, a poorly laid-out spacecraft list, identical full-screen and exit icons, and the lack of a way back to the exact spot on the previous page; he also asked whether the map shows Earth where it is right now. All were addressed, together with three approved ideas: links for every name in the "By year" tables, famous close passes, and a background thread for the orbit maths.
- The zoomed-in slowness came from lines that ran far off screen: the browser still worked out every dash of them. Cutting each line to the visible area removed it.
- Two-body orbits cannot show a famous pass correctly, because Earth's pull bends the asteroid's path during the pass. Precise positions from NASA/JPL Horizons are used for those passes instead.

November 8–9, 2026 — the solar system map

- The developer asked for a map of all the asteroids around the Sun that could be turned smoothly and seen from different vantage points, with spacecraft such as the Voyagers, plus a search with results after every letter. A mock-up with made-up asteroids was approved; the developer then asked for a guide to asteroid names, year filters and a fix to the full-screen button, built directly.
- Smoothness was measured throughout. Two changes made playing reach 60 frames a second: each object's orbit is solved starting from the previous frame, and the dots are drawn at 1.5× resolution rather than 2×.
- The real data showed that NASA's list of near-Earth objects includes about 200 comets (Halley among them), which became their own colour on the map.

November 9, 2026 — Image Explorer, version 1

- The plan was confirmed in the project's own chat (OpenLayers, eight GIBS layers, tabs, place search), and the live services were checked first. The fire layers turned out to work only in the `epsg4326` projection, which set the map's projection.
- The first mock-up showed the daily satellite map. The developer found it disappointing (the gaps between satellite passes, no detail down to houses) and asked for a globe like the solar system map, with pictures pinned to places on Earth and to galaxies in the sky; the daily map was kept for following fires and storms.
- NASA's event feed holds over 7,000 "open" events, most with no report in months; the globe shows those reported in the last 30 days, about 35.
- The globe mock-up was approved the same night and published with about 1,350 sky objects.

November 9, 2026 — Image Explorer: five additions overnight

- The developer asked for five additions and went to bed. NASA, SIMBAD and the astronaut photo site cannot be reached from the build session, so a temporary GitHub Actions job on a separate branch checked them and committed what it found; Natural Earth was downloaded directly.
- The check of the hand-listed sky positions found one real mistake: the Rho Ophiuchi marker sat on the star, not on the cloud complex named after it.
- The astronaut photo site turned out to have a documented API that needs a free key, requested by email. The daily job was built to start working as soon as the key is stored as a GitHub secret.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

November 9, 2026 — NASA and ESA

- The project became **NASA and ESA Data Projects**: ESA (the European Space Agency) data is added alongside NASA's where it helps, with NASA as the main source. The repository was renamed NASA-ESA-Data-and-API-Projects, and the site moved to https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/.
- Project-wide rules for ESA sources were added (check ESA's documentation first, credit ESA wherever its data appears, never ESA's logo, free to run), and every page now says the project isn't endorsed by NASA or ESA.

November 9, 2026 — ESA's data in the Asteroid Tracker

- The Asteroid Tracker became the first project to show ESA's data beside NASA's: the impact-risk lists of ESA's NEO Coordination Centre and NASA/JPL's Sentry, side by side in a new Impact risk tab, on each asteroid's page and on the map. Neither centre's server answers web pages directly, so the twice-daily data job copies both lists.
- The first run showed a speed given as "nan", which made the file unreadable in a browser; the job now keeps only finite numbers.

November 11, 2026 — Project Record

- The project gained a Project Record: the whole project as one PDF, rebuilt by GitHub after every change except the daily data updates, in the same way as the developer's other projects.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 4

Change Log

Every change to the site and the projects, newest first.

Source: `CHANGELOG.md` · *last changed 2026-11-11*

November 11, 2026 — Project Record

- **Project Record:** `docs/NASA and ESA Data Projects - Project Record.pdf`, the whole project as one PDF (cover, Document control, contents, 14 Parts, glossary), built from the repository by `docs/record/`, adapted from the Flight Deck Suite's and Hot Mic's records.
- **Rebuilt automatically** by `.github/workflows/project-record.yml` after every push to main, except pushes that change only data files (the daily data updates); the Repository History counts those instead of listing them.
- The build stops if a personal detail would end up in the record; the agencies' public contact addresses quoted in the data-source notes are allowed.
- **Wording check:** data files are checked for keys only, since they hold real place and object names.

November 10, 2026 — Image Explorer: ESA's videos; smaller places in place search

- **ESA's videos:** with "Pictures and videos" or "Videos", searches also ask ESA/Webb and ESA/Hubble's video archives. An ESA video plays the small file from ESA's servers and links the full HD file; the viewer shows its credit line (with line breaks, including the music credit), length and release date, and notes that the music has its own terms. The page waits at most 12 s for each ESA archive; a slower one is left out of that search, and the results line says it did not answer in time.
- **Smaller places in place search:** about 85,000 lakes, rivers, glaciers, peaks, passes, islands, parks and other natural features from GeoNames that have an English Wikipedia article (for example Lake Louise, Moraine Lake, the Bow River, Mount Rundle, the Athabasca Glacier), with their English names. The list loads after the main place list; a name typed in full is shown first, then the most widely named places (Antarctica's many small named features last). It is built by the manual job "Build smaller places" (`.github/workflows/build-places.yml`, `tools/build_geonames_features.py`).
- The map's place card offers "Pictures of …" (NASA's and ESA's libraries) instead of "NASA pictures of …".

November 10, 2026 — Asteroid Tracker: risk colour on the map, ESA and NASA compared, share links

- **Orbit diagram:** the tilt turns all the way round with a mouse, as on the map; "seen from below" labels the view from underneath.
- **Map:** asteroids on ESA's or NASA's impact-risk list are drawn in rose (2 × 2 pixels) and, zoomed in closer than about 0.35 au, ringed with a small diamond; "Show in their orbit colours" under Orbit types turns this off (kept on Back and reload).
- **Asteroid page:** "ESA and NASA compared", a chart of both centres' chances (the most likely impact and all possible impacts together, on a log scale) and the years in which each finds an impact possible, with the most likely year marked. ESA's special risk list gives no years or total chance; the chart says "not given" there.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Share links:** "Share this view" on the map (zoom, angle, centre, selection, date, filters, or the famous pass in progress) and "Share this week" on the tracker (the week, filters and open row). On a phone the share sheet opens; elsewhere the link is copied, or shown ready to copy. The link's settings are removed from the address once applied.

November 11, 2026 — Projects numbered in build order; Mars Data uses the whole Curiosity record

- Image Explorer is now Project 2 and Mars Data Project 3, on the home page (in that order), the project pages and the READMEs.
- Mars Data plan: the whole Curiosity record is used from the start, downloaded and cleaned in chunks, with a cleaning report for each chunk.

November 11, 2026 — Mars Data: plan for automatic updates

- The plan for Mars Data is set in `docs/ROADMAP.md` and `docs/PROJECT-NOTES.md`: three missions (Curiosity REMS, Perseverance MEDA, Mars Express MaRS), a GitHub Actions job twice a week that picks up new archive releases with checks before anything is saved, and an email notice through a GitHub issue when new data arrives or a run fails. Planning only; nothing is built yet.

November 10, 2026 — Image Explorer: sharper globe close up; day and night

- Zooming in on the globe lays finer Blue Marble pictures over the part of the Earth in view, about 4, 2, 1 and 0.5 km a pixel as the view comes closer (about 8 km before); each level starts where the one before would show fewer picture pixels than screen pixels.
- **Day and night:** the half of the Earth facing away from the Sun is shaded, with a soft edge for twilight, from the Sun's position at the current time; the Earth keeps turning with the time while the page is open. A "Day and night" button turns the shading off.

November 10, 2026 — Image Explorer: colour keys in the project's look

- The Earth map's colour keys are drawn on the page from GIBS's colour maps: the colour bar, up to seven labelled values, the two ends, and the measurement and its units (cloud-top temperature in °C instead of kelvin); a layer's categories (for example snow's) as small swatches. GIBS's own legend picture stands in while a colour map loads or if it cannot be read.

November 10, 2026 — Image Explorer: each Earth map layer's days read from GIBS

- Each layer's days are read from GIBS (its time domain) instead of a fixed lag: a layer shows the chosen day, or its nearest earlier day when it has none (MUR sea temperature and sea ice miss a few days), and the note under the map says which ("newest day …" or "no picture that day; nearest earlier day …"). The fixed lag stays only as a fallback while the days load or if GIBS cannot be reached.
- The old test branches `image-explorer-probe` and `map-data-test` were deleted.

November 10, 2026 — Image Explorer: code libraries served from the site

- OpenLayers 10.11.0, proj4js 2.22.0 and three.js 0.187.0 are kept in `image-explorer/vendor/` (unchanged, each with its licence) and loaded from the site instead of the jsDelivr CDN, so the page no longer depends on jsDelivr. jsDelivr is removed from the Privacy page; the wording check skips the vendor folder.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- The developer's testing of the Image Explorer (Nov 10, 2026) passed, including ESA's pictures on the live site.

November 10, 2026 — main branch protected

- A branch ruleset, "Protect main", blocks force pushes to `main` and its deletion. Ordinary pushes (the chats and the daily data jobs) work as before. Mistakes are undone with a new commit (`git revert`).

November 10, 2026 — Asteroid Tracker: the map tilts all the way round

- The map's tilt is no longer stopped at "straight down" (0°) and "edge-on" (90°): dragging up or down, or the ↑ ↓ keys, carry on past edge-on to underneath and round again. The Top, Tilted and Side buttons turn the short way back.

November 9, 2026 — Image Explorer: searching message names the libraries

- While a search runs, the Picture library says which libraries it is asking, following From: "Searching NASA's and ESA's libraries…", "Searching NASA's library…" or "Searching ESA's archives…" (it said NASA's library in every case).

November 9, 2026 — README brought up to date

- The README links the live site, gives the projects' status in the order of work, names NASA and ESA sources in the documentation table, and lists the GitHub workflows (checks and daily data updates).

November 9, 2026 — ESA check across the site

- Every ESA source now on the site was checked against the project rules: ESA's NEO Coordination Centre (risk list, special risk list, close approaches; Asteroid Tracker) and the ESA/Webb and ESA/Hubble picture archives (Image Explorer) are in CREDITS.md, on the Credits page and in DATA-SOURCES, and their credit lines appear in the footers of the pages that show them. NASA/JPL's Sentry impact monitoring, added at the same time, is listed too.
- **Privacy:** the ESA/Hubble privacy policy is linked; the list of sites the pages link to includes ESA's NEO Coordination Centre (the Asteroid Tracker links to it but the browser never contacts it; its data is fetched by the daily data job on GitHub).
- **Terms:** ESA/Webb and ESA/Hubble pictures are released under CC BY 4.0, each with its own credit line.
- **About, the home page, the README and CLAUDE.md** describe the ESA data in the Asteroid Tracker and Image Explorer; the README shows the Image Explorer as live.

November 9, 2026 — Image Explorer: ESA's Webb and Hubble pictures in the Picture library

- **Each search also asks ESA/Webb and ESA/Hubble's picture archives** and mixes their pictures with NASA's, sorted by the same score and taking turns between libraries. A tag on each picture says whose it is (NASA, ESA/Webb or ESA/Hubble); **From** picks NASA and ESA, NASA, or ESA; the results line counts each library.
- **Viewer for ESA pictures:** the credit line in full (with its links), the licence (CC BY 4.0), the caption, the release date, type, constellation and category, read from ESA's page for the picture; a link to that page.
- **Mission buttons:** James Webb and Hubble also list ESA's archive for that telescope.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Globe:** the selected object's pictures come from NASA's and ESA's libraries in turn, with a count for each.
- If one library is out of reach the others still show, and the results line says which is out of reach.
- Credits page, CREDITS.md and the Privacy page list ESA/Webb and ESA/Hubble; the footer reads "Data courtesy of NASA and ESA". The mock-up page was removed.

November 9, 2026 — Asteroid Tracker: ESA's impact-risk list and close approaches

- **Impact risk tab:** every object on ESA's risk list (NEO Coordination Centre, with its special risk list) or NASA/JPL's Sentry list, side by side: each centre's chance, Palermo and Torino values and most likely impact date, with filters (which list, size, name), sorting, row details linking to both centres' pages, and the rules for reading the chance, Torino, Palermo and why the two lists differ.
- **Asteroid page:** an "Impact risk" section with ESA's and NASA's figures, or "Not listed"; the selected approach shows ESA's distance when ESA lists the same pass.
- **Week details:** ESA's miss distance and the impact chance, when ESA has them.
- **Map:** an "On a risk list" filter, and arrow buttons for panning that appear with ✥ (tap to move, hold to glide).
- **Data job:** `fetch_risk.py` writes `data/risk.json` and `data/esa_close.json` twice a day; a change in ESA's format keeps the previous file instead of writing wrong figures.
- ESA's credit ("ESA NEO Coordination Centre (©ESA)") on every page that shows its figures; ESA NEOCC and NASA/JPL Sentry in `CREDITS.md`, on the Credits page and in `docs/DATA-SOURCES.md`.

November 9, 2026 — Image Explorer: ESA picture archives checked; mock-up

- ESA/Webb and ESA/Hubble picture archives checked (search, paging, fields, credit lines, licence, browser access); findings in `docs/DATA-SOURCES.md`.
- Mock-up of the Picture library with ESA's pictures beside NASA's: `image-explorer/mockup-esa.html`.

November 9, 2026 — ESA alongside NASA

- **Decided:** ESA (the European Space Agency) data is added alongside NASA's where it helps; NASA stays the main source. Each project's chat adds ESA to its own project.
- **Rules for ESA sources** in CLAUDE.md: checked against ESA's current documentation first, recorded in DATA-SOURCES, ESA's credit wherever its data appears, listed in CREDITS.md and on the Credits page, no ESA logo, free to run, and any ESA service the browser contacts added to the Privacy page first.
- **Every page** says the project isn't endorsed by NASA or ESA; the site's own pages credit "NASA and ESA (the European Space Agency)"; the home page and About describe data from NASA and ESA.
- **Credits** (page and CREDITS.md), **Terms**, **LICENSE.md**, **DATA-SOURCES** and **DESIGN** cover ESA: its CC BY-SA 3.0 IGO licence and credit form, its terms for other material, and that its logo is not used.
- The Claude project's new name, description and instructions are in `docs/CLAUDE-PROJECT-SETUP.md`.

November 9, 2026 — renamed NASA and ESA Data Projects

- **New name** on every page, document and code comment: NASA and ESA Data Projects.
- **New repository address:** github.com/mcsyme11-byte/NASA-ESA-Data-and-API-Projects; the site is now at https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/. Every full link (the footer's licence and source links, About, Terms, Credits, the README, the docs, the data jobs' contact line) points to the new address.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- Saved browser data (the API key, places in pages) keeps its old storage names, so nothing saved is lost.

November 9, 2026 — Asteroid Tracker: panning on the map; Back goes one page

- **Map panning:** drag with the right or middle mouse button, or hold Shift while dragging; on a touch screen, drag with two fingers; or press the new ✥ button beside the zoom buttons, after which a plain drag pans. "Re-centre" appears once the map is panned. Choosing Sun, Earth or Selected, an "Out to" view or a famous pass also re-centres. Alt and the arrow keys pan from the keyboard. The pan is kept when returning to the map.
- The mouse wheel, a double click and a pinch now zoom towards the pointer rather than the middle of the map.
- **Fix:** the "‹ Back" buttons on an asteroid's page and on the map went back two pages, because the site-wide Back code in `shared/footer.js` and the tracker's own code both handled the click. The tracker now leaves naming and clicking to the footer, and only shows the map's button when the map was opened from another page.

November 9, 2026 — Asteroid Tracker: clearer close approach in the orbit diagram; slower playing

- **Orbit diagram (each asteroid's page):** the selected close approach is marked by two rings joined by a line, where Earth (blue) and the asteroid (brass) are at the moment they are closest, labelled "Closest to Earth" with the date and NASA's distance. Before the approach the side panel counts down ("Closest approach in 40 days"). Play stops exactly at the approach and the rings turn solid; pressing Play again carries on. The "Near Earth" view marks the same point on the asteroid's path past Earth.
- **Speeds:** Slow 1 day a second, Normal 5 days a second (was 60), Fast 20, Fastest 90; each named in the menu.
- **Map:** pressing a highlighted famous-pass button again ends the tour and returns to today.
- In the "Near Earth" view, the "towards the Sun" label no longer overlaps the time marks.

November 9, 2026 — shared files always load fresh

- **Fixed:** browsers that had saved an older `shared/theme.css` kept showing the old layout (narrow text, an unstyled Back button) after an update. Every page now links `theme.css` and `footer.js` with a version tag (`?v=2026110902`), raised whenever either file changes, so the new copy is fetched at once.

November 9, 2026 — site pages: full width and Back buttons

- **Full width:** About, Privacy, Terms and Credits now use the page's full content width, like the other pages.
- **Back buttons:** About, Privacy, Terms, Credits, Contact and the Mars Data page have a "‹ Back" button above the heading. It is named for the page it returns to ("‹ Back to the Asteroid Tracker") and returns there the way the browser's Back does; opened directly, it reads "‹ Home".

November 9, 2026 — Asteroid Tracker: closest pass on the home page, size comparisons, three more famous passes

- **Home page:** a line under the live map shows the closest asteroid pass of the next 7 days, in the visitor's time zone, with its distance, size comparison and a link to its page (new daily file `data/soon.json`).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Size comparisons** on each asteroid's page, in the tracker's row details and on the map's cards: "about the length of a school bus (12 m)", "about 2 times the length of a Canadian football field (137 m)". One rule set (`compare.js`) replaces the earlier phrase.
- **Famous close passes:** three more, Toutatis (2004), 2012 TC4 (2017) and 2023 BU (2023), now eight in date order. Times, distances and speeds now come from NASA/JPL close-approach data stored with each pass, so they follow NASA's latest figures (2020 QG: 9,317 km; Duende: 34,053 km; 2019 OK: 71,355 km). The pass path is smoothed between samples; the Moon's-orbit label shows only when the ring is large enough to label clearly.
- **Data job:** a backup daily run at 14:47 UTC, and a push that rebases onto other work and retries.

November 9, 2026 — site pages: About, Privacy, Terms, Credits, Contact

- **Five new pages:** About (what the site is, the projects, how it works, who made it), Privacy (nothing collected; what stays in the browser; the services the browser contacts), Terms of use (free and educational, as is, not for safety decisions, NASA, the API key, no warranty), Credits (every data source and library with its terms, the GIBS acknowledgement, the MIT License) and Contact (the address, Write an email, Copy address, and three ready-made subjects: bug report, the data, ideas).
- **Site links in every footer** (`shared/footer.js`): About · Privacy · Terms · Credits · Contact · Licence (MIT) · Source code, on every page of the site.
- Checked at 1280 and 390 pixels wide; no page errors.

November 9, 2026 — Image Explorer: picture library search and viewer

- **Viewer:** Close sits in its own bar above the picture and stays in view while the text scrolls; the white scrollbar is gone (dark scrollbars throughout); videos and pictures are labelled.
- **Space pictures first:** each result is scored from what NASA records with it (Photojournal and Space Telescope Science Institute pictures, Apollo and Space Station frames and words such as nebula or crater count up; launches, people, events and artists' illustrations count down). Launches, people, events and illustrations move under "Behind the scenes", closed by default.
- **Mission buttons** search several phrasings at once and merge them (for example James Webb: nebulae, galaxies, NIRCam images and "james webb").
- **Results as you type** from 3 letters (after a pause of 0.35 s); a search already made is not asked again.
- **Spelling:** suggestions as you type allow for small mistakes, from about 150 missions, 1,350 sky objects, countries, natural features and towns. A search with fewer than 3 results is repeated with the nearest known spelling ("hubbel" shows Hubble, with a link to search the words as typed).
- **"See it in the sky":** a picture whose title or keywords name a galaxy, nebula or star cluster on the globe opens that object on the globe.
- Escape closes the suggestions without clearing the words.

November 9, 2026 — MIT License and credits

- **Licence:** the project's own code and documents are now under the MIT License (`LICENSE.md`), replacing "all rights reserved".
- **Credits:** `CREDITS.md` lists every outside data source and library with its terms (NASA and JPL sources, GIBS with its acknowledgement, d3-celestial, GeoNames, Natural Earth, OpenLayers, proj4js, three.js).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

November 9, 2026 — Image Explorer: date changes reload the pictures

- **Fixed:** changing the date (date box, slider, day buttons, Play) did not reload the satellite pictures already on the map, so an earlier day could show the newest day's picture. Every layer now reloads for the new date. Found while checking the polar views with live imagery.
- Polar views checked with live NASA imagery: the Arctic (Nov 8: polar night over the pole; Aug 15: the whole Arctic in daylight with summer fires) and the Antarctic (Nov 8: the continent in spring sunlight, snow layer).
- The polar sea ice layer's colour key is a single swatch ("Sea ice seen that day, daylight only") in place of GIBS's large classification legend; the page explains the polar night.

November 9, 2026 — Asteroid Tracker: data check

- Checked the "Asteroid data" job: the 06:17 UTC scheduled run did not start, so the job was started by hand at 12:01 UTC. It succeeded: close approaches for 2026 updated (2027 unchanged), the list of near-Earth objects and the spacecraft positions rewritten, and the site republished. Parker Solar Probe now has 13,493 positions (every 6 hours), and its path curves smoothly around the Sun on the map.

November 9, 2026 — Image Explorer: polar views, natural features, videos, astronaut photos

- **Arctic and Antarctic views** on the Earth map, looking straight down on the poles (GIBS's polar maps, with proj4js). Layers a view lacks are greyed out ("World view only"): sea temperature and smoke and dust in both, fires around Antarctica; sea ice there comes from the daily MODIS sea-ice layer. Choosing a place far from the pole goes back to the world view.
- **Natural features in place search:** 3,978 mountains (with heights), ranges, lakes, rivers, deserts, islands, seas, gulfs and bays from Natural Earth (public domain); choosing a lake, range, river or sea shows all of it.
- **Playable videos** in the picture library: Pictures / Pictures and videos / Videos; a play mark on video cards; the viewer plays the smallest version NASA offers and links the full-size file.
- **Astronaut photos on the globe** (blue squares): a daily job (`astronaut-photos.yml`, `fetch_astronaut_photos.py`) fetches the newest cataloged photos of Earth with their positions from NASA's Gateway to Astronaut Photography of Earth; each opens with the photo, its date, what it shows, a link to NASA's page and NASA's credit line. Switched off until the free API key is stored as the secret `EOL_API_KEY`.
- **Sky positions checked:** Westerlund 2 moved 0.02°; the Rho Ophiuchi marker moved 1.2°, from the star onto the cloud complex named after it.

November 9, 2026 — Image Explorer version 1

- **Live** at `image-explorer/`, from the approved mock-up; the mock-up files are removed. The home page lists the project as live.
- **Globe:** about 1,350 galaxies, nebulae and star clusters (every Messier object, every object with a common name and every galaxy to magnitude 12), the 88 constellations drawn as faint lines with their names, 5,044 stars, all from files kept in the repository (`image-explorer/data/`, built by `tools/build_sky.py`; d3-celestial, BSD licence). Fainter objects are drawn smaller; famous ones are named.
- **Place search:** 32,117 towns of 10,000 people or more and every capital (GeoNames), and countries by name, with suggestions after every letter; tapping the map names the nearest town within about 100 km.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Picture library:** live from the start, with an empty search box and a prompt.
- Checked at 320–1440 px: no sideways scrolling, no script errors, and the "out of reach" messages when NASA cannot be reached.

November 9, 2026 — Asteroid Tracker: smooth spacecraft paths

- Spacecraft paths on the map are drawn through every sample as smooth curves (centripetal Catmull-Rom) instead of a thinned set of straight lines, which looked jagged near the Sun; each spacecraft's dot moves along the same curve.
- Parker Solar Probe and Juno, which repeat the same loop many times, show their last year of flight; selecting one shows its whole path, drawn brighter.
- Parker Solar Probe is sampled every 6 hours instead of daily (`data/spacecraft.json`), so its turn around the Sun is captured: near the Sun it covers about 16 million km a day while passing about 7 million km from it.

November 9, 2026 — Image Explorer: the Globe tab (mock-up)

- **Globe tab** in the mock-up: NASA's Blue Marble Earth, turned to the current sidereal time, inside the real sky (5,044 stars). Pins on the Earth for the natural events NASA EONET reported in the last 30 days; markers in the sky for the 110 Messier objects and famous Hubble and Webb targets (galaxies as rings, nebulae as diamonds, star clusters as dots). Drag to turn, scroll or pinch to zoom, turn slowly, find by name, show or hide each kind. Selecting a sky object shows its facts and NASA's pictures of it; selecting an event opens the Earth map on that place and day.
- **Picture library** in the mock-up now searches NASA live, with the centre, year and type filters and Show more.

November 9, 2026 — Asteroid Tracker: famous close passes, back buttons, smoother zoom

- **Famous close passes** on the map: Apophis (2029), Duende (2013), 2020 QG (2020), 2019 OK (2019) and 2024 YR4 (2032, with its pass by the Moon). Each flies the map to Earth, plays the pass slowly and pauses at the moment of closest approach, with a card of NASA's figures and a short account. Earth, the Moon and the asteroid are placed from NASA/JPL Horizons (new monthly file `data/famous.json`); the distances shown match NASA's close-approach data to within 16 km.
- **Back buttons:** each asteroid's page, and the map when opened from another page, has a "‹ Back" button naming where it returns to. Returning (with that button or the browser's) puts the tracker back on the same week or year, filters, sort, open row, search words and scroll position, and the map back on the same view, selection, date and filters.
- NASA's answers are kept for an hour in the browser tab, so going back or reloading spends no extra requests.
- **"By year" tables:** every name now opens that asteroid's own page (ids from `data/neos.json`, loaded in the background); comets open JPL's page.
- **Map:** zooming in goes down to Earth's true size; Earth, the Sun and the planets are drawn at true size when large enough; the Moon's orbit appears near Earth; the scale bar switches to km close in. A **live clock**: on today's date the map follows the present moment.
- **Smoother:** the orbit maths runs in a background thread (Web Worker), and lines are cut to the visible area, so zooming in close and playing stays at 60 frames a second (slow frames when playing zoomed in fell from about a third to under 2%).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Layout:** full-screen and exit-full-screen buttons now look different (with an "Exit" label); the spacecraft list is a full-width card under the map instead of a tall side column; the "Found by" and "Close to Earth in" controls stack on tablets instead of overlapping; a selected asteroid's label no longer touches its ring; starting a famous pass scrolls the whole map into view.

November 9, 2026 — Image Explorer: data checks and a mock-up for review

- GIBS and the NASA Image and Video Library checked with live requests from the published site; findings recorded in `docs/DATA-SOURCES.md` (the fire layers work only in the `epsg4326` projection; the library allows 10,000 results per search; dates and missing picture sizes explained).
- Plan recorded in `docs/PROJECT-NOTES.md`: OpenLayers, eight layers, two tabs, place search, Arctic and Antarctic views.
- **Mock-up** (`image-explorer/mockup.html`): a live map of NASA imagery with the eight layers, date controls, a day-by-day slider and Play, sample place search, tapping the map, and the picture library with a fixed sample of real results and the picture viewer.

November 9, 2026 — Asteroid Tracker: solar system map, search, home preview, names explained

- **Solar System Map** (`asteroid-tracker/map.html`): all 43,186 known near-Earth objects (asteroids and 209 comets) coloured by orbit type, the eight planets and eleven spacecraft (from Parker Solar Probe to the Voyagers, with the paths they have flown), at any date from 1900 to 2050. Drag to turn, scroll or pinch to zoom, keyboard controls; Top, Tilted and Side views; zoom presets from Mars to the Voyagers; centre on the Sun, Earth or a selection; Play at four speeds; Find; filters (potentially hazardous, over 140 m, over 1 km); this week's visitors ringed; full screen, with a separate exit button and a fallback for phones that cannot make part of a page full screen.
- **Found by the end of:** a discovery timeline from 1960 to today, with "Watch the discoveries"; the objects found in the year shown shine white. **Close to Earth in:** only the asteroids that passed within 10 LD in a chosen year.
- **Search tab:** instant results with every letter over every near-Earth object, a "Found in" filter (a year or a decade, biggest first), cards with an orbit sketch, size, orbit type and a link to the map; typed codes are decoded as they are typed.
- **How asteroid names work:** a guide in the Search tab, and each name decoded on search cards, the map and each asteroid's page (for example "2004 MN4: found June 16–30, 2004, the 113th new small body given a code in that half-month").
- **Home page:** a live preview of the map (the 2,552 potentially hazardous asteroids and the inner planets), pausing when off screen and still for people who prefer reduced motion; it opens the map.
- **Tabs** across the Asteroid Tracker (This week · By year · Map · Search), also on each asteroid's page, which gains "Show on the solar system map".
- New daily data: `fetch_map_data.py` writes `data/neos.json`, `data/preview.json` and `data/spacecraft.json`.
- Layout checked on every page at 320–1440 px; fixes at small widths.

November 8, 2026 — Asteroid Tracker: tidier notes and layout

- "How to read this" notes are now closed by default and open with a tap.
- Layout fixes found in a check of every page at 320 to 1440 px: the "Open its page" button no longer breaks onto two lines; the week bar keeps its dates on one or two neat lines on phones (and reads "Nov

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

8–14, 2026″); the orbit diagram′s time buttons fit on one line at 320 px; the legend lines up on small screens.
- Turning the orbit diagram redraws at most once per screen refresh, so dragging stays smooth.

November 8, 2026 — Asteroid Tracker: each asteroid′s page, the orbit diagram, past years

- **A page for each asteroid** (`object.html?id=…`, 1 NASA request): size, length of its year, distance from the Sun, orbit tilt and the closest its orbit comes to Earth′s; every close approach to Earth from 1900 to 2200 on a chart and in a list; facts about how its orbit was worked out. Opened from a row′s details in the week view, and from numbered asteroids in the year tables.
- **The orbit diagram:** the Sun, Mercury to Mars (and Jupiter for far-reaching orbits) and the asteroid, drawn to scale and placed at any date from 1900 to 2050. Top, Tilted and Side views, drag to turn, zoom, and ″Near Earth″ (the path past Earth over ±120 days, with the Moon′s orbit for scale). Play, step by day or month, a two-year slider, today and the next close approach. Readings for the date: distance from Earth and the Sun, speed around the Sun, height above Earth′s orbital plane; NASA′s official figures beside the diagram′s at a close approach, and a plain statement of how exact the drawing is for the date shown.
- **Past years:** the year view (″By year″) covers 2000 to next year, with a year picker, links such as `#year-2012`, tiles suited to past, current and next year, and a chart of the approaches found each year.
- The daily data job now writes one file per year plus an index (`data/years.json`).
- Checked with real data after publishing: for Apophis′s December 2027 pass the diagram gives 114.5 LD against NASA′s 114.22 LD. In the ″Near Earth″ view the time ticks follow the asteroid′s speed (hourly for a fast close pass such as Apophis′s on April 13, 2029, every few days for a slow distant one). For passes closer than the Moon the page notes that Earth′s own pull, left out of the diagram, bends the path.

November 8, 2026 — Asteroid Tracker: charts explained

- Each chart now has a short ″How to read this″ note with an example.
- The size-against-distance chart shades the area closer than the Moon and labels its directions (″closer than the Moon″, ″bigger ↑ · farther →″) above the plot, where they never cover data.

November 8, 2026 — Asteroid Tracker, version 1

- **This week** (live from NASA NeoWs, 1 request per week shown): tiles for the number passing Earth, the closest, the biggest, the fastest and those flagged potentially hazardous; previous and next weeks.
- **Filters:** potentially hazardous only, size, distance and day. **Sorting** by any column (a ″Sort by″ menu on phones). Each row opens its details with sizes, distances and speeds people can picture.
- **Three graphs,** hand-drawn SVG in the project′s look: size against miss distance (each size a min–max range), approaches per day, and the week′s biggest. Tooltips on hover or tap.
- **This year** (NASA/JPL close-approach data): every approach within 1, 5 or 10 Moon distances on a timeline, the closest of the year and the ones coming up. The data file is refreshed daily by a new GitHub Actions workflow, because the JPL API cannot be called from a web page.
- **Key settings:** add or remove a personal NASA key (kept in the browser only); the page shows which key is in use.
- Loading, empty and error states (NASA out of reach, demo key used up, data file missing), checked at 320 to 1440 px.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- Docs: the checked facts about NeoWs and the JPL API, and the size-from-brightness rule, in DATA-SOURCES.

November 8, 2026 — documentation tone

- **New rule:** all documentation is written in a professional tone, as project documentation, never in the tone of an AI assistant talking to a person (CLAUDE.md, PROJECT-NOTES, the Claude project's instructions).
- The documents were reviewed against it and the remaining informal lines reworded.
- `dev/check_wording.py` now also flags common chat phrases (first-person promises, greetings and sign-offs).

November 8, 2026 — the site is live

- **GitHub Pages switched on:** the home page is at https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/ (checked: the page and its three projects load).
- The developer has a personal NASA API key (kept only in the browser and a local `.env`, never in the repository).
- The Claude project's instructions are in place.

November 8, 2026 — repository set up

- **The repository's structure:** a folder for each project (Asteroid Tracker, Mars Data, Image Explorer), `shared/` and `docs/`.
- **The shared look:** `shared/theme.css` (the Flight Deck Suite's navy, brass and cream, serif type) and an emblem.
- **A NASA API helper** (`shared/nasa.js`): one place for requests to api.nasa.gov, the visitor's key kept in their browser (the shared `DEMO_KEY` until they add one), answers cached for the visit, and plain-English errors.
- **A home page** (`index.html`) and a placeholder page for each project, ready for GitHub Pages.
- **Docs:** design guide, data sources, project notes, roadmap, history, and the Claude project's instructions.
- **Checks on GitHub:** the wording check (no personal details, neutral wording) and a key check (no API key in the repository) after every push.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 5

Asteroid Tracker

Project 1: the near-Earth objects passing Earth, from NASA/JPL and ESA.

Source: `asteroid-tracker/README.md` · *last changed 2026-11-11*

Project 1 of NASA and ESA Data Projects. Status: **version 1 live** (Nov 8, 2026): https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/asteroid-tracker/

Every near-Earth object passing Earth, sorted by size and distance, with graphs to explore in an interactive dashboard.

What it does

- **This week:** every close approach from NASA NeoWs, live: the number passing Earth, the closest, the biggest, the fastest and those flagged potentially hazardous. Previous and next weeks.
- **Filter and sort:** potentially hazardous only, size, distance, day; sort by time, distance, size, speed or name.
- **Details for each object:** size, miss distance and speed, with comparisons people can picture.
- **Graphs:** size against miss distance, approaches per day, the week's biggest.
- **By year:** every approach within 1, 5 or 10 Moon distances on a timeline, any year from 2000 to next year, and how many were found each year (NASA/JPL data, refreshed daily).
- **Each asteroid's page:** its size and orbit, every close approach to Earth from 1900 to 2200, and the **orbit diagram**: the Sun, the planets and the asteroid to scale at any date from 1900 to 2050, turnable, with Play, a slider and a "Near Earth" view.
- **Solar System Map** (`map.html`): all 43,186 near-Earth objects, the planets and eleven spacecraft, turnable and zoomable at 60 frames a second, with a discovery timeline ("Found by the end of"), "Close to Earth in", Find and filters. A live preview runs on the home page.
- **Search:** results with every letter, a "Found in" filter, and a guide to how asteroids are named, with each code decoded (2024 YR4: found December 16–31, 2024, the 117th new small body given a code in that half-month).
- **Key settings:** a personal NASA key, kept in the browser only; NASA's shared demo key otherwise.

The numbers: which rule to use when

You have	You want	Rule	Example
km	Moon distances (LD)	LD = km ÷ 384,400	1,150,000 km ÷ 384,400 = **3.0 LD**
au (JPL)	km	km = au × 149,597,870.7	0.0000501 au = **7,495 km** = 0.0195 LD
km/s	km/h	km/h = km/s × 3,600	12.1 km/s = **43,560 km/h**
brightness H, no measured size	diameter range	D (km) = 1329 ÷ √p × 10^(−H ÷ 5), with p = 0.25 (smallest) and p = 0.05 (largest)	H = 22 → **106–237 m**
a measured diameter (JPL, rare)	size	use it as given	433 Eros: **about 16.8 km**

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

You have	You want	Rule	Example
orbital elements and a date	position around the Sun	$M = M0 + n\cdot(\text{days since epoch}) \to$ solve $M = E - e\cdot\sin E \to x' = a(\cos E - e)$, $y' = a\sqrt{(1-e^2)}\cdot\sin E \to$ rotate by ω, i, Ω	1998 VE31 on Nov 9, 2026: **0.1785 au** from Earth (NASA: 0.1785)
a provisional code, e.g. 2024 YR4	when it was found	year; 1st letter = half-month (A = Jan 1–15 … Y = Dec 16–31, no I); order = number × 25 + position of the 2nd letter (no I)	2024 YR4: Dec 16–31, 2024, **117th**
distance from the Sun r, orbit size a	speed around the Sun	$v = \sqrt{(GM\odot \cdot (2/r - 1/a))}$, $GM\odot = 1.327 \times 10^{11}$ km³/s²	r = 1.15 au, a = 1.05 au → **26.4 km/s**

Data

Source	Used for	Key	How
NASA NeoWs `feed` (`api.nasa.gov/neo/rest/v1/`)	This week	NASA key or `DEMO_KEY`	Live from the page, 1 request per week shown
NASA NeoWs `neo/{id}`	Each asteroid's page	NASA key or `DEMO_KEY`	Live, 1 request per page
NASA/JPL Close-Approach Data (`ssd-api.jpl.nasa.gov/cad.api`)	By year	none	Daily files, `data/YYYY.json` and `data/years.json` (the API blocks calls from web pages)
JPL approximate planetary elements	The orbit diagram's and the map's planets	none	Copied into `orbit.js` (valid 1800–2050)
NASA/JPL Small-Body Database Query API	Map and search	none	Daily file `data/neos.json` (and `data/preview.json`)
NASA/JPL Horizons	The map's spacecraft and famous close passes	none	Daily file `data/spacecraft.json`; monthly `data/famous.json`
NASA/JPL Sentry (`ssd-api.jpl.nasa.gov/sentry.api`)	Impact risk (NASA's list)	none	Daily file `data/risk.json`
ESA NEO Coordination Centre (`neo.ssa.esa.int`)	Impact risk (ESA's list), ESA's close-approach distances	none	Daily files `data/risk.json` and `data/esa_close.json` (ESA's server blocks calls from web pages)

Limits: the `feed` covers at most 7 days per request; `DEMO_KEY` allows 30 requests an hour and 50 a day per connection, a personal key 1,000 an hour. Details: docs/DATA-SOURCES.md.

Files

```
asteroid-tracker/
├── index.html                the tracker: This week, By year and Search tabs
├── object.html               one asteroid: facts, the orbit diagram, every close approach
├── map.html                  the solar system map
├── tracker.css               styles for all three pages (on top of shared/theme.css)
├── app.js                    the tracker's data, filters, sorting, tables and tabs
├── object.js                 the asteroid page: loading, the diagram's controls, the approaches
chart and list
├── map.js                    the map page: controls, selection, Find, year filters, full screen
├── skymap.js                 the map's renderer: 43,000 orbits in typed arrays, drawn into a pixel
buffer
├── kepler.js                 the map's orbit solving, shared by the page and the background thread
├── orbitworker.js            the background thread (Web Worker) that solves the orbits while the map
plays
├── back.js                   the "‹ Back" buttons and keeping a page's place when returning to it
├── preview.js                the home page's live preview of the map
├── mapdata.js                loads the map's and search's data files
├── search.js                 search over every name, ids, name decoding, result cards
├── searchview.js             the Search tab
```

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

```
├── charts.js                    the tracker's SVG charts and the shared tooltips
├── orbit.js                     orbit maths: Kepler's equation, planet and asteroid positions (JPL
elements)
├── orbitview.js                 the orbit diagram: projection, views, drawing, labels, dragging
├── format.js                    units, the size rule and number formatting
├── compare.js                   sizes next to familiar objects ("about the length of a school bus"),
with its rules
├── soon.js                      the home page's "closest pass, next 7 days"
├── risk.js                      the Impact risk tab: ESA's and NASA's lists side by side, filters,
sorting, details
├── esa.js                       reads ESA's close approaches and both risk lists for the week's
details, the asteroid page and the map
├── share.js                     "Share this view" and "Share this week": the view as a link, opened by
the share sheet or copied
├── fetch_close_approaches.py    writes data/YYYY.json and data/years.json (daily, GitHub Actions)
├── fetch_map_data.py            writes data/neos.json, data/preview.json, data/spacecraft.json,
data/soon.json (daily), data/famous.json (monthly)
├── fetch_risk.py                writes data/risk.json (ESA NEOCC and NASA/JPL Sentry) and
data/esa_close.json (daily)
├── data/                        the files above
└── README.md                    this file
```

Run locally: `python3 -m http.server 8000` in the repository's top folder, then open `http://localhost:8000/asteroid-tracker/`. Refresh the data by hand: `python3 asteroid-tracker/fetch_close_approaches.py` (add `--all` for every year).

Asteroid Tracker · part of NASA and ESA Data Projects · Created by **Malcolm Syme** · mcsyme11@gmail.com

PART 6

Image Explorer

Project 2: the Earth from orbit, a globe inside the sky, and the picture libraries of NASA and ESA.

Source: `image-explorer/README.md` · *last changed 2026-11-11*

Project 2 of NASA and ESA Data Projects. Status: **live** (version 1, Nov 9, 2026).

NASA shares huge collections of scientific and satellite imagery. This project is a website that lets people search, filter and explore those images by details like date, location and mission.

Three tabs

Part	Source	What people do
Earth map	NASA GIBS (Global Imagery Browse Services)	Pick a date and a picture (true colour, night lights, sea temperature) with fires, snow, clouds, smoke and dust or sea ice on top; pan and zoom the whole planet; step or play through the days.
Globe	NASA Blue Marble (GIBS), NASA EONET, d3-celestial	Turn and zoom the Earth inside the real sky; pins for NASA's natural events of the last 30 days; about 1,350 galaxies, nebulae and star clusters, each opening NASA's pictures of it.
Picture library	NASA Image and Video Library (`images-api.nasa.gov`); ESA/Webb and ESA/Hubble picture archives (esawebb.org, esahubble.org)	Search NASA's and ESA's pictures together (a tag says whose each is; From picks one or both) by keyword, place, mission (Apollo, Hubble, Webb…), centre and year, with results and spelling suggestions as you type; space pictures first, launches and events under "Behind the scenes"; open a picture with its description and date, or find its galaxy or nebula on the globe.

Reason for using several sources: GIBS is satellite imagery **of Earth**, arranged by date and layer, with no "mission" to filter by. The Image Library has the mission photos. The globe ties places on Earth and objects in the sky to them.

Data notes

- **GIBS** needs no key. Tiles come from a web map tile service (WMTS), one URL per tile, for example: `https://gibs.earthdata.nasa.gov/wmts/epsg4326/best/MODIS_Terra_CorrectedReflectance_TrueColor/default/2026-06-01/250m/{level}/{row}/{column}.jpg`
- The map uses the `epsg4326` projection, the only one in which the fire layers load (checked Nov 9, 2026).
- Layers have their own dates and zoom limits; some lag a few days, others stop years ago. The page checks a layer's dates before offering them.
- **GIBS acknowledgement** goes on the page (NASA asks for it; see docs/DATA-SOURCES.md).
- **Image Library** needs no key.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Files

```
image-explorer/
├── index.html          the page: Earth map, Globe, Picture library
├── explorer.css        the page's styles (on top of shared/theme.css)
├── app.js              the Earth map (world, Arctic, Antarctic), place search, tabs and the picture
library
├── globe.js            the Globe tab (three.js)
├── fetch_astronaut_photos.py   daily astronaut photos (GitHub Actions; needs the EOL_API_KEY secret)
├── data/
│   ├── places.json     towns of 10,000 people or more and capitals (GeoNames, CC BY 4.0)
│   ├── features.json   mountains, ranges, lakes, rivers, deserts, islands, seas (Natural Earth, public
domain)
│   ├── astronaut.json  the newest astronaut photos of Earth with their positions (empty until the key
is set)
│   ├── stars.json      5,044 stars to magnitude 6        ┐
│   ├── sky.json        about 1,350 deep-sky objects      ├ d3-celestial (BSD licence,
│   ├── constellations.json  the 88 constellations        ┘ LICENSE-d3-celestial.txt)
│   └── LICENSE-d3-celestial.txt
├── tools/
│   ├── build_sky.py        builds stars.json, sky.json, constellations.json
│   ├── build_places.mjs    builds places.json
│   └── build_features.py   builds features.json
└── README.md           this file
```

Rebuilding the data:

```
npm install d3-celestial all-the-cities@3.1.0                 # in any scratch folder
python3 image-explorer/tools/build_sky.py node_modules/d3-celestial/data
node image-explorer/tools/build_places.mjs image-explorer/data/places.json   # run from the scratch
folder
python3 image-explorer/tools/build_features.py path/to/natural-earth-geojson   # the six files named in
the script
```

Image Explorer · part of NASA and ESA Data Projects · Created by **Malcolm Syme** · mcsyme11@gmail.com

PART 7

Mars Data

Project 3: weather measured on Mars, cleaned, organised, analysed and charted.

Source: `mars-data/README.md` · *last changed 2026-11-11*

Project 3 of NASA and ESA Data Projects. Status: **planned** (built in its own chat).

NASA missions gather an incredible amount of information about Mars, and much of it is publicly available. This project digs into patterns in measurements from Mars missions: cleaning the data, organising the measurements by location and time, calculating statistics, and making visualisations that show interesting patterns or relationships.

The plan

1. **Get:** download measurements from NASA's Planetary Data System (PDS).
2. **Clean:** remove missing and impossible readings, convert units (kelvin → °C, Pa → hPa), and mark gaps.
3. **Organise:** by **sol** (a Mars day, 24 h 39 min), by **Ls** (solar longitude, the season: 0° = northern spring) and by time of day.
4. **Statistics:** daily highs and lows, seasonal averages, ranges, and how two measurements move together.
5. **Visualise:** a page of charts in the project's look.

Example pattern to look for: air pressure at Gale Crater rises and falls over the Mars year, because a large share of the atmosphere (carbon dioxide) freezes onto the winter pole and thaws again.

Data (first choice)

Source	What it gives	Key
Curiosity's weather station (REMS), PDS Atmospheres Node	Air and ground temperature, pressure, humidity, wind and UV at Gale Crater, from August 2012	none

Other candidates: InSight's weather data at Elysium Planitia (2018–2022, mission ended), Viking Lander records (1976–1982) for comparison. Details: docs/DATA-SOURCES.md.

Files (to come)

```
mars-data/
├── index.html       the charts page (a placeholder for now)
├── analysis/        Python: download, clean, organise, statistics
├── data/            cleaned, small summary files the page reads (raw downloads are not committed)
└── README.md        this file
```

Mars Data · part of NASA and ESA Data Projects · Created by **Malcolm Syme** · mcsyme11@gmail.com

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 8

Data Sources

Every NASA and ESA source the projects use: addresses, keys, limits, terms and credit lines.

Source: `docs/DATA-SOURCES.md` · *last changed 2026-11-11*

Every NASA source the projects use or may use, with how to reach it, what it needs, and its limits. Checked November 8, 2026 (Image Explorer sources: November 9, 2026). Each project's chat confirms the details again before building on them.

Keys at a glance

Source	Key needed?	Used by
api.nasa.gov (NeoWs and others)	Yes: a free personal key, or `DEMO_KEY`	Asteroid Tracker
JPL SSD APIs (close approaches, small-body database)	No	Asteroid Tracker
PDS Atmospheres Node (Mars weather)	No (file downloads)	Mars Data
GIBS (satellite imagery tiles)	No	Image Explorer
NASA Image and Video Library	No	Image Explorer

api.nasa.gov

- **Sign up:** api.nasa.gov, free, the key arrives by email. One key works for every api.nasa.gov service.
- **Passing it:** as the `api_key` query parameter.
- **Limits:**
  - `DEMO_KEY` (NASA's shared key for trying things out): **30 requests an hour, 50 a day**, per connection (IP).
  - A personal key: **1,000 requests an hour**.
  - Every answer carries `X-RateLimit-Limit` and `X-RateLimit-Remaining` headers; going over returns **429**.
- **In this repository:** web pages use `shared/nasa.js` (the visitor's key in their browser only); Python reads `NASA_API_KEY` from `.env`. No key is committed.

Asteroid Tracker

NeoWs (Near Earth Object Web Service)

Base: `https://api.nasa.gov/neo/rest/v1/`

Endpoint	What it returns
`feed?start_date=YYYY-MM-DD&end_date=YYYY-MM-DD`	Every object with a close approach in the range, grouped by date. **At most 7 days per request.**
`neo/{id}`	One object: its orbit and all its known close approaches
`neo/browse?page=n&size=20`	The whole catalogue, a page at a time

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Useful fields per object: `name`, `estimated_diameter` (min and max, in km, m, miles and feet), `is_potentially_hazardous_asteroid`, and in `close_approach_data`: `close_approach_date_full`, `relative_velocity.kilometers_per_hour`, `miss_distance.kilometers` and `miss_distance.lunar`.

Example: one week's feed

```
https://api.nasa.gov/neo/rest/v1/feed?start_date=2026-11-01&end_date=2026-11-07&api_key=DEMO_KEY
```

Checked Nov 8, 2026 (live requests from the published site):

- **Browsers may call it** (CORS allowed), so the Asteroid Tracker requests the week's feed from the page.
- **The rate-limit headers are not readable from a web page** (NASA does not expose them to browsers), so the page cannot show "requests left"; it shows which key is in use and that key's limits instead.
- `close_approach_data[].epoch_date_close_approach` is the close-approach time in milliseconds, UTC (1794183300000 = 2026-11-09 00:15 UTC, matching `close_approach_date_full`). Speed used: `relative_velocity.kilometers_per_second`.
- `estimated_diameter.meters` gives min and max; the range corresponds to albedos of about 0.25 and 0.05 (see the size rule below).
- A typical week: 42 close approaches, 5 flagged potentially hazardous (Nov 8–14, 2026).

`neo/{id}`, checked Nov 8, 2026 (used by the Asteroid Tracker's page for one asteroid, 1 request per page):

- Top level: `id`, `neo_reference_id`, `name`, `designation`, `absolute_magnitude_h`, `estimated_diameter`, `is_potentially_hazardous_asteroid`, `is_sentry_object`, `nasa_jpl_url`, `close_approach_data`, `orbital_data`.
- `close_approach_data`: every computed approach, 1900–2200 (for example 36 for 1998 VE31, all to Earth); same fields as in the feed.
- `orbital_data` (numbers given as strings): `semi_major_axis` (au), `eccentricity`, `inclination`, `ascending_node_longitude`, `perihelion_argument`, `mean_anomaly` (degrees, J2000 ecliptic), `mean_motion` (degrees per day), `epoch_osculation` (Julian date of these elements), `perihelion_distance`, `aphelion_distance`, `orbital_period` (days), `minimum_orbit_intersection` (MOID, au), `orbit_class` (type, description, range), `observations_used`, `first_observation_date`, `last_observation_date`, `data_arc_in_days`, `orbit_determination_date`, `orbit_uncertainty` (0 best to 9).
- **Ids:** an unnumbered object has a 7-digit id (3092201 for 1998 VE31); a numbered asteroid's id is 2,000,000 + its number (433 Eros = 2000433).

JPL Close-Approach Data API

`https://ssd-api.jpl.nasa.gov/cad.api` (no key). Close approaches over any date range, past and future, filtered by distance (`dist-max`, for example `10LD`) and date (`date-min`, `date-max`). Suited to "the closest approaches of the year" and to history beyond NeoWs's 7-day window.

Checked Nov 8, 2026 against the API's documentation (version 1.5) and live answers:

- **No CORS headers:** browsers block a web page from calling it. The Asteroid Tracker therefore reads files, `asteroid-tracker/data/YYYY.json` (one per year, 2000 to next year, approaches within 10 LD) and `asteroid-tracker/data/years.json` (the years and their counts within 1, 5 and 10 LD), written by `asteroid-tracker/fetch_close_approaches.py` on GitHub Actions (`.github/workflows/asteroid-data.yml`): daily for this year and next year and any missing year; every year when run by hand with "all".
- **Defaults:** `date-min=now`, `date-max=+60` (days), `dist-max=0.05` (au), NEOs only, Earth, sorted by date.

- **Useful options:** `diameter=true`, `fullname=true`, `sort` (`date`, `dist`, `-dist`, …), `limit`, `total-only=true` (the count only).
- **Each row is an array** in the order given by `fields`: `des`, `orbit_id`, `jd`, `cd` (calendar time, TDB, about 69 s from UTC), `dist`, `dist_min`, `dist_max` (au), `v_rel`, `v_inf` (km/s), `t_sigma_f`, `h` (absolute magnitude), then `diameter` and `diameter_sigma` (km, usually null) and `fullname` when asked for.
- An empty answer is HTTP 200 with `count` 0. Errors: 400, 405, 500, 503.
- Counts for the whole of 2026, as known on Nov 8, 2026: 1,053 close approaches within 10 LD and 144 within 1 LD (about 50 KB as the daily file); 1,558 within 0.05 au.

JPL Sentry API (impact monitoring), checked Nov 9, 2026

`https://ssd-api.jpl.nasa.gov/sentry.api` (no key; documentation at `https://ssd-api.jpl.nasa.gov/doc/sentry.html`, API version 2.0). NASA/JPL's automatic impact-monitoring list: every object with a calculated, non-zero chance of hitting Earth within the next 100 years or so.

- **Summary (no parameters):** one row per object: `des`, `fullname`, `ip` (cumulative impact probability), `ps_cum`, `ps_max` (Palermo), `ts_max` (Torino), `n_imp` (number of possible impacts), `range` (years), `h`, `diameter` (km), `v_inf` (km/s), `last_obs`. Numbers are sent as strings.
- **`all=1`:** every possible impact of every object (`des`, `date`, `ip`, `ps`, `ts`); used to find each object's most likely impact date.
- **No CORS header** in the replies recorded by the data job, so pages read `asteroid-tracker/data/risk.json`, written by `asteroid-tracker/fetch_risk.py` on GitHub Actions (twice a day, with the close-approach job).
- A speed or other figure can arrive as `nan`; the job keeps only finite numbers and refuses to write NaN, because a browser cannot read JSON containing it.
- Count on Nov 9, 2026: 2,242 objects. Credit: "NASA/JPL (Sentry)".

Planet positions (JPL approximate elements)

`https://ssd.jpl.nasa.gov/planets/approx_pos.html`, Table 1 (valid 1800–2050, mean ecliptic and equinox J2000), checked Nov 8, 2026 and copied into `asteroid-tracker/orbit.js`: each planet's a, e, I, L, ϖ, Ω and their rates per century, with the procedure (elements at the date → ω = ϖ − Ω and M = L − ϖ → Kepler's equation → in-plane coordinates → rotation into the ecliptic). The orbit diagram therefore covers 1900–2050.

Checks of `orbit.js` (Nov 8, 2026): Earth 0.98330 au from the Sun at the 2026 perihelion and 1.01670 au at aphelion; 1998 VE31 0.1785 au from Earth on 2026-11-09 00:15 UTC (NeoWs: 0.1784980 au), with the computed closest moment within half an hour of NASA's. A century from the elements' epoch the two-body model drifts (1927 approach: 0.190 au computed against 0.151 au), which the page states as "good", "approximate" or "rough" for the date shown.

Size from brightness (when no measured diameter is given)

```
D (km) = 1329 ÷ √p × 10^(−H ÷ 5)
```

- H: absolute magnitude (brightness; a larger H means a smaller object). p: albedo (how much light the surface reflects).
- **p = 0.25** (bright surface) gives the **smallest** likely size; **p = 0.05** (dark) the **largest**.
- Example: H = 22 → 106 m to 237 m. This is the range NeoWs reports; the Asteroid Tracker applies the same rule to JPL's data (`asteroid-tracker/format.js`).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Mars Data

Curiosity's weather station (REMS), PDS Atmospheres Node

- **Where:** NASA's Planetary Data System, Atmospheres Node (atmos.nmsu.edu › Mars › Curiosity › REMS).
- **What:** air and ground temperature, pressure, relative humidity, wind and UV at Gale Crater, from sol 1 (August 7, 2012), released in batches.
- **Which files:** the reduced data (RDR). The **MODRDR** set (environmental values, corrected) is the likely starting point; units are kelvin and pascals.
- **Rhythm:** readings once a second, usually 5-minute blocks every hour plus some full hours each sol, so the data is uneven in time and needs organising before averages mean anything.

Other candidates

Source	Covers	Note
InSight weather (TWINS, pressure sensor)	Elysium Planitia, 2018–2022	The mission has ended; archived in the PDS
Viking Lander meteorology	1976–1982	For a then-and-now comparison

SBDB Query API (every near-Earth object), checked Nov 8–9, 2026

`https://ssd-api.jpl.nasa.gov/sbdb_query.api` (no key; no CORS headers, so it is fetched by `asteroid-tracker/fetch_map_data.py` on GitHub Actions and saved as `asteroid-tracker/data/neos.json`).

- Query used: `sb-group=neo`, `full-prec=true`, `fields=spkid,full_name,pdes,a,e,i,om,w,ma,epoch,H,diameter,pha,class,first_obs`.
- Answer: `fields` and `data` (one array per object, numbers as strings) and `count`. 43,186 objects on Nov 8, 2026, 2,552 of them potentially hazardous; 209 are comets (classes JFc, JFC, HTC, ETc, …), the rest asteroids (APO 24,454, AMO 14,979, ATE 3,505, IEO 39). Nearly all share one epoch of osculation (2461200.5); a few thousand have their own.
- `first_obs` is the first observation found, which can be older than the discovery (precovery in archive images): Eros 1893, discovered 1898. The "year found" in `neos.json` is therefore the year in the provisional code (2004 MN4 → 2004, A898 PA → 1898), and `first_obs` only where there is no such code (survey codes such as 6344 P-L); comets have no year found.
- **Ids:** SBDB's `spkid` is 20,000,000 + number for numbered asteroids (Apophis 20099942) and an 8-digit id for the others (1998 VE31 = 50092224). NeoWs (`neo/{id}`) uses 2,000,000 + number for numbered asteroids (2099942) and accepts the 8-digit id for the others (checked: 50092224 returns 1998 VE31). NeoWs does not cover comets; the pages link comets to JPL's lookup page instead.
- Size: about 5.5 MB as JSON, about 1.8 MB as GitHub Pages sends it (compressed).

Horizons API (spacecraft), checked Nov 8–9, 2026

`https://ssd.jpl.nasa.gov/api/horizons.api` (no key; no CORS headers; fetched by `fetch_map_data.py`).

- Query: `COMMAND='<id>'`, `EPHEM_TYPE=VECTORS`, `CENTER='500@10'` (the Sun), `OUT_UNITS=AU-D`, `REF_PLANE=ECLIPTIC`, `REF_SYSTEM=ICRF`, `VEC_TABLE=1` (position only), `CSV_FORMAT=YES`, `STEP_SIZE='<n> d'`. The table is between `$$SOE` and `$$EOE`; each line gives the Julian date, the calendar date, then x, y, z in au.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- Ids used: Voyager 1 −31, Voyager 2 −32, New Horizons −98, Parker Solar Probe −96, Lucy −49, Psyche −255, OSIRIS-REx/APEX −64, Hera −91, James Webb Space Telescope −170, Europa Clipper −159, Juno −61. On Nov 1, 2026 Voyager 1 was 172 au from the Sun, Voyager 2 145 au, New Horizons 66 au.
- When a range starts before a spacecraft's data, Horizons answers with the first date it covers; the script then retries from that date. Each spacecraft is sampled every 4 to 30 days from launch to a year ahead, and Parker Solar Probe every 6 hours (`STEP_SIZE='6 h'`; stored as a step of 0.25 days), since near the Sun it moves about 16 million km a day while passing about 7 million km from it (about 600 KB in all).
- The International Space Station and Hubble are not on the map: 400–540 km above Earth, they sit inside Earth's dot at any scale it shows.

Horizons API (famous close passes), checked Nov 9, 2026

- Same endpoint, written monthly (on the 1st, or with `--all`, or when the list of passes changes) to `data/famous.json` (about 780 KB, eight passes) by `fetch_map_data.py`. For each pass: the asteroid, Earth (`399`) and the Moon (`301`), with `VEC_TABLE=2` (position and velocity), `CENTER='500@10'`, ecliptic, au and au/day.
- Small bodies are named with a trailing semicolon: `'99942;'` for a numbered asteroid, `'DES=2020 QG;'` for one known only by its code.
- Samples: every 10 minutes within 12 hours of closest approach, hourly within 3 days, daily within 40 days (339 per body). The page joins them with cubic Hermite interpolation (positions and velocities).
- Check: the distance from Earth's centre at closest approach matches the JPL close-approach figures to within 16 km for all five passes; 2024 YR4's pass by the Moon gives 22,940 km against JPL's 22,938 km. Close-approach distances are measured from the centre of Earth (or the Moon), not the surface.
- Since Nov 9, 2026 each pass also stores `cad`: NASA/JPL close-approach data for that date (`cad.api`, `des`, `body=Earth` or `Moon`, `dist-max=0.2`, dates ±3 days): `cd` (UTC time), `km` (from the centre) and `v_rel` (km/s). The tour and its card use these. They differ slightly from earlier published figures because orbits are refined (for example 2020 QG: 9,317 km in 2026, 9,302 km as first published).

soon.json (home page), added Nov 9, 2026

- Written daily by `fetch_map_data.py` from the close-approach year files: every pass within 10 Moon distances from a day before the run to 15 days after it, as `[name, time_ms_utc, distance_ld, h, neows_id, designation]`. The NeoWs id is 2,000,000 + number for numbered asteroids, otherwise the SBDB `spkid`; comets get none. The home page shows the closest pass between the moment it is opened and 7 days later, in the visitor's time zone.

Asteroid names (Minor Planet Center rules)

Used by `decodeCode()` in `asteroid-tracker/search.js`:

- **Provisional code** `YYYY XYn`: the year found; X the half-month (A = Jan 1–15, B = Jan 16–31, … Y = Dec 16–31; I and Z not used); Y and n the order in that half-month: 25 letters A–Z without I, n the number of times the alphabet was used up, so order = n × 25 + position of Y. Example: 2024 YR4 = Dec 16–31, 2024, 4 × 25 + 17 = 117th.
- Old-style codes before 1925 begin with A and the last three digits of the year (A898 PA = 1898).
- Survey codes `nnnn P-L` (Palomar–Leiden survey, 1960) and `nnnn T-1/T-2/T-3` (Trojan surveys, 1971, 1973, 1977).
- A permanent **number** follows once the orbit is secure, then possibly a **name** approved by the IAU; the full name keeps all three: 99942 Apophis (2004 MN4).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- Checked against known discovery dates: Eros Aug 13, 1898 (A898 PA); Apollo Apr 24, 1932 (1932 HA); Phaethon Oct 11, 1983 (1983 TB); Bennu Sep 11, 1999 (1999 RQ36); Apophis Jun 19, 2004 (2004 MN4); 2024 YR4 Dec 27, 2024.

Image Explorer

GIBS (Global Imagery Browse Services)

- **What:** over 1,000 satellite imagery layers of Earth, as map tiles, by date (1,332 layers on Nov 9, 2026).
- **No key.** Tile URL pattern (WMTS, REST):

```
https://gibs.earthdata.nasa.gov/wmts/{projection}/best/{Layer}/default/{YYYY-MM-DD}/{TileMatrixSet}/
{z}/{y}/{x}.{jpg|png|mvt}
```

- **Layer list and dates:** the GetCapabilities document of each projection, for example `https://gibs.earthdata.nasa.gov/wmts/epsg4326/best/wmts.cgi?SERVICE=WMTS&REQUEST=GetCapabilities`.
- **Required acknowledgement** (NASA asks every user of GIBS to show it):

> We acknowledge the use of imagery provided by services from NASA's Global Imagery Browse Services (GIBS), part of NASA's Earth Science Data and Information System (ESDIS).

Checked Nov 9, 2026 (live requests from the published site):

- **Browsers may call it** (CORS allowed): tiles and the GetCapabilities documents load from a web page.
- **Projections:** `epsg4326` (the world as a flat grid of latitude and longitude, 1,332 layers), `epsg3857` (web map, 1,332 layers), `epsg3413` (Arctic, 303 layers) and `epsg3031` (Antarctic, 263 layers).
- **The fire layers only work in `epsg4326`** (and the polar projections): they are vector tiles (`.mvt`, points), listed in `epsg3857` but every `epsg3857` request returned 404 (eight tiles at zoom 0–7, two dates), while the same tiles in `epsg4326` returned data. **The Image Explorer therefore uses `epsg4326`**, as NASA Worldview does.
- **`epsg4326` tile sets:** 512 px tiles from the top-left corner (−180°, 90°); level 0 is 0.5625° per pixel (2 × 1 tiles), each level halves it. Deepest level: `250m` 8, `500m` 7, `1km` 6, `2km` 5. Tile path order is `{level}/{row}/{column}`.
- **Answers:** a tile outside a layer's dates returns 404 (true colour on 1990-01-01; the MUR layers on a day not yet processed); a level deeper than the layer's set returns 400. The page treats these as "no picture here", not as errors.
- **Size of the layer list:** the `epsg3857` GetCapabilities document is about 5.8 MB, too large to load on every visit; each layer's dates are also available on their own (the `…/all/--{TimeEnd}.xml` and `{TimeStart}--{TimeEnd}` templates under each layer's `ResourceURL`).
- **A layer's days (used since Nov 10, 2026):** `https://gibs.earthdata.nasa.gov/wmts/{projection}/best/1.0.0/{Layer}/default/{TileMatrixSet}/all/--{YYYY-MM-DD}.xml` returns, in about 0.1 s and well under 1 kB, the runs of days the layer has up to that date, in `<Domain>`, for example `2002-06-01/2021-02-19/P1D,2021-02-22/2022-11-08/P1D,…`; an unknown layer returns 404. Checked Nov 10, 2026: MUR sea temperature misses six short runs of days (newest day two days back), true colour misses nine runs in 2000–2022; MODIS layers end on the current, still incomplete UTC day. Browsers may read it.
- **Colour maps (used since Nov 10, 2026 for the colour keys):** each `ColorMap` in the v1.3 XML has a `Legend` (`continuous`, `discrete` or `classification`) with `LegendEntry` elements in order (`rgb`, `tooltip`, and on some `showTick`, `showLabel` and `label`), `minLabel` and `maxLabel`, and the map's `title` and `units` (for example °C, %, K). A "No Data" map lists the colour for missing values. Browsers may read them.

- **Colour keys:** each coloured layer lists an SVG legend (`https://gibs.earthdata.nasa.gov/legends/{name}_H.svg`, dark text on a light background) and a colour map (`https://gibs.earthdata.nasa.gov/colormaps/v1.3/{name}.xml`).

The eight layers chosen (Nov 9, 2026), with their tile sets in `epsg4326` and first dates:

On the page	GIBS layer	Tile set · format	From
True colour	`MODIS_Terra_CorrectedReflectance_TrueColor`	250m · jpg	2000-02-24
Night lights	`VIIRS_NOAA20_DayNightBand`	1km · png	2018-01-05
Sea temperature	`GHRSST_L4_MUR_Sea_Surface_Temperature`	1km · png	2002-06-01
Fires	`MODIS_Combined_Thermal_Anomalies_All`	1km · mvt (points)	2002-07-04
Snow	`MODIS_Terra_NDSI_Snow_Cover`	500m · png	2000-02-24
Clouds	`MODIS_Terra_Cloud_Top_Temp_Day`	2km · png	2000-02-24
Smoke and dust	`MODIS_Terra_Aerosol` (aerosol optical depth, land and ocean)	2km · png	2000-02-24
Sea ice	`GHRSST_L4_MUR_Sea_Ice_Concentration`	1km · png	2002-06-01

- Most layers have gaps in their dates (several ranges in the layer list); the page reads them rather than assuming every day exists.
- **Newest day:** on Nov 9, 2026 the MODIS and VIIRS layers reached Nov 8 or 9; the two MUR layers (sea temperature, sea ice) reached Nov 7.
- **Night lights:** `VIIRS_Black_Marble` (cloud-free city lights) exists only for 2012 and 2016, so the daily day/night band is used; it also shows moonlit cloud and fires.
- `Reference_Features_15m` and `Reference_Labels_15m` (coastlines, borders and names from OpenStreetMap) are available as overlays if wanted later; they require the OpenStreetMap credit.

NASA Image and Video Library

- `https://images-api.nasa.gov/search?q=...&media_type=image` (no key).
- Filters: `q` (keywords), `center` (for example JPL, GSFC), `year_start`, `year_end`, `keywords`, `page`.
- Each result has a title, description, date, NASA centre and keywords; `asset/{nasa_id}` lists the image sizes.

Checked Nov 9, 2026 (live requests from the published site):

- **Browsers may call it** (CORS allowed), for searches, `asset/{nasa_id}` and the image files. One search request failed to connect and worked when repeated, so the page retries once before showing an error.
- **Answer:** `collection.items[]`, each with `data[0]` (`title`, `description`, `date_created`, `center`, `keywords`, `media_type`, `nasa_id`, and sometimes `photographer`, `secondary_creator`, `location`, `album`, `description_508`) and `links[]` (image sizes with width and height; `rel: "preview"` is the thumbnail); `collection.metadata.total_hits`; `collection.links` with `next` and `prev` pages.
- **Paging:** 100 results per page by default; `page_size` sets it (for example 24). **At most 10,000 results** per search: page 100 of 100 works, page 101 returns 400 ("Maximum number of search results have been displayed").
- `center` ignores letter case (`gsfc` = `GSFC`); `media_type=image,video` returns both. Examples: "hubble" 4,960 results, 598 from GSFC, 249 from 1990–1995; "apollo" 5,940 images and 222 videos.
- **`date_created` is the date in NASA's records,** sometimes not the date the picture was taken (an Apollo picture from 1967 carries 2008-07-11); the caption usually gives the real date.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **`location` is where the picture was published or taken** (for example "Greenbelt, MD" for Goddard), not a map position: no result has coordinates. Searching by place therefore searches the words in titles, captions and keywords.
- **File names:** `https://images-assets.nasa.gov/image/{nasa_id}/{nasa_id}~{thumb|small|medium|large|orig}.jpg`. A listed size can fail to load for a while (`GSFC_20171208_Archive_e000775`: `thumb` and `medium` failed and `small` loaded on Nov 9, 2026; all three loaded an hour later), so the page tries the next size before showing "Picture unavailable". `asset/{nasa_id}` and older records give `http://` links; the page always uses `https://`.

Blue Marble (the globe's surface), checked Nov 9, 2026

- `BlueMarble_NextGeneration` (also `BlueMarble_ShadedRelief` and `BlueMarble_ShadedRelief_Bathymetry`): NASA's cloud-free composite of the whole Earth. Not listed in the GetCapabilities documents, but the tiles load: `https://gibs.earthdata.nasa.gov/wmts/epsg4326/best/BlueMarble_NextGeneration/default/default/500m/{level}/{row}/{column}.jpeg` (`default` in place of a date; levels 0–7 of the `500m` set).
- The globe joins level 2 (15 tiles, 2,560 × 1,280 pixels, about 16 km a pixel) and then level 3 (50 tiles, 5,120 × 2,560, about 8 km a pixel) where the graphics card accepts a picture that wide.

EONET (Earth Observatory Natural Event Tracker), checked Nov 9, 2026

- `https://eonet.gsfc.nasa.gov/api/v3/events` (no key; **browsers may call it**). Categories (`/api/v3/categories`): drought, dust and haze, earthquakes, floods, landslides, manmade, sea and lake ice, severe storms, snow, temperature extremes, volcanoes, water colour, wildfires.
- Each event: `id`, `title`, `categories[]`, `sources[]` (the reporting agency's page), `closed`, and `geometry[]` (dated points, sometimes polygons, with `magnitudeValue` and `magnitudeUnit`, for example acres for fires).
- **Many events stay open long after their last report:** 7,236 open on Nov 9, 2026 (7,168 wildfires, 32 volcanoes, 35 sea and lake ice, 1 storm), but only 35 with a report in the last 30 days. The globe asks for `status=open&days=30`.

Sky: stars, galaxies, nebulae, clusters, constellations, checked Nov 9, 2026

- From the d3-celestial project (© 2015 Olaf Frohn, BSD 3-Clause licence, kept as `image-explorer/data/LICENSE-d3-celestial.txt`), npm package `d3-celestial`, folder `data/`.
- Positions are `[right ascension, declination]` in degrees, with right ascension from −180 to 180 (M42 the Orion Nebula: 83.85, −5.45; M57: −76.6, that is 283.4°); the repository's files store 0 to 360. Checked against known positions: Sirius 101.29, −16.72; M31 10.68, +41.27.
- Files used: `stars.6.json` (5,044 stars to magnitude 6, with colour index), `messier.json` (110 Messier objects with common names), `dsos.14.json` (15,809 deep-sky objects to magnitude 14, 10,336 of them galaxies), `dsonames.json` (724 common names), `constellations.json` and `constellations.lines.json` (88 constellations, plus Serpens drawn in two parts: 89 entries).
- **Chosen for the globe** (`image-explorer/tools/build_sky.py`): every Messier object, every object with a common name, and every galaxy of magnitude 12 or brighter (bright enough for a backyard telescope): 1,347 objects (1,001 galaxies, 165 nebulae, 181 star clusters) on Nov 9, 2026.
- Catalogue corrections made by the build: NGC 3372 named "Carina Nebula" (the catalogue says "η Car Nebula"), NGC 3132 "Southern Ring Nebula" (the catalogue gives the name "Eight-Burst Planetary Nebula" to NGC 3132 and "Southern Ring" to NGC 6563); objects split into several catalogue numbers (the Rosette Nebula, Stephan's Quintet) keep the name on the first part and the number on the others; dark nebulae lose their magnitude, which describes nothing visible.

- Four famous targets are not in the catalogue and are listed by hand (J2000, degrees): the Cartwheel Galaxy (9.421, −33.716), Westerlund 2 (155.992, −57.764), Cassiopeia A (350.85, +58.815) and the Rho Ophiuchi cloud complex (247.025, −24.542). **Checked Nov 9, 2026** against SIMBAD's values as published (Wikipedia's infoboxes, which cite SIMBAD, and NASA's Webb image page for the Cartwheel): the Cartwheel and Cassiopeia A were right; Westerlund 2 moved by 0.02°; Rho Ophiuchi had been placed on the star Rho Ophiuchi, 1.2° from the cloud complex named after it, and was corrected. SIMBAD itself did not answer requests from GitHub Actions within 3 minutes that night.

Place names (GeoNames), checked Nov 9, 2026

- GeoNames (geonames.org, CC BY 4.0) through the npm package `all-the-cities` 3.1.0 (MIT), which holds the 135,233 GeoNames places of 1,000 people or more with population and feature code.
- `image-explorer/data/places.json` (`tools/build_places.mjs`): every place of 10,000 people or more and every capital, 32,117 places (241 capitals), largest first, about 1.1 MB (about 0.5 MB as sent compressed). It loads the first time the place search or the map is used.
- Countries are found by their English names (the browser's `Intl.DisplayNames`) and shown around their capital.
- Mountains, lakes and rivers are not in this list.

Astronaut photos of Earth (Gateway to Astronaut Photography of Earth), checked Nov 9, 2026

- `https://eol.jsc.nasa.gov`, Earth Science and Remote Sensing Unit, NASA Johnson Space Center: astronaut photos of Earth from 1961 to today. **Web pages cannot call it** (no CORS headers); `robots.txt` allows everything.
- **Photos Database API** (documented at `https://eol.jsc.nasa.gov/SearchPhotos/PhotosDatabaseAPI/`): `https://eol.jsc.nasa.gov/SearchPhotos/PhotosDatabaseAPI/PhotosDatabaseAPI.pl?query=…&return=…&key=…`, answering JSON (a list of records with `table.field` names). `query` is groups of `table|field|operator|value` (operators `gt ge lt le eq ne like`, joined with AND); `return` is groups of `table|field`. **A key is required**; keys are free and requested by email from jsc-earthweb@mail.nasa.gov.
- Tables: `frames` (cataloged photos: `mission`, `roll`, `frame`, `pdate` YYYYMMDD and `ptime` HHMMSS in UTC, `lat` and `lon` of the photo's centre to 0.1°, `nlat`/`nlon` of the point below the station, `cldp` cloud percentage, `tilt`, `geon` place name, `feat` features), `nadir` (photos not yet cataloged: only the point below the station), `images` (`directory`, `filename`, `width`, `height`, `filesize`; one record per image size).
- Images: `https://eol.jsc.nasa.gov/DatabaseImages/{directory}/{filename}`, for example `https://eol.jsc.nasa.gov/DatabaseImages/ESC/small/ISS073/ISS073-E-100000.JPG`; `ESC/small/…` and `ESC/large/….` Photo pages: `https://eol.jsc.nasa.gov/SearchPhotos/photo.pl?mission=ISS073&roll=E&frame=100000`.
- **Credit** (the site's conditions of use): "Image courtesy of the Earth Science and Remote Sensing Unit, NASA Johnson Space Center", with the photo number (mission-roll-frame) and the site's address.
- In this repository: `image-explorer/fetch_astronaut_photos.py`, run daily by `.github/workflows/astronaut-photos.yml` with the key from the repository secret `EOL_API_KEY`, writes `image-explorer/data/astronaut.json` (the newest 400 cataloged photos of the last 90 days, or the last year if fewer than 60, with 50% cloud or less). Without the secret the job changes nothing and the globe hides the astronaut photos.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Image and Video Library: videos, checked Nov 9, 2026

- A video's files are under `https://images-assets.nasa.gov/video/{nasa_id}/` (images are under `image/`): `~orig.mp4`, and usually `~large.mp4` or `~medium.mp4`, `~small.mp4`, `~preview.mp4`, `~mobile.mp4`, plus stills (`~thumb.jpg`, `~small.jpg`, `~medium.jpg`, numbered frames `~thumb_1.jpg` …) and subtitles (`{nasa_id}.vtt`). `asset/{nasa_id}` lists them (with `http://` links that also work as `https://`).
- Sizes for three Apollo 11 films: `~mobile.mp4` 118–177 MB, `~small.mp4` 534–799 MB, `~orig.mp4` 1.5–5.3 GB. The page plays the smallest version listed and links the largest.
- The video files send no CORS headers: they play in a page, but subtitles (`.vtt`) cannot be attached from another site, so the page shows none.
- "apollo 11": 71 videos.

Image and Video Library: what the results are, checked Nov 9, 2026

- NASA's own order puts launches, people and events first for most mission names: of the first results for "james webb", nearly all are testing, launch, people or illustrations. NASA's library holds only about 5 Webb science pictures (for example `carina_nebula`, `southern_ring_nebula`, `webb_first_deep_field`, `PIA26702`).
- Clues recorded with each result, used for the page's ranking: `nasa_id` starting `PIA` (Planetary Photojournal), `center` `STScI` or `STScI (Webb)` (Space Telescope Science Institute), `nasa_id` of mission frames (`AS11-`… Apollo, `iss0`…`e`… Space Station) point to pictures of space or of Earth from space; `nasa_id` starting `NHQ`, `KSC` or `jsc`, and photographers credited "NASA/…", point to event photography.
- NASA's APOD API answered 503 on Nov 9, 2026.

ESA/Webb and ESA/Hubble picture archives, checked Nov 9, 2026

Decided Nov 9, 2026: ESA's data is added alongside NASA's. The Image Explorer adds ESA's two telescope picture archives to the Picture library. Checked with requests from GitHub's servers and ESA's published terms.

- **Sites:** `https://esawebb.org/images/` (703 pictures) and `https://esahubble.org/images/` (5,511 pictures), the same archive software. No key and no JSON API.
- **Browsers may read them:** every archive page, picture page, feed and picture file answers with `access-control-allow-origin: *`.
- **Search:** `/images/?search={words}`, 50 results a page; further pages `/images/page/{n}/?search={words}`; newest first with `&sort=-release_date`. The page states the count ("Showing 1 to 50 of 166"); a search with no match has no count and no list. Examples: Webb "nebula" 166, "crab" 7, "hubble" 212; Hubble "andromeda" 116, "saturn" 131, "crab nebula" 47.
- **Results** are in the page's script as `var images = [ { id, title, width, height, src, url, potw }, … ]`: `src` is the 300 px-high thumbnail, `url` the picture's page, `potw` the date for a Picture of the Week or Month (empty otherwise). No date, credit or caption in the list.
- **A picture's page** (`/images/{id}/`) holds the title (`<h1>`), the caption, the credit line (`<div class="credit">`), and tables "About the Image" (Id, Type such as Observation, Release date, Size) and "About the Object" (name, type, constellation, category, distance), plus coordinates (RA, Dec, field of view). The markup differs slightly between the two sites (table classes, headings `h3` or `h4`).
- **Files:** `https://cdn.esawebb.org/archives/images/{size}/{id}.jpg` and `https://cdn.esahubble.org/…`, sizes `thumb300y`, `screen` (1280 px wide), `large`, `publicationjpg`, and others; originals are TIFF, up to 135 MB.
- **Licence:** Creative Commons Attribution 4.0 (CC BY 4.0) for pictures, videos and web texts. Each picture has its own credit line, to be shown in full, unchanged and beside the picture, with active links online.

ESA/Webb and ESA/Hubble logos need written consent; the material must not suggest endorsement. Music, papers and code are not under CC BY 4.0.

- **Videos (used since Nov 10, 2026):** `/videos/?search={words}` and `/videos/page/{n}/?search={words}` on both sites, 50 a page, "Showing 1 to … of N" as for pictures, but no list in the page's script: each result is a thumbnail `https://cdn.{site}/archives/videos/videoframe/{id}.jpg` whose `alt` is the title (on esawebb.org prefixed "Video thumbnail for"). A video's page (`/videos/{id}/`) has the title, caption, credit line (`<div class="credit">`, often with a music credit) and a table with Id, Release date, Duration and Category. Files: `archives/videos/medium_podcast/{id}.mp4` (small), `hd_1080p25_screen/{id}.mp4` (full HD), `ultra_hd/{id}.mp4` (Webb); a Hubblecast in full HD is about 86 MB. The videos are under CC BY 4.0 except their music, which has its own terms. Checked Nov 10, 2026 from a web page: listing pages, video pages and files load from a browser. A first video search on esahubble.org took about 30 s (3 s when repeated), so the page waits at most 12 s for each ESA archive.
- **Used since Nov 9, 2026** by the Image Explorer's Picture library and the globe's selected card (live search, thumbnails `thumb300y`, viewer `screen`, "Open large size" `large`). A page past the last answers 404 and is treated as empty.
- Example credit lines: weic2622c (Cat's Head Nebula) "NASA, ESA, CSA, STScI. Image Processing: J. Depasquale (STScI)"; heic1907a "NASA, ESA, and STScI".

GIBS polar views, checked Nov 9, 2026

- `epsg3413` (Arctic, 303 layers) and `epsg3031` (Antarctic, 263 layers). Tile grid: 512 px tiles from (−4,194,304 m, 4,194,304 m), 8,192 m a pixel at level 0, halving each level; deepest level `250m` 5, `500m` 4, `1km` 3. Map projections: polar stereographic, EPSG:3413 `+lat_ts=70 +lon_0=-45`, EPSG:3031 `+lat_ts=-71 +lon_0=0`.
- Of the eight layers: true colour (`250m`), night lights (`1km`), snow (`500m`) and clouds (`1km`, newest day a day behind) exist in both; fires (`MODIS_Combined_Thermal_Anomalies_All`, vector tiles) only in the Arctic view; sea ice comes from `MODIS_Terra_Sea_Ice` (`1km`, daily, from 2000) because the MUR sea-ice layer is world view only; sea temperature and smoke and dust are world view only. Test tiles for each answered 200 with CORS allowed.
- Blue Marble (`BlueMarble_NextGeneration`, `BlueMarble_ShadedRelief_Bathymetry`) is listed in both polar layer lists, unlike the world list.
- Checked with live imagery Nov 9, 2026: on Nov 8 the true-colour picture has a black area over the North Pole (polar night; MODIS is a camera); on Aug 15 the Arctic is covered. `MODIS_Terra_Sea_Ice` is a classification layer whose only coloured class is sea ice (rgb 255, 100, 100; colour map `MODIS_L2_Sea_Ice.xml`). GIBS's microwave sea-ice layers, which work in the dark, end in Aug 2021 (`SSMIS_Sea_Ice_Concentration`) and Sep 2025 (`AMSRU2_Sea_Ice_Concentration_12km`).
- OpenLayers note: `source.refresh()` did not fetch new tiles after the date changed; `setTileUrlFunction(fn, key)` with a new key does.

Place-name services not used

Natural features (Natural Earth), checked Nov 9, 2026

- Natural Earth 1:10m (naturalearthdata.com, **public domain**), GeoJSON files from the `nvkelso/natural-earth-vector` repository on GitHub: `ne_10m_lakes`, `ne_10m_rivers_lake_centerlines`, `ne_10m_geography_regions_points`, `ne_10m_geography_regions_elevation_points`, `ne_10m_geography_regions_polys`, `ne_10m_geography_marine_polys`.
- `image-explorer/data/features.json` (`tools/build_features.py`): 3,978 named features (1,063 rivers, 627 mountains with their heights, 453 lakes, 405 islands, 219 reservoirs, 214 mountain ranges,

158 island groups, 71 seas, 61 gulfs, 60 bays, 58 deserts and others), each with a label point, an importance (Natural Earth's `scalerank`) and, for areas and rivers, a bounding box so the map can show all of it. About 250 KB.

- Natural Earth gives some lakes a short English name ("Superior", "Nyanza" for Lake Victoria); the build uses the full local name when it starts with "Lake" or contains the short name.
- Small features (Lake Louise in Alberta, the Bow River) are below Natural Earth's 1:10m scale and are not included.

Place-name services not used

- **OpenStreetMap's Nominatim service** forbids search-as-you-type and allows at most 1 request a second (usage policy, checked Nov 9, 2026), so the place list is a file in the repository instead.

Using NASA material

- NASA data and imagery are generally free to use and not under copyright in the United States, but NASA's insignia (the "meatball" logo) and logotype **may not be used** without permission. These projects use their own emblem.
- Pages say "Data courtesy of NASA" (and ESA where its data is used) and that the project isn't endorsed by NASA or ESA.

ESA (the European Space Agency)

Decided Nov 9, 2026: ESA's data is added alongside NASA's where it helps. Each ESA source gets its own entry here (address, key if any, limits, terms and the exact credit line), checked against ESA's current documentation before anything is built on it. ESA sources in use: the ESA/Webb and ESA/Hubble picture archives (Image Explorer, entry above) and the NEO Coordination Centre's risk lists and close approaches (Asteroid Tracker, entry below).

Using ESA material, checked Nov 9, 2026

- **CC BY-SA 3.0 IGO:** where ESA expressly says so, its images, videos and other works are released under the Creative Commons Attribution-ShareAlike 3.0 IGO licence (esa.int › Services › CC BY-SA 3.0 IGO licence). They may be reproduced, shared and adapted without asking, provided the source is credited in ESA's form (for example "Credit: ESA/Rosetta/NavCam – CC BY-SA IGO 3.0", "ESA/DLR/FU Berlin, CC BY-SA 3.0 IGO"), the licence text is linked, changes are marked, and adaptations are shared under the same licence. Nothing may suggest that ESA endorses them.
- **Other ESA material:** ESA's website terms allow educational, editorial and informational use with ESA's credit (for example "©ESA", "ESA/NASA - SOHO/LASCO"); material credited to someone else needs that holder's terms (esa.int › ESA Multimedia › Terms and conditions).
- **ESA's logo** is ESA's property, protected under the Paris Convention; any use needs ESA's prior written permission, so it is never used. These projects use their own emblem.
- **ESA/Webb and ESA/Hubble** (esawebb.org, esahubble.org) publish their own picture terms (CC BY 4.0 for most images, with their own credit lines); check each archive's terms before using it.

ESA NEO Coordination Centre (NEOCC): risk lists and close approaches, checked Nov 9, 2026

Used by the Asteroid Tracker (Impact risk tab, the asteroid page, the week's details and the map's "On a risk list" filter), next to NASA's figures, never in place of them. Checked against ESA's "Automated data access" page (`https://neo.ssa.esa.int/computer-access`) and live answers from GitHub's servers.

- **Address:** `https://neo.ssa.esa.int/PSDB-portlet/download?file=<name>`; no key, no account, free.
  - `esa_risk_list`: every object with a non-zero impact chance (Nov 9, 2026: 2,209 objects).
  - `esa_special_risk_list`: objects monitored separately because their impact dates are beyond the usual window (Nov 9, 2026: 101955 Bennu and 29075 (1950 DA)).
  - `esa_recent_close_app` and `esa_upcoming_close_app`: close approaches to Earth within 0.05 au over the past 30 days and the coming year (Nov 9, 2026: 364 together).
- **Format:** plain text. A `Last Update: YYYY-MM-DD HH:MM UTC` line, two heading lines, a format line starting `AAAA`, then one row per object with `|` between columns. The risk list gives designation and name, diameter (m, * when estimated), the most likely impact (date and time, IP max, PS max, TS), speed (km/s), the years of possible impacts, IP cum and PS cum. The close-approach lists give the date only (no time), the miss distance in km, au and LD, diameter, H, brightest magnitude, speed and ESA's CAI index.
- **Designations** have no space: `2008JL3` is "2008 JL3"; survey designations such as `6344PL` are "6344 P-L"; a numbered object is given by its number.
- **Status:** ESA describes this access as experimental and liable to change without notice. The job checks each table's headings and, if they change, keeps the previous file and stops with an error instead of writing wrong figures; the NASA part still runs.
- **Update times:** the risk lists change after each orbit update (the Nov 9, 2026 list was stamped 18:48 UTC); the job reads them twice a day (06:17 and 14:47 UTC).
- **CORS:** no `Access-Control-Allow-Origin` header (recorded in `risk.json`, `cors`), so visitors' browsers never contact ESA; pages read `asteroid-tracker/data/risk.json` and `asteroid-tracker/data/esa_close.json`. No change to the Privacy page is needed.
- **Terms:** the NEOCC portal has no licence of its own and refers to ESA's general terms: educational and informational use is allowed with ESA's credit. No ESA logo is used, and pages say the project isn't endorsed by NASA or ESA.
- **Credit line, shown wherever the figures appear:** "ESA NEO Coordination Centre (©ESA)", with the list's date. If ESA asks for a different form, it is changed in `index.html`, `object.html`, `map.html`, `risk.js`, `object.js`, `app.js`, `CREDITS.md` and the Credits page. Contact for questions: the NEOCC (`neocc@esa.int`).

PART 9

Design Language

The navy, brass and cream look every page follows.

Design guide — "old money", under a night sky

Source: `docs/DESIGN.md` · *last changed 2026-11-09*

NASA and ESA Data Projects share the look of the developer's other projects (the Flight Deck Suite and Hot Mic): navy, brass and cream, serif type and thin brass rules; calm and precise, like a well-kept paper logbook. The one addition is a quiet night sky: a faint field of brass and cream stars behind the home page.

The values live in `shared/theme.css`. When in doubt, copy an existing component rather than inventing a new one.

1. Principles

1. **Calm and readable at a glance.** Big numbers, small labels, short notes. No paragraph where a number will do.
2. **Numbers people can picture.** "3.2 Moon distances", "as wide as two football fields", next to the exact value.
3. **Brass is for meaning, not decoration.** Labels, rules, the main button, selected states, the first chart series.
4. **Plain English.** Explain every science word the first time it appears (sol, Ls, LD), behind an ☒ where possible.
5. **Honest data.** Estimates look like estimates (ranges, "about"), gaps in the data stay visible, and every chart says where its numbers came from.

2. Colour

Role	Token	Value
Background (navy)	`--bg`	`#141B26`
Bars	`--bg2`	`#0F1520`
Card	`--card`	`#1A2333`
Charts, maps, image frames	`--deep`	`#0C1119`
Hairline / stronger border	`--line` / `--line2`	`#2A3446` / `#3A465C`
Brass (labels, accents, main button)	`--brass`	`#C0A062`; bright `#E2C88E`; dim `#7E6A45`
Cream text / secondary / muted	`--ink` / `--ink2` / `--muted`	`#EDE6D3` / `#B4AFA2` / `#98A0AB`
Faint (disabled)	`--faint`	`#5E6775`

Status: good `#8FB996`, problem `#C9675A`, caution `#D1A956`, information `#8AA9C9`.

Page background: navy with a faint brass glow at the top, `radial-gradient(800px 420px at 50% -160px, rgba(192,160,98,.10), transparent 70%), #141B26`.

3. Type

- **Everything is serif:** `Georgia, "Palatino", "Palatino Linotype", "Book Antiqua", serif`.
- **Numbers:** `lining-nums tabular-nums`, so digits line up and don't jump as they change.
- **Code-like text** (IDs, coordinates, URLs): monospace, 12.5px, muted.

Use	Style
Page title	34px (44px on the home page), weight 400
Eyebrow / section label	11px, uppercase, brass, letter-spacing .32–.42em
Tile label	10.5px, uppercase, brass, letter-spacing .26em
Big number	26px
Body	16px/1.5
Note	12.5–13px, italic, muted
Buttons	14px, uppercase, letter-spacing .2em

4. Spacing and shape

- Page gutter 16px; content at most 1440px wide.
- Card padding 22px; gaps of 22px between cards; tiles joined by 1px hairlines.
- Corners: 3px on buttons, chips and fields; 6px on cards, tiles and frames.
- Cards have a dim-brass top rule. No drop shadows.

5. Components

The classes in `shared/theme.css`:

Component	Class	Notes
Top bar	`.topbar`, `.brand`, `.nav`	Sticky, 64px; the open page brass and underlined
Page head	`.phead`, `.eyebrow`, `h1`, `.lede`	A dim-brass rule under it
Section header	`.shead` with `h2` and `.aside`	Brass caps left, italic muted aside right
Card	`.card`	
Tiles (KPIs)	`.tiles` › `.tile` › `.label`, `.value`, `.note`	Label → big number → italic note
Buttons	`.btn`, `.btn.ghost`	Main = brass gradient with navy text; ghost = dim-brass outline
Filter chips	`.chip[aria-pressed]`	36px; the chosen one brass
Fields	`input`, `select`	44px, deep navy, brass border on focus
Status pill	`.pill.good/.bad/.warn/.info`	Caps, coloured outline
Tag	`.tag`	Italic, outlined (for example "Potentially hazardous")
Tabs	`.tabs` (Asteroid Tracker)	Caps, brass underline on the open tab; scroll sideways on narrow screens
How to read this	`details.howto`	Closed by default; brass caps summary with a › that turns
Notice	`.notice`, `.notice.warn`	A bordered box for messages

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Component	Class	Notes
Chart / map / image frame	`.frame`	Deep navy with a hairline
Footer	`.footer`, `.credit`	Site links (added by `shared/footer.js`), data acknowledgements, then the credit
Site links	`.sitelinks`	About · Privacy · Terms · Credits · Contact · Licence (MIT) ↗ · Source code ↗; every page loads `shared/footer.js`
Reading page	`.prose`, `.summary`, `.updated`, `table.credits`	About, Privacy, Terms and Credits: the full content width (decided Nov 9, 2026), a brass-ruled summary, the date of the last update
Back button	`.backlink#back`	"‹ Back to …" above the heading, named for the previous page and using the browser's Back; "‹ Home" when the page was opened directly (wired by `shared/footer.js`)

6. Charts

- **Background** `--deep`, gridlines `--line`, axis text 11px muted serif, axis titles in brass caps.
- **Series colours, in order:** brass `#C0A062`, blue `#8AA9C9`, green `#8FB996`, copper `#C9784A`, lilac `#B79AC8`, amber `#D1A956` (`--s1` to `--s6`). Never more than six; group the rest as "Other".
- **Highlight** with brass-bright `#E2C88E`; everything else dims.
- **Hazard / warning** uses `--red` only for things that are actually flagged (for example NASA's "potentially hazardous" flag), never for decoration.
- **Every chart** has a title, units on its axes, a one-line source note under it (italic, muted), and a tooltip with exact values. Colour is never the only way to tell series apart (labels or shapes too).
- **Estimates** (asteroid diameters) are drawn as a range (a bar from min to max), not one point.
- **Agencies:** every source note names the agency the numbers come from (NASA, NASA/JPL, ESA). There are no agency logos or agency colours; NASA and ESA data share the same series colours.

7. Screen sizes

Everything must look right at 375, 390, 430 (phones; 320 must not break), 768, 1024 (tablets), 1280 and 1440+ (computers). Below 760px the nav collapses and buttons go full width.

8. Accessibility

- Text contrast at least 4.5 : 1 (cream and brass on navy both pass).
- Every control reachable and usable from the keyboard, with a visible focus ring.
- Images have descriptions (NASA's own captions where there are).
- Motion is never needed to understand anything, and stops with "reduce motion".

9. Quality checklist (every change)

1. Look at the page at all the widths above.
2. Check the empty, loading and error states (no results, NASA out of reach, the demo key used up).
3. No console errors.
4. Rows of tiles have equal heights; spacing is even.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 10

Decisions and Working Rules

Working rules

How every change to the projects is made, as agreed with the developer (from the repository's CLAUDE.md).

- When the developer asks a question ("why…", "what do you think?"), answer it only. Build or change nothing until he explicitly says go.
- **After every change that's finished and checked,** commit and push it to `main` with a short plain-English commit message, and update `docs/ROADMAP.md` (remove what's done), `CHANGELOG.md` and, for milestones, `docs/HISTORY.md`.
- **Public repository: no secrets, ever.** No API key, password or token in any file. Web pages use `shared/nasa.js` (the visitor's key in their browser, `DEMO_KEY` otherwise); Python reads `NASA_API_KEY` from `.env` (ignored by Git).
- **Public-ready by default:** no personal details in code, docs or tests (no PC or user names, personal paths, callsigns or family details); use generic wording and made-up test data. **Exception: always keep "Malcolm Syme" and mcsyme11@gmail.com as the developer, copyright and contact credit.**
- **Look:** the Flight Deck Suite's "old money" look (navy, brass, cream, serif type), as set out in `docs/DESIGN.md` and `shared/theme.css`. New pages and big visual changes start as mock-ups the developer approves.
- **Free to run:** static pages on GitHub Pages and free NASA APIs; no paid services.
- **Site pages (since Nov 9, 2026):** every page loads `shared/footer.js` (the links to About, Privacy, Terms, Credits, Contact, the licence and the source code). A new data source or library is added to `CREDITS.md` and the Credits page (`credits/index.html`) in the same change; anything new the site stores or sends is added to the Privacy page first.
- **Version tags on shared files (since Nov 9, 2026):** pages link `shared/theme.css` and `shared/footer.js` with a version tag (`?v=YYYYMMDDNN`). After changing either file, raise the tag in every page (one search-and-replace), so browsers fetch the new copy instead of an old saved one.
- **ESA data (decided Nov 9, 2026):** ESA's data is added alongside NASA's where it helps; NASA stays the main source, and pages say which agency each number or picture comes from. For every ESA source:
  - check it against ESA's current documentation before building on it (address, format, limits, terms, credit), and record it in `docs/DATA-SOURCES.md` (ESA section) with its exact credit line;
  - show ESA's credit wherever its data or pictures appear, in ESA's own form (for example "ESA/DLR/FU Berlin, CC BY-SA 3.0 IGO", with a link to the licence where one applies), and add the source to `CREDITS.md` and the Credits page in the same change;
  - use only material ESA allows: works released under CC BY-SA 3.0 IGO, or ESA's terms for educational and informational use; never ESA's logo (it needs ESA's written permission);
  - keep it free to run: no paid ESA services; a free account or key follows the same no-secrets rule as NASA's;
  - if visitors' browsers contact an ESA service directly, add it to the Privacy page first.

- **Respect NASA's and ESA's terms:** show "Data courtesy of NASA" (and ESA where its data is used) and that the project isn't endorsed by NASA or ESA; show the GIBS acknowledgement wherever GIBS imagery appears; never use NASA's insignia or logotype, or ESA's logo.
- **Check facts about the data:** confirm endpoints, fields and limits against NASA's current documentation before building on them, and record anything new in `docs/DATA-SOURCES.md`.
- Quality bar: correct, professional, tested. Check every page at the widths in DESIGN.md, and its empty, loading and error states (no results, NASA out of reach, the demo key used up).
- Keep every pending to-do in `docs/ROADMAP.md`; the developer tests at his own pace.
- Explain things with examples and clear, concise, correct notes. When teaching a method, give a clear set of rules saying which formula or step to use in which situation.

Project Record (since Nov 11, 2026)

`docs/NASA and ESA Data Projects - Project Record.pdf` is the whole project as one PDF, built from the repository by `docs/record/` (see its README). **GitHub rebuilds it automatically** (`.github/workflows/project-record.yml`) after every push to main and commits it as "Project Record rebuilt (automatic)". Pushes that change only data files (`asteroid-tracker/data/`, `image-explorer/data/`, `mars-data/data/`: the daily data updates) don't start a rebuild. So: **never build or commit the PDF yourself** (two builds at once clash). Pull and rebase before every push, since the automatic commit lands on main. After pushing, check a few minutes later that the automatic commit arrived (`git fetch` and `git log -1 origin/main`); only if the run failed, fix the cause. **Everything goes in:** every Markdown or text document in the repository is in the record; one not yet listed in `PARTS` (`docs/record/build_record.js`) lands in a "Newly added documents" Part by itself. When you add a document, add it to its proper Part in `PARTS` in the same change. Keep "Where things stand" in `docs/record/front.md` current.

Protected main branch (since Nov 10, 2026)

`main` has a ruleset that blocks force pushes and its deletion. Pull and rebase before pushing; never force-push. To undo a change, make a new commit (`git revert <commit>`).

Writing style

Rule (decided Nov 8, 2026): all documentation is written in a professional tone, as project documentation, never in the tone of an AI assistant talking to a person. No greetings, no "I'll", "we'll", "let's", "happy to", "great question" or exclamation marks; no addressing the developer; no narrating what a chat did. State facts, decisions, steps and limits plainly.

Documents, commit messages and code comments are neutral, professional project documentation, not conversation: "the developer" for Malcolm Syme (his full name and email stay in every credit line), "the user" or "you" in text for people using the pages. Record decisions as dated facts ("Decided Nov 8, 2026: ..."), and describe work by what was done, not by who in a chat did it. `python3 dev/check_wording.py` checks this, and GitHub runs it after every push.

Project notes and decisions

Source: `docs/PROJECT-NOTES.md` · *last changed 2026-11-11*

How NASA and ESA Data Projects is built, the decisions made so far, and how to run and publish it.

Decisions

- **Decided Nov 11, 2026:** the project has a **Project Record**, `docs/NASA and ESA Data Projects - Project Record.pdf`: the whole project as one PDF (front matter, roadmap, history, change log, each project, data sources, design, decisions and working rules, the site's pages, licence and credits, repository history, glossary), built from the repository by `docs/record/` in the same way as the Flight Deck Suite's and Hot Mic's. GitHub rebuilds it after every push to main and commits it; chats never build it themselves. Pushes that change only data files (the daily data updates, in the `data/` folders) don't start a rebuild, since none of those files are in the record; the Repository History counts them instead of listing them. The record is public, like the repository; its build stops if a personal detail would end up in it.
- **Decided Nov 11, 2026 (Mars Data):** the whole Curiosity record (sol 1 to the newest released sol) is used from the start, not a single Mars year. It is downloaded and cleaned in chunks (a range of sols at a time), each chunk checked and its cleaning results recorded before the next is processed: rows kept and removed, the reason for each removal, and the gaps found. Cleaning is done slowly and carefully; correctness comes before speed.
- **Decided Nov 11, 2026 (whole site):** the projects are numbered in build order: Project 1 Asteroid Tracker, Project 2 Image Explorer, Project 3 Mars Data (Mars was previously labelled Project 2). The home page lists them in that order.
- **Decided Nov 11, 2026 (Mars Data):** the project follows a fixed set of three missions and updates itself as new data is published: NASA's Curiosity (REMS, Gale Crater) and Perseverance (MEDA, Jezero Crater), and ESA's Mars Express (MaRS temperature and pressure profiles, CC BY-NC 3.0 IGO). InSight is not followed (the mission ended in 2022). Mission data reaches the public archives in batches, months after it is measured, so "up to date" means each new batch is picked up soon after release, not live readings. A GitHub Actions job checks the archives twice a week to start (weekly once stable), downloads only new or replaced files, processes them with the same code as the rest, and commits the summaries only if every check passes; otherwise the previous summaries stay. New data and failed runs open a GitHub issue, which reaches the developer by email. Raw downloads are never committed.
- **Decided Nov 10, 2026:** the repository stays a single public repository (no separate private copy: only the developer and the chats he works with can push; others can only fork, comment or propose changes, which need his approval). `main` is protected by a branch ruleset, "Protect main": deletion of `main` and force pushes to it are blocked; ordinary pushes from the chats and the daily data jobs are unaffected. History on `main` is therefore never rewritten: a mistake is undone with a new commit (`git revert`), not by force-pushing over it.
- **Decided Nov 9, 2026:** ESA (the European Space Agency) data is added **alongside** NASA's across the projects; NASA stays the main source, and ESA is added where it helps. Each project's chat changes its own project; the project-wide files (name, CLAUDE.md, credits, terms, footers) are changed in the general chat. The rules for ESA sources are in CLAUDE.md: check against ESA's documentation first, record in DATA-SOURCES, show ESA's credit wherever its data appears, list it in CREDITS.md and on the Credits page, never use ESA's logo, keep it free, and add any ESA service the browser contacts to the Privacy page first. Every page says the project isn't endorsed by NASA or ESA.
- **Decided Nov 9, 2026:** the project is renamed **NASA and ESA Data Projects**, and the repository **mcsyme11-byte/NASA-ESA-Data-and-API-Projects** (formerly NASA-Data-and-API-Projects). The site moved with it to https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/ (GitHub does not redirect the old site address; it redirects the old repository address for links and Git). Saved browser data keeps its old `nasa-data-projects.` names, so visitors' keys and places are not lost.
- **Decided Nov 9, 2026:** the site has information pages (About, Privacy, Terms of use, Credits, Contact) at `about/`, `privacy/`, `terms/`, `credits/` and `contact/`, linked from a row of site links in every footer (`shared/footer.js`, one file for every page). The footer also links to the licence and the source code on GitHub. The Privacy page states what the site actually does (nothing collected; the API key in local

storage; the place in a page in session storage; GitHub Pages and NASA's and ESA's services contacted directly; the code libraries are served from the site itself since Nov 10, 2026) and is updated before the site stores or sends anything new.

- **Decided Nov 9, 2026:** the project's own code and documents are released under the **MIT License** (replacing "all rights reserved"); third-party data and libraries keep their own terms, listed in `CREDITS.md`. A new data source or library is added to `CREDITS.md` (and the site's Credits page) in the same change.
- **Decided Nov 8, 2026:** three projects in one repository, each in its own folder (a "stream"): `asteroid-tracker/`, `mars-data/`, `image-explorer/`. Shared code and the look live in `shared/`.
- **Decided Nov 8, 2026:** the repository is **public**, so the pages can be hosted free on GitHub Pages and shown as a portfolio. Rule that follows: no API key, password or personal detail is ever committed.
- **Decided Nov 8, 2026:** the look follows the Flight Deck Suite and Hot Mic ("old money": navy, brass, cream, serif type), see DESIGN.md.
- **Suggested order (Nov 8, 2026):** Asteroid Tracker, then Image Explorer, then Mars Data.
- **Each project is built in its own chat** inside the Claude project "NASA and ESA Data Projects"; a general chat is for questions and exploring.
- **Decided Nov 8, 2026 (Asteroid Tracker):** charts are hand-drawn SVG (no library), the "This year" view (JPL close-approach data) is part of version 1, and the page was built from an approved mock-up.
- **Decided Nov 8, 2026 (Asteroid Tracker):** the JPL close-approach API blocks calls from web pages, so GitHub Actions fetches the year's data once a day and commits `asteroid-tracker/data/close-approaches.json` when it has changed (one automatic commit a day at most, "Asteroid data: daily close-approach update").
- **Decided Nov 8, 2026 (Asteroid Tracker):** after version 1, three additions: a page for each asteroid (every approach, from `neo/{id}`), past years in the year view (2000 to next year) and an orbit diagram, with the orbit diagram to be done with particular care. The developer allowed building these without separate mock-ups.
- **Decided Nov 8, 2026 (Asteroid Tracker):** a solar system map on its own page (`map.html`) with every near-Earth object, the planets and spacecraft; a live preview of it on the home page; a Search tab. Mock-ups approved Nov 8.
- **Decided Nov 9, 2026 (Asteroid Tracker):** a guide to how asteroids are named, with each code decoded on the pages; "Found by the end of" (a discovery timeline) and "Close to Earth in" (a year) on the map; "Found in" in search; comets kept on the map as their own type. Built without a separate mock-up, at the developer's request.
- **Map performance (Nov 9, 2026):** positions are worked out only when the date changes, in typed arrays, starting each object from its previous frame's solution; dots are written straight into a pixel buffer at most 1.5× the screen's resolution; nothing is redrawn unless something changed. Measured with all 43,186 objects: dragging at 60 frames a second on every screen tested; playing at 60 on standard and phone screens and 50–55 on 2× desktop and tablet screens, on a test machine without a graphics processor.
- **Map performance (Nov 9, 2026):** the Kepler solving moved to a background thread (`orbitworker.js`, sharing `kepler.js` with the page, which falls back to solving itself if a worker cannot start); lines are cut to the visible area before drawing. Measured: playing at a median of 60 frames a second at every width, zoomed in or out.
- **Decided Nov 9, 2026 (Asteroid Tracker):** spacecraft paths are smooth curves through every sample; Parker Solar Probe and Juno show only their last year unless selected, because their repeated loops piled up into a tangle.

- **Decided Nov 9, 2026 (Asteroid Tracker):** famous close passes are placed from Horizons positions (`data/famous.json`), not two-body orbits, because Earth's pull bends the path during a close pass. Five passes: Apophis 2029, Duende 2013, 2020 QG, 2019 OK and 2024 YR4 (2032).
- **Decided Nov 9, 2026 (Asteroid Tracker):** "‹ Back" uses the browser's own Back when the previous page is part of the site; the tracker and the map keep their place in the browser tab (`back.js`), and NASA's answers are kept for an hour in the tab (`shared/nasa.js`), so returning costs no requests.
- **Decided Nov 8, 2026 (Asteroid Tracker):** the orbit diagram computes positions itself (two-body Kepler orbits from NASA's elements; planets from JPL's approximate elements), so it works offline from the one NeoWs answer. Its limits are shown on the page; NASA's official close-approach figures are shown beside it.
- **Decided Nov 9, 2026 (Image Explorer):** one page with two tabs, "Earth map" and "Picture library". The map uses OpenLayers in the `epsg4326` projection (the fire layers work only there; see DATA-SOURCES.md), with Arctic and Antarctic views. Eight layers to start: true colour, night lights and sea temperature as the picture underneath; fires, snow, clouds, smoke and dust, and sea ice on top (fires with anything, the coloured layers one at a time). A date picker, a day-by-day slider and Play. Place search with suggestions after every letter (names and coordinates); tapping the map offers NASA's pictures of that place. The picture library is images first, with videos available as a filter. A mock-up comes first (`image-explorer/mockup.html`).
- **Decided Nov 9, 2026 (Image Explorer):** after the first mock-up the developer asked for a globe of the Earth that turns and zooms like the Asteroid Tracker's solar system map, with NASA pictures pinned to places on the Earth and to galaxies and nebulae in the sky around it. The daily Earth map stays. The page now has three tabs: **Earth map · Globe · Picture library**. The globe uses three.js (MIT licence) with NASA's Blue Marble, turned to the current sidereal time inside the real sky. Pins on the Earth: NASA EONET events (live) and, later, astronaut photos of Earth. Pins in the sky: all 110 Messier objects and famous Hubble and Webb targets, each opening NASA's pictures of it. Several rounds of mock-ups are expected.
- **Decided Nov 9, 2026 (Image Explorer):** the developer approved the globe mock-up for publishing and asked to see it with all the galaxies. Version 1 went live the same night with about 1,350 sky objects (every Messier object, every named object and every galaxy to magnitude 12) and the constellations, the real place list (GeoNames) and the live picture library. Further rounds of changes are expected.
- **Decided Nov 9, 2026 (Image Explorer):** the developer asked for five additions at once, built the same night: the four hand-listed sky positions checked, playable videos, natural features in place search (Natural Earth), Arctic and Antarctic views (proj4js with OpenLayers), and astronaut photos on the globe (a daily GitHub Actions job, active once the free API key is stored as the secret `EOL_API_KEY`).
- **Decided Nov 9, 2026 (Image Explorer):** the picture library puts pictures taken in space or of space first and moves launches, people, events and artists' illustrations under "Behind the scenes"; results appear as you type from 3 letters; suggestions and corrections allow for small spelling mistakes; mission buttons search several phrasings; a picture naming a sky object links to it on the globe. Whether to add ESA's Webb and Hubble archives is left to the developer.
- **Decided Nov 9, 2026 (Image Explorer):** the developer approved the mock-up of ESA's pictures in the library. Each search also asks ESA/Webb and ESA/Hubble's archives live (their pages allow browsers to read them); results are merged and sorted by the same score (ESA's archive pictures start 2 higher, as telescope science pictures), taking turns between libraries. A tag on each picture names its library; "From" picks NASA, ESA or both. The James Webb and Hubble buttons list ESA's whole archive for that telescope; the other mission buttons ask NASA only. ESA's archives have no videos; the NASA centre filter applies to NASA's pictures; the years apply to ESA's pictures by the year in their ID. An ESA picture's credit line, caption and details are read from its page when it opens.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

- **Decided Nov 9, 2026 (Asteroid Tracker):** ESA's NEO Coordination Centre is added beside NASA's data. A new "Impact risk" tab lists every object on ESA's risk list (including its special risk list) or NASA/JPL's Sentry list, side by side, with the Torino and Palermo scales explained as rules; an asteroid's page and the week's details show ESA's and NASA's impact chances and ESA's close-approach distance; the map gains an "On a risk list" filter and on-screen arrow buttons for panning on phones. Neither centre's server allows calls from web pages, so the data job writes `data/risk.json` and `data/esa_close.json`. NASA stays the main source; every figure says which agency it comes from. The developer waived the mock-up step for this addition ("just do as much as you can").
- **Decided Nov 10, 2026 (Asteroid Tracker):** asteroids on an impact-risk list are drawn in rose on the map, a colour no orbit type uses, at 2 × 2 pixels; diamond outlines are added only when zoomed in, because at full view about 2,500 outlines covered the map. Share links carry the view in plain, readable parameters (`view=1` marks a shared link) and are removed from the address once applied, so Back and reload return to where the user was; nothing is stored or sent, so the Privacy page is unchanged.
- **Decided Nov 9, 2026 (licence position):** ESA's NEOCC portal has no licence of its own and refers to ESA's general terms, which allow educational and informational use with ESA's credit. The figures are shown with the credit "ESA NEO Coordination Centre (©ESA)" and no ESA logo; if a question arises, the NEOCC is asked by email (`neocc@esa.int`).
- **Not possible (Nov 9, 2026):** seeing individual houses. NASA's sharpest free imagery is about 30 m a pixel (Landsat) and the daily layers 250 m; houses need commercial imagery, which is neither NASA's nor free.

How it's built (starting plan; each project's chat confirms it)

Part	Built with	Why
Web pages	Plain HTML, CSS and JavaScript modules, no build step	Free hosting on GitHub Pages; easy to read and learn from
Charts	Hand-drawn SVG, styled to DESIGN.md (Asteroid Tracker); chosen per project	No library to load; matches the look exactly
Globe (Image Explorer)	three.js 0.187 (MIT licence, from a CDN), WebGL	A textured Earth, 5,000 stars and markers drawn smoothly; the markers and names are drawn on a 2D layer above
Maps (Image Explorer)	OpenLayers 10 (BSD licence) and proj4js 2.22 (MIT) from a CDN; `epsg4326`, `epsg3413` (Arctic), `epsg3031` (Antarctic)	Handles GIBS's tile grids, vector fire tiles and polar views; Leaflet does not without add-ons
Mars analysis	Python 3 (pandas, matplotlib) in `mars-data/analysis/`	Cleaning and statistics are easiest in Python; it writes small summary files the web page reads

API keys

- **Web pages:** `shared/nasa.js` keeps the visitor's own key in their browser (localStorage) and uses NASA's `DEMO_KEY` until they add one. A key placed in a public page's code would be visible to anyone, which is why it isn't done.
- **Python:** reads `NASA_API_KEY` from `.env` (copy `.env.example`). `.env` is in `.gitignore`.
- **Check on GitHub:** `dev/check_wording.py` also fails if anything that looks like a NASA key is committed.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Running it locally

```
python3 -m http.server 8000      # from the repository's top folder
```

Then open `http://localhost:8000`. (Opening the HTML files directly doesn't work, because browsers block JavaScript modules on `file://`.)

Publishing (GitHub Pages)

Live since Nov 8, 2026: https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/

One-time setting, done on github.com: the repository's **Settings › Pages › Build and deployment**, Source "Deploy from a branch", Branch **main**, folder **/ (root)**, Save. The site then appears at `https://mcsyme11-byte.github.io/NASA-ESA-Data-and-API-Projects/` a minute or two after each push.

Checks on GitHub

`.github/workflows/checks.yml` runs `dev/check_wording.py` after every push to main:

- no first name on its own (the credit "Malcolm Syme" is fine), no chat narrating its own work;
- no personal paths or user names;
- no NASA API key.

Run it by hand: `python3 dev/check_wording.py`.

`.github/workflows/astronaut-photos.yml` runs once a day (07:41 UTC) and on demand: it fetches the newest astronaut photos of Earth into `image-explorer/data/astronaut.json` if the secret `EOL_API_KEY` is set, and commits the file if it changed.

`.github/workflows/asteroid-data.yml` runs twice a day (06:17 UTC, and 14:47 UTC as a backup) and on demand (Actions › Asteroid data › Run workflow, with "all" to refresh every year): it refreshes the Asteroid Tracker's close-approach files, every near-Earth object's orbit, the spacecraft positions and the coming passes (`soon.json`) from JPL, and commits them if they changed. If other work has been pushed meanwhile, it rebases onto it and retries the push (up to five times).

Decided Nov 9, 2026 (whole site): "‹ Back" buttons (`<a class="backlink" id="back">`) are named and wired by `shared/footer.js` alone. Page code must not add its own click handler to them, or one press goes back two pages; the Asteroid Tracker's `back.js` only un-hides the map's button.

Decided Nov 9, 2026 (Asteroid Tracker): the map pans (right, middle or Shift drag, two fingers, or the ✥ button), and the wheel and a pinch zoom towards the pointer; a plain drag still turns the view.

Decided Nov 9, 2026 (Asteroid Tracker): the orbit diagram marks a close approach at both bodies' positions at that moment, and Play stops there; its normal speed is 5 days a second (60 was too fast to follow).

Decided Nov 9, 2026 (Asteroid Tracker): a backup daily run, after GitHub did not start the 06:17 run that day. The size comparisons (`compare.js`) replace the earlier "school buses / football fields" phrase everywhere, with one rule set; the famous passes take their times and distances from NASA/JPL close-approach data in `famous.json` rather than figures typed into the page; Chelyabinsk (2013) is not a famous pass, because no orbit exists for it (it was not seen before it entered the atmosphere).

Writing style

Decided Nov 8, 2026: all documentation is written in a professional tone, as project documentation, never in the tone of an AI assistant talking to a person (no greetings, first-person phrases, sign-offs or exclamation

marks; no addressing the developer; no narrating what a chat did). `dev/check_wording.py` checks for the common phrases.

Documents, commit messages and code comments are neutral, professional project documentation. The developer is "the developer" (his name and email stay in every credit line); people using the pages are "the user" or "you" in user-facing text. Decisions are recorded as dated facts ("Decided Nov 8, 2026: ...").

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 11

The Site's Pages

The About, Privacy, Terms of use, Credits and Contact pages, as they appear on the site.

About

NASA and ESA Data Projects is a free website for learning about space and Earth with real data, straight from NASA and ESA (the European Space Agency). It turns their open data and APIs into things you can explore: tables, maps, charts, a globe and pictures.

The projects

- **Asteroid Tracker** (live): the near-Earth objects passing Earth this week and every year since 2000, a page and orbit diagram for each, a search, and a map of all of them with the planets and spacecraft, with impact-risk lists from both NASA/JPL and ESA side by side. Distances are also given in Moon distances, so they are easy to picture.
- **Image Explorer** (live): the whole Earth from orbit, day by day, from NASA's satellite imagery; a globe with natural events, astronaut photos and the sky; and the picture libraries of NASA and of ESA/Webb and ESA/Hubble, searchable by subject, mission and date.
- **Mars Data** (planned): weather measured on the surface of Mars, cleaned and organised by time and place, with statistics and charts that show the patterns of a Martian year.

How it works

- **Real data.** The numbers and pictures come from NASA and NASA/JPL services, with ESA's data added where it helps, either live as the page loads or from data files refreshed automatically every day. Every page says where its data comes from.
- **Runs in your browser.** There is no account and nothing to install. The site is plain HTML, CSS and JavaScript, hosted on GitHub Pages.
- **Open to learn from.** All of the code is public on GitHub under the MIT License, so anyone can read how it works and build on it.

Who made it

NASA and ESA Data Projects is designed and created by **Malcolm Syme**, and built with Claude. It is an independent project and is not endorsed by NASA or ESA.

More

- Credits: every data source and library the site uses.
- Source code on GitHub and the MIT License.
- Contact: questions, ideas and bug reports.

Privacy

Last updated November 9, 2026

NASA and ESA Data Projects collects nothing about you. There are no accounts, no cookies, no analytics, no advertising and no tracking. Nothing you do on the site is sent to the developer.

What is kept in your browser

A few things are saved in your own browser, on your own device, to make the site work. They are never sent to the developer.

- **Your NASA API key,** if you add one in the Asteroid Tracker's Key settings. It is kept in your browser's local storage and sent only to NASA (api.nasa.gov) with each request. It stays until you remove it there or clear your browser's data. Without one, the site uses NASA's shared demo key.
- **Where you were,** such as the open tab, your filters and your scroll position, so the "Back" buttons return you to the same place. This is kept in your browser's session storage and is deleted when you close the tab.

Services your browser contacts

The pages load data and code straight from the services below. Like any website, each one receives the basic technical information every browser sends (your IP address, browser type and the address requested), under its own privacy policy.

- **GitHub Pages,** which hosts the site. GitHub logs each visitor's IP address for security (GitHub Pages data collection, GitHub Privacy Statement).
- **NASA and NASA/JPL services** that supply the data and imagery: api.nasa.gov, GIBS, the NASA Image and Video Library, EONET and JPL's Solar System Dynamics (NASA Web Privacy Policy).
- **ESA/Webb and ESA/Hubble** (esawebb.org, esahubble.org and their picture servers cdn.esawebb.org and cdn.esahubble.org): the Image Explorer's Picture library and globe search their picture archives and show their pictures, under those sites' own privacy policies (ESA/Hubble privacy policy; ESA/Webb's is linked from its site).

Links to other sites

Some pages link to NASA, ESA (including its NEO Coordination Centre), the Minor Planet Center and other sites. Those sites have their own privacy policies.

Changes

If the site ever starts storing or sharing anything new, this page is updated first, with a new date at the top.

Contact

Questions about privacy: mcsyme11@gmail.com.

Terms of use

Last updated November 9, 2026

NASA and ESA Data Projects is free and educational. It is offered as it is, without any guarantee, and it is not a source for safety decisions. By using the site, you agree to these terms.

Using the site

The site is free to use for learning, teaching and personal interest. Please use it fairly: it reads data from NASA's public services, so automated or heavy use should go to NASA's APIs directly, with your own key.

Not for safety decisions

The data comes from NASA, NASA/JPL and ESA, but it can be estimated, delayed, simplified or wrong, and the site can make mistakes in showing it. Asteroid sizes, for example, are often estimated from brightness. Nothing on the site is an official warning or forecast. For official information about asteroid close approaches and impact risk, see NASA/JPL's Center for Near Earth Object Studies.

NASA and ESA

This is an independent project. It is not run by, connected with or endorsed by NASA or ESA (the European Space Agency), and it does not use NASA's insignia or logotype or ESA's logo. NASA material is generally not under copyright in the United States, but some pictures in the NASA Image and Video Library include work by others and carry their own credit or rights. Check an item's credit before reusing it, and see NASA's media usage guidelines.

ESA material is shown with ESA's credit. Some ESA images and videos are released under the CC BY-SA 3.0 IGO licence: they may be reused with the same credit, and changed versions must be shared under the same licence. Other ESA material may be used for educational and informational purposes; see ESA's terms and conditions. Pictures from ESA/Webb and ESA/Hubble are released under CC BY 4.0, each with its own credit line, which is shown with the picture and must be kept when reusing it.

Your NASA API key

A key you add is yours, and its use is covered by NASA's terms at api.nasa.gov. It is kept only in your browser (see Privacy).

The code and other material

The site's own code and documents are released under the MIT License. Data, imagery and code libraries from others keep their own terms, listed on the Credits page.

No warranty

The site is provided "as is", without warranty of any kind. To the extent the law allows, the developer is not responsible for any loss or damage arising from using the site or relying on its information.

Availability

The site depends on NASA's and ESA's services and on GitHub. Parts of it may change, stop working for a while or be removed, without notice.

Changes

These terms may be updated. The date at the top shows the latest version.

Contact

Questions about these terms: mcsyme11@gmail.com.

Credits

Last updated November 9, 2026

NASA and ESA Data Projects is created by **Malcolm Syme**. It is built on the work of NASA, NASA/JPL, ESA (the European Space Agency) and the people and projects below. Each keeps its own terms.

Data and imagery

Source	Used for	Terms
NASA NeoWs (api.nasa.gov)	Asteroid Tracker: close approaches, sizes, the hazard flag	NASA data
NASA/JPL Solar System Dynamics: Close-Approach Data, Small-Body Database, Horizons, approximate planetary elements, Sentry	Asteroid Tracker: approaches, orbits, spacecraft and planet positions, NASA's impact-risk list	NASA/JPL data
NASA GIBS (Global Imagery Browse Services), including Blue Marble	Image Explorer: the Earth map, polar views, the globe's surface	NASA imagery; acknowledgement below
NASA Image and Video Library	Image Explorer: pictures and videos	NASA material; some items carry their own credit, shown with each item
NASA EONET (Earth Observatory Natural Event Tracker)	Image Explorer: natural events on the globe	NASA data
Gateway to Astronaut Photography of Earth, Earth Science and Remote Sensing Unit, NASA Johnson Space Center (eol.jsc.nasa.gov)	Image Explorer: astronaut photos	NASA material
d3-celestial, © 2015 Olaf Frohn	Image Explorer: stars, galaxies, nebulae, clusters, constellations	BSD 3-Clause (licence)
GeoNames (geonames.org), through the all-the-cities package (MIT) and GeoNames' own downloads	Image Explorer: place search (towns, cities, capitals; smaller natural features with an English Wikipedia article)	CC BY 4.0
Natural Earth (naturalearthdata.com)	Image Explorer: mountains, lakes and rivers	Public domain

We acknowledge the use of imagery provided by services from NASA's Global Imagery Browse Services (GIBS), part of NASA's Earth Science Data and Information System (ESDIS).

ESA (the European Space Agency)

ESA data and imagery are added alongside NASA's where they help. Each ESA source is listed here, with its exact credit line, from the day it appears on the site; ESA's credit is also shown wherever its data or pictures appear. Some ESA material is released under the CC BY-SA 3.0 IGO licence (credit in ESA's own form, for example "ESA/DLR/FU Berlin, CC BY-SA 3.0 IGO"); other ESA material follows ESA's terms and conditions. ESA's logo is not used.

Source	Used for	Terms
ESA NEO Coordination Centre (NEOCC, neo.ssa.esa.int): risk list, special risk list, close approaches	Asteroid Tracker: ESA's impact-risk list beside NASA's, and ESA's close-approach distances	ESA's terms for educational and informational use; credit "ESA NEO Coordination Centre (©ESA)"
ESA/Webb picture and video archives (esawebb.org)	Image Explorer: Picture library and the globe's pictures, beside NASA's	CC BY 4.0 (ESA/Webb terms); each picture's own credit line, shown in full with it, for example "NASA, ESA, CSA, STScI. Image Processing: J. Depasquale (STScI)"; captions credited to ESA/Webb
ESA/Hubble picture and video archives (esahubble.org)	Image Explorer: Picture library and the globe's pictures, beside NASA's	CC BY 4.0 (ESA/Hubble terms); each picture's own credit line, shown in full with it, for example "NASA, ESA, and STScI"; captions credited to ESA/Hubble

Code libraries

Copies are kept in this repository (image-explorer/vendor/), each with its licence file, so the pages load them from this site.

Source	Used for	Terms
OpenLayers 10.11.0	Image Explorer: the Earth map	BSD 2-Clause
proj4js 2.22.0	Image Explorer: polar map projections	MIT
three.js 0.187.0	Image Explorer: the globe	MIT

This project's licence

The site's own code and documents are released under the MIT License: anyone may use, copy and change them, as long as the copyright notice (© 2026 Malcolm Syme) stays with them. The same list of credits is kept in the repository as CREDITS.md.

NASA and ESA

Data courtesy of NASA and ESA. This is an independent project and isn't endorsed by NASA or ESA. NASA's insignia, logotype and seal and ESA's logo are not used.

Contact

Questions about the data, ideas for something new, or something that isn't working? Send a message.

mcsyme11@gmail.com

Write an email

Start with a subject

opens your email app, subject filled in

- Bug report · Something isn't working · Say which page, what you did, and your device and browser.
- The data · A question about a number · An asteroid, a picture, a layer: name it and what looks odd.

- Ideas · Something new to explore · A feature, a dataset, or a way to make it clearer.

Your message goes to the developer's inbox only. The site itself stores nothing (see Privacy).

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 12

Licence and Credits

The project's licence, and every outside data source and library with its terms.

Licence

Source: `LICENSE.md` · *last changed 2026-11-09*

MIT License

Copyright (c) 2026 Malcolm Syme (mcsyme11@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This licence covers the code and documents written for this project. Data, imagery, libraries and other material from third parties (NASA, JPL and ESA data and imagery, the d3-celestial star catalogue, GeoNames place names, Natural Earth, OpenLayers, proj4js, three.js) keep their own terms, listed in CREDITS.md. NASA's and ESA's names, NASA's insignia and logotype and ESA's logo are not covered by this licence, and the project is not endorsed by NASA or ESA.

Credits

Source: `CREDITS.md` · *last changed 2026-11-11*

NASA and ESA Data Projects is created by **Malcolm Syme** (mcsyme11@gmail.com). The project's own code and documents are released under the MIT License. Everything below comes from others and keeps its own terms.

The same list appears on the site's Credits page. When a new data source or library is added, it is added here and there in the same change.

Data and imagery

Source	Used for	Terms
NASA NeoWs (api.nasa.gov)	Asteroid Tracker: close approaches, sizes, the hazard flag	NASA data; generally not under copyright in the United States
NASA/JPL Solar System Dynamics: Close-Approach Data, Small-Body Database, Horizons, approximate planetary elements, Sentry	Asteroid Tracker: approaches, orbits, spacecraft and planet positions, NASA's impact-risk list	NASA/JPL data
NASA GIBS (Global Imagery Browse Services), including Blue Marble	Image Explorer: the Earth map, the polar views, the globe's surface	NASA imagery; acknowledgement required (below)
NASA Image and Video Library	Image Explorer: the picture library	NASA material; some items carry their own credit or rights, shown with each item
NASA EONET (Earth Observatory Natural Event Tracker)	Image Explorer: events on the globe	NASA data
Gateway to Astronaut Photography of Earth, Earth Science and Remote Sensing Unit, NASA Johnson Space Center	Image Explorer: astronaut photos on the globe	NASA material; credit the unit
d3-celestial, © 2015 Olaf Frohn	Image Explorer: stars, galaxies, nebulae, clusters and constellations	BSD 3-Clause, kept as `image-explorer/data/LICENSE-d3-celestial.txt`
GeoNames (geonames.org), through the `all-the-cities` package (MIT) and GeoNames' own downloads	Image Explorer: place search (towns, cities, capitals; smaller natural features with an English Wikipedia article)	GeoNames: Creative Commons Attribution 4.0
Natural Earth (naturalearthdata.com)	Image Explorer: mountains, lakes and rivers in place search	Public domain
NASA Planetary Data System (planned)	Mars Data	NASA data

GIBS acknowledgement (NASA asks every user of GIBS to show it): We acknowledge the use of imagery provided by services from NASA's Global Imagery Browse Services (GIBS), part of NASA's Earth Science Data and Information System (ESDIS).

ESA (the European Space Agency)

Decided Nov 9, 2026: ESA data and imagery are added alongside NASA's where they help. Each ESA source is listed here, with its exact credit line, in the same change that adds it, and ESA's credit is shown wherever its data appears.

Source	Used for	Terms
ESA/Webb picture and video archives (esawebb.org)	Image Explorer: Picture library and the globe's pictures, beside NASA's	CC BY 4.0 (esawebb.org/copyright); each picture's own credit line, shown in full with it, for example "NASA, ESA, CSA, STScI. Image Processing: J. Depasquale (STScI)"; captions credited to ESA/Webb

Source	Used for	Terms
ESA/Hubble picture and video archives (esahubble.org)	Image Explorer: Picture library and the globe's pictures, beside NASA's	CC BY 4.0 (esahubble.org/copyright); each picture's own credit line, shown in full with it, for example "NASA, ESA, and STScI"; captions credited to ESA/Hubble
ESA NEO Coordination Centre (NEOCC, neo.ssa.esa.int): risk list, special risk list, close approaches	Asteroid Tracker: ESA's impact-risk list beside NASA's, and ESA's close-approach distances	ESA's terms for educational and informational use; credit "ESA NEO Coordination Centre (©ESA)"

ESA's terms: some ESA images, videos and other works are released, where expressly stated, under the Creative Commons Attribution-ShareAlike 3.0 IGO licence (CC BY-SA 3.0 IGO): the source is credited in ESA's own form (for example "ESA/DLR/FU Berlin, CC BY-SA 3.0 IGO"), the licence is linked, changes are marked, and changed versions are shared under the same licence. Other material on ESA's website may be used for educational and informational purposes with ESA's credit (ESA's terms and conditions, esa.int). ESA's logo is not used: it needs ESA's written permission.

Code libraries (copies kept in the repository, `image-explorer/vendor/`, each with its licence file)

Library	Version	Used for	Licence
OpenLayers (`ol`)	10.11.0	Image Explorer: the Earth map	BSD 2-Clause
proj4js (`proj4`)	2.22.0	Image Explorer: the polar map projections	MIT
three.js (`three`)	0.187.0	Image Explorer: the globe	MIT

NASA and ESA

Data courtesy of NASA and ESA. This is an independent project and is not endorsed by NASA or ESA. ESA's logo is not used. NASA's insignia ("meatball"), logotype ("worm") and seal are not used.

NASA and ESA Data Projects · Created by **Malcolm Syme** · mcsyme11@gmail.com

PART 13

Repository History

Every change saved to the repository, newest first, except the daily data updates (counted, not listed).

92 changes since the repository was created, the latest on 2026-11-11 (bcb5630). Not listed: 12 daily data updates (asteroid data, astronaut photos and other automatic data refreshes) and the record's own rebuilds.

Date	Commit	Change
2026-11-11	bcb5630	Roadmap: developer testing of the Image Explorer's Nov 10 additions
2026-11-11	099c705	Image Explorer: the map's place card offers pictures from both libraries
2026-11-11	266ff5d	Image Explorer: place search help and credits name the smaller natural features
2026-11-11	8cf596b	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	15b5173	Image Explorer: smaller places ranked by how widely they are named; Antarctica's last
2026-11-11	9aec1e6	Image Explorer: each ESA archive gets at most 12 seconds before results are shown without it
2026-11-11	c918bf6	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	4c00b3f	Project Record: the whole project as one PDF, rebuilt by GitHub after every push except the daily data updates
2026-11-11	230aad9	Image Explorer: ESA's videos in the Picture library; smaller places ranked by Wikipedia languages
2026-11-11	f986b09	Asteroid Tracker: risk-list asteroids in rose on the map, ESA and NASA compared on each asteroid page, share links, orbit diagram tilts all the way round
2026-11-11	1006e93	Image Explorer: smaller natural features rebuilt from GeoNames
2026-11-11	a4577c1	Image Explorer: the smaller-places job checks its list and commits it; place search reads it
2026-11-11	df4a7fe	Image Explorer: smaller places use their English names from GeoNames
2026-11-11	ba3c368	Image Explorer: the globe's finer pictures start sooner, from screen resolution, and cover a wider patch
2026-11-11	312a5a7	Projects numbered in build order (Image Explorer 2, Mars Data 3); Mars Data plan uses the whole Curiosity record, cleaned in chunks
2026-11-11	da229a8	Mars Data: plan for automatic updates from three missions, checked twice a week, with an email notice
2026-11-11	02fa2f1	Image Explorer: sharper globe close up, and day and night shading
2026-11-11	0bc8c7b	Image Explorer: smaller places kept when they have an English Wikipedia article

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Date	Commit	Change
2026-11-11	`0fef496`	Image Explorer: a manual job that builds a list of smaller natural features from GeoNames
2026-11-11	`77f5e5c`	Image Explorer: colour keys drawn in the project's look from GIBS's colour maps
2026-11-11	`794e46b`	Image Explorer: each Earth map layer's days read from GIBS, with the nearest earlier day where a layer has none
2026-11-11	`6749e15`	Image Explorer: OpenLayers, proj4js and three.js served from the site instead of a CDN
2026-11-10	`ce4f203`	Main branch protected: force pushes and deletion blocked; changes are undone with git revert
2026-11-10	`b5bdd9f`	Asteroid Tracker map: tilt turns all the way round, including the view from underneath
2026-11-09	`b97daac`	Image Explorer: the searching message names the libraries being asked
2026-11-09	`0a83c9b`	README: link to the live site, projects' status, NASA and ESA sources, the GitHub workflows
2026-11-09	`15e74a3`	ESA check: Privacy, Terms, About, home page, README and CLAUDE.md cover the ESA sources now on the site
2026-11-09	`8cd7c9a`	Image Explorer: ESA's Webb and Hubble pictures beside NASA's in the Picture library and on the globe, with each picture's ESA credit line
2026-11-09	`849dd28`	Asteroid Tracker: ESA's impact-risk list and close approaches beside NASA's, and arrow buttons for panning the map
2026-11-09	`a0324cf`	Asteroid data job: impact-risk file keeps only finite numbers (a speed given as nan made it invalid JSON)
2026-11-09	`f6a535e`	Asteroid data job: ESA's special risk list (Bennu, 1950 DA) included
2026-11-09	`da5dbd3`	Asteroid data job: impact-risk lists from ESA NEOCC and NASA/JPL Sentry, and ESA's close approaches; runs when its scripts change
2026-11-09	`8b3517a`	Image Explorer: ESA picture archives checked and recorded; mock-up of ESA pictures in the library
2026-11-09	`bb1dada`	ESA alongside NASA: rules for ESA sources, ESA credits and terms, and 'not endorsed by NASA or ESA' on every page
2026-11-09	`cb24d31`	Renamed NASA and ESA Data Projects: the new name and repository address on every page and document
2026-11-09	`df7608d`	Asteroid Tracker: pan the map (right, middle or Shift drag, two fingers, or the pan button); zoom towards the pointer; Back buttons go back one page
2026-11-09	`5f8f8ad`	Asteroid Tracker: orbit diagram marks where Earth and the asteroid meet at the close approach; Play stops there; slower speeds; famous passes can be turned off
2026-11-09	`029939c`	Version tags on the shared style sheet and footer script, so updates reach browsers at once
2026-11-09	`d0daf01`	Site pages: full-width text and a Back button on every information page
2026-11-09	`d631b13`	Home page: the coming pass's time says "your time" instead of a zone code

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Date	Commit	Change
2026-11-09	14365d0	Asteroid Tracker: closest pass of the week on the home page, size comparisons, three more famous passes
2026-11-09	f8785aa	Site pages: About, Privacy, Terms, Credits and Contact, with site links in every footer
2026-11-09	87fbd89	Asteroid data job: soon.json, the close passes of the next 15 days with page ids, for the home page
2026-11-09	9a3405b	Image Explorer: space pictures first, results and spelling suggestions as you type, viewer fix
2026-11-09	b9d413d	MIT License for the project's own code and documents; CREDITS.md lists every outside source and library
2026-11-09	cda487b	Asteroid data job: three more famous passes with NASA's close-approach figures; backup daily time; push retries
2026-11-09	91cc964	Image Explorer: date changes reload every picture on the map; polar sea ice key and polar-night note
2026-11-09	b460445	Asteroid Tracker: data check recorded; Parker path confirmed smooth with the new data
2026-11-09	1aab454	Image Explorer: Arctic and Antarctic views, mountains and lakes in place search, playable videos, astronaut photos on the globe (daily job), two sky positions corrected
2026-11-09	cfdee6e	Image Explorer version 1: live page with the Earth map, the globe (about 1,350 galaxies, nebulae and clusters, constellations) and the picture library
2026-11-09	c72e05f	Asteroid Tracker: smooth spacecraft paths; Parker and Juno show their last year unless selected
2026-11-09	957e46b	Image Explorer: globe works on phones; globe sources, decisions and to-dos recorded
2026-11-09	d026971	Image Explorer mock-up: the globe opens facing Sagittarius, beside the Earth
2026-11-09	35c7a24	Image Explorer mock-up: globe script versioned
2026-11-09	aa757b0	Image Explorer mock-up: globe shows events reported in the last 30 days; softer atmosphere edge
2026-11-09	52cac94	Image Explorer mock-up: Globe tab (Blue Marble Earth in the real sky, NASA events, galaxies, nebulae and clusters) and live picture search
2026-11-09	6883095	Asteroid Tracker: famous close passes, back buttons that return to the same spot, smoother zoom
2026-11-09	5561a7c	Image Explorer mock-up: a clearer Close button on the picture viewer; data note on picture files corrected
2026-11-09	b2cb397	Image Explorer mock-up: the map comes first on tablets and phones
2026-11-09	7362f7d	Image Explorer mock-up: the place card stays inside the map near its edges
2026-11-09	413f0b4	Image Explorer mock-up: the map stays inside the world's edges
2026-11-09	66ae7d0	Image Explorer: data checks recorded, plan and roadmap updated, picture viewer fallback
2026-11-09	531f682	Image Explorer mock-up: world view centred; a missing picture size falls back to the next size

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Date	Commit	Change
2026-11-09	`315c8f8`	Image Explorer mock-up: the map fills its frame on load; fire dots scale with zoom
2026-11-09	`d8b9d51`	Image Explorer mock-up: each layer's newest day, map fills its frame, readable colour keys, one colour layer at a time
2026-11-09	`3f40d7e`	Image Explorer: mock-up for review (live GIBS map, sample picture results)
2026-11-09	`96f1a3a`	Data job: fetch the famous passes' paths (the previous commit carried only the description)
2026-11-09	`c993651`	Data job: precise paths for the map's famous close passes (NASA/JPL Horizons)
2026-11-09	`25c9563`	Roadmap: delete the test branch left from the map's data job test
2026-11-09	`ef82d2c`	Asteroid Tracker: solar system map, search tab, home page preview, asteroid names explained
2026-11-08	`b84902c`	Asteroid Tracker: notes closed by default, layout fixes at small widths, smoother dragging of the orbit diagram
2026-11-08	`beb1d9c`	Orbit diagram: time ticks that follow the asteroid's speed near Earth; clearer figures for very close passes
2026-11-08	`354f66c`	Asteroid Tracker: a page for each asteroid with an orbit diagram, and past years in the year view
2026-11-08	`6ac3827`	Asteroid Tracker: a 'How to read this' note under each chart and plain labels on the size chart
2026-11-08	`84e9842`	Asteroid Tracker: note that distances are measured from Earth's centre; correct the 2026 counts in the data notes
2026-11-08	`b0596f9`	Asteroid Tracker version 1: this week's close approaches, filters, three graphs, the year view and key settings
2026-11-08	`fa7a20e`	Documentation tone rule: professional project documentation, never chat; documents reworded and the check extended
2026-11-08	`3691e3d`	The site is live on GitHub Pages; roadmap updated
2026-11-08	`2e3517e`	Set up the repository: three project folders, shared look and NASA API helper, home page, docs and checks
2026-11-08	`15c69c3`	Initial commit

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

PART 14

Glossary

Term	Meaning
API	Application programming interface: a web address a program asks for data, answered in a fixed format (usually JSON).
API key	A code that identifies who is asking an API. NASA's are free; a key is never written into this project's code.
astronomical unit (au)	The average distance from the Earth to the Sun, about 149.6 million km.
CC BY 4.0, CC BY-SA 3.0 IGO	Creative Commons licences: reuse is allowed with credit; "SA" (share-alike) means changed versions must use the same licence. ESA/Webb and ESA/Hubble pictures use CC BY 4.0; some other ESA material uses CC BY-SA 3.0 IGO.
CDN	Content delivery network: servers that hand out files (such as code libraries) quickly from near the visitor.
close approach	The moment an object passes nearest the Earth on its orbit, with its miss distance and speed.
DEMO_KEY	NASA's shared key for trying the APIs: 30 requests an hour and 50 a day per connection.
EONET	NASA's Earth Observatory Natural Event Tracker: wildfires, storms, volcanoes and other events as they happen.
ESA	The European Space Agency.
force push	Overwriting a branch's history on GitHub; blocked on this repository's `main`.
GIBS	NASA's Global Imagery Browse Services: daily satellite pictures of the whole Earth, delivered as map tiles.
GitHub Actions	Jobs GitHub runs by itself: the checks after every push, the daily data updates, and this record's rebuild.
GitHub Pages	GitHub's free web hosting, which publishes the site from the repository.
Horizons	NASA/JPL's service for the positions of planets, moons, asteroids and spacecraft at any time.
LD (lunar distance)	The average distance from the Earth to the Moon, about 384,400 km; used to make miss distances easy to picture.
Ls (solar longitude)	Where Mars is on its orbit, as an angle: the Martian season (0° is the start of northern spring).
MIT License	The licence of this project's own code and documents: anyone may use and change them, keeping the copyright notice.
NEO	Near-Earth object: an asteroid or comet whose orbit brings it within 1.3 au of the Sun at its closest, and so near the Earth's orbit.
NEOCC	ESA's NEO Coordination Centre, which keeps ESA's impact-risk list.
NeoWs	NASA's Near Earth Object Web Service, the API behind the Asteroid Tracker's weekly list.
PDS	NASA's Planetary Data System, the archive of data from planetary missions.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License

Term	Meaning
potentially hazardous asteroid	NASA′s label for an asteroid larger than about 140 m whose orbit comes within 0.05 au of the Earth′s. It describes a possibility, not a predicted impact.
REMS	Rover Environmental Monitoring Station: Curiosity′s weather station on Mars.
repository secret	A value kept encrypted by GitHub for its jobs (such as a service key); never visible in the code or the site.
Sentry	NASA/JPL′s impact-monitoring system and its list of objects with a possible future impact.
sol	A Martian day: 24 hours 39 minutes.

© 2026 Malcolm Syme · mcsyme11@gmail.com · MIT License