## University of Texas at Austin

## Problem Set # 5

## Normal distribution.

**Problem 5.1.** Let Z be a standard normal random variable. Find the following probabilities:

- i.  $\mathbb{P}[-1.33 < Z \le 0.24]$
- ii.  $\mathbb{P}[0.49 < |Z|]$ iii.  $\mathbb{P}[2^4 < 0.0256]$ iv.  $\mathbb{P}[e^{2Z} < 2.25]$ v.  $\mathbb{P}\left[\frac{1}{Z} < 2\right]$

 $Course:\ M358K-Applied\ Statistics$ 

Page: 2 of 3

## **Problem 5.2.** (10 points)

At the  $Hogwarts\ School\ of\ Witchcraft\ and\ Wizardry\ the\ Ordinary\ Wizarding\ Level\ (OWL)\ exam$  is typically taken at the end of the fifth year. Based on hystorical data, we model the OWL scores as roughly normal with mean 100 and standard deviation of 16.

(a) (5 points)

PROBLEM SET: 5

What is the range of scores for the bottom 15% of the OWL takers?

Instructor: Milica Čudina

PROBLEM	I SET: 5	Course: M358K – Applied Statistics	Page: 3 of 3
(b) (5	o points) What is the prob	pability that a randomly chosen $OWL$ taker has	a score higher than 125?