CHS Makefile Project

The aim

The project tries to provide a portable, versatile way of compiling Fortran, C and mixed projects.

It uses cfortran.h for Fortran-C interoperability.

CHS Makefile Project The aim To use the Makefile To add a new compiler on a given system To port the Makefile to a new system Makefile Header

License

To use the Makefile ¶

You have to checkout the Makefile and the directory make.config/.

Open the file Makefile and make the proper settings for your source code (select compiler, IMSL, MKL, LAPACK, etc.).

Read the header of the makefile for targets, etc.

'make info' gives detailed information.

You can give most makefile switches on the command line as well, eg.

make system=mcair compiler=gnu openmp=true

To add a new compiler on a given system

As an example, one wants to add the PGI compiler suite version 8.5 on the system eve. Choose the compiler abbreviation pgi85, i.e. leading to system=eve, compiler=pgi85

- 1. Create a config file in make.config/ with the name eve.pgi85

 One can copy an existing file and adapt it to the new compiler. Take a compiler close to the new one, e.g. eve.pgi83.
 - If there is none, take eve.intel12 as a good starting point.
- 2. Adapt the pathes and compiler switches in the config file.
- 3. If wanted, you can give aliases for that compiler, e.g. simply 'pgi' instead of also the version number 'pgi85'.

Edit eve.alias, follow the examples of sun or nag.

To port the Makefile to a new system

As an example, one wants to port the Makefile onto a new system called 'Liclus' on which exists a gnu compiler version 4.7, i.e. leading to system=liclus, compiler=gnu47

- 1. Create a config file in make.config/ with the name liclus.gnu47

 One can copy an existing file of a similar system and a similar compiler.

 For example if Liclus is Mac OS X, then means and 6 might be a good start
 - For example if Liclus is Mac OS X, then mcair.gnu46 might be a good start and if Liclus is Linux then eve.gnu48 might give a head start.
 - If there is none close to the compiler, start from eve.intel12.
- 2. Adapt the pathes and compiler switches in the config file.
- 3. One can give aliases for that compiler, e.g. simply 'gnu' instead of also the version number 'gnu47'.

Therefore a file liclus.alias is needed. Create it in make.config/; even an empty is possible if no alias is wanted.

One can copy eve.alias for examples.

Makefile Header

```
# PURPOSE
# CHS Makefile for Fortran, C and mixed projects
#
# CALLING SEQUENCE
# make [options] [VARIABLE=VARIABLE ...] [targets]
#
# Variables can be set on the command line [VAR=VAR] or in the section SWI'.
#
# If $(PROGNAME) is given, an executable will be compiled.
```

```
If $(LIBNAME) is given, a library will be created.
#
#
      Sources are in $(SRCPATH), which can be several directories separated by
#
#
      Fortran 90 file endings: .f90, .f90, .f95, .f95, .f03, .F03, .f08, .F08
#
      Fortran 77 file endings: .f,
                                      .F,
                                            .for, .FOR, .f77, .F77, .ftn, .FTN
#
      C file endings:
                                      .C
                                .C,
#
# TARGETS
#
      all (default), check (=test), clean, cleanclean, cleancheck (=cleantest=
#
      dependencies (=depend), html, pdf, latex, doxygen, info
#
# OPTIONS
      All make options such as -f makefile. See 'man make'.
#
# VARIABLES
#
      All variables defined in this makefile.
#
      This makefile has lots of conditional statements depending on variables.
#
      If the variable works as a switch then the condition checks for variable
#
      i.e. ifeq ($(variable),true)
#
      otherwise the variable can have any other value.
#
      See individual variables in section SWITCHES below or type 'make info'.
#
#
      Variables can be empty for disabling a certain behaviour,
#
      e.g. if you do not want to use IMSL, set: imsl=no or imsl=
#
#
      For main variables see 'make info'.
#
# DEPENDENCIES
     This makefile uses the following files:
#
#
         $(MAKEDPATH)/make.d.sh, $(CONFIGPATH)/$(system).$(compiler), $(CONFIG
#
     The default $(MAKEDPATH) and $(CONFIGPATH) is make.config
#
     The makefile can use doxygen for html and pdf automatic documentation. It
#
         $(DOXPATH)/doxygen.config
#
     If this is not available, it uses the perl script f2html for html document
#
         $(CONFIGPATH)/f2html, $(CONFIGPATH)/f2html.fgenrc
#
# RESTRICTIONS
#
     Not all packages work with or are compiled for all compilers.
#
     The static switch is maintained like a red-headed stepchild. Libraries mid
#
     if static linking and --begin/end-group is not supported.
#
# EXAMPLE
#
     make release=debug compiler=intel11 imsl=vendor mkl=mkl95 PROGNAME=prog
#
# NOTES
     Further information is given in the README, for example
#
     on the repository of the makefile, further reading, how to add a new comp:
#
#
     how to add a new system.
#
# LICENSE
#
     This file is part of the UFZ makefile project.
#
#
     The UFZ makefile project is free software: you can redistribute it and/or
     it under the terms of the GNU Lesser General Public License as published |
#
#
     the Free Software Foundation, either version 3 of the License, or
#
     (at your option) any later version.
#
#
     The UFZ makefile project is distributed in the hope that it will be useful
#
     but WITHOUT ANY WARRANTY; without even the implied warranty of
     MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
#
#
     GNU Lesser General Public License for more details.
#
#
     You should have received a copy of the GNU Lesser General Public License
#
     along with the UFZ makefile project. If not, see <a href="http://www.gnu.org/licer">http://www.gnu.org/licer</a>
```

```
#
# Copyright 2011-2014 Matthias Cuntz, Juliane Mai, Stephan Thober
#
# Written Matthias Cuntz & Juliane Mai, UFZ Leipzig, Germany, Nov. 2011 - mc (
```

License

The UFZ makefile project is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

The UFZ makefile project is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with the UFZ makefile project (cf. gpl.txt and lgpl.txt). If not, see http://www.gnu.org/licenses/>.

Copyright 2011-2014 Matthias Cuntz

Goto MainPage