Data Summary			
Number of Observations	124521		
Sum of Weights	28246633.6		

Variance Estimation				
Method	Jackknife			
Replicate Weights	CHIS_DATA_FINAL			
Number of Replicates	160			

	Table of SRSEX by asthmastatus							
SRSEX	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent		
Male	1 Current Asthmatic	4181	1041898	35286	3.6886	0.1249		
	2 Previous Asthmatic	2291	719775	29659	2.5482	0.1050		
	3 Non-Asthmatic	45687	12022426	44407	42.5623	0.1574		
	Total	52159	13784100	5219	48.7991	0.0124		
Female	1 Current Asthmatic	9409	1723991	41730	6.1034	0.1477		
	2 Previous Asthmatic	2520	542249	24041	1.9197	0.0850		
	3 Non-Asthmatic	60433	12196294	47674	43.1779	0.1700		
	Total	72362	14462534	4218	51.2009	0.0124		
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810		
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453		
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254		
	Total	124521	28246634	6429	100.0000			

Rao-Scott Chi-Square Test			
Pearson Chi-Square	785.7383		
<b>Design Correction</b>	5.2751		
Rao-Scott Chi-Square	148.9512		
DF	2		
Pr > ChiSq	<.0001		
F Value	74.4756		
Num DF	2		
Den DF	320		
Pr > F	<.0001		
Sample Size = 124521			

	Table of agegroup by asthmastatus						
agegroup	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent	
Young Adult (18-39)	1 Current Asthmatic	2722	1150310	38490	4.0724	0.1362	
	2 Previous Asthmatic	1498	697720	32918	2.4701	0.1164	
	3 Non-Asthmatic	21182	9723964	49421	34.4252	0.1761	
	Total	25402	11571994	2267	40.9677	0.0108	
Middle Aged (40-64)	1 Current Asthmatic	6141	1150939	31904	4.0746	0.1129	
	2 Previous Asthmatic	1985	421798	18619	1.4933	0.0659	
	3 Non-Asthmatic	46130	10476480	36646	37.0893	0.1301	
	Total	54256	12049216	2792	42.6572	0.0099	
Later Adult (65+)	1 Current Asthmatic	4727	464640	15747	1.6449	0.0557	
	2 Previous Asthmatic	1328	142507	9988	0.5045	0.0354	
	3 Non-Asthmatic	38808	4018276	17601	14.2257	0.0619	
	Total	44863	4625423	5389	16.3751	0.0161	
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810	
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453	
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254	
	Total	124521	28246634	6429	100.0000		

Rao-Scott Chi-Square Test				
Pearson Chi-Square	512.5086			
<b>Design Correction</b>	4.1691			
Rao-Scott Chi-Square	122.9290			
DF	4			
Pr > ChiSq	<.0001			
F Value	30.7323			
Num DF	4			
Den DF	640			
<b>Pr &gt; F</b> <.000°				
Sample Size = 124521				

Table of RACEDF_P1 by asthmastatus						
RACEDF_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Latino	1 Current Asthmatic	2585	762675	28647	2.7001	0.1013
	2 Previous Asthmatic	1009	393295	23328	1.3924	0.0826
	3 Non-Asthmatic	24096	8650074	37125	30.6234	0.1323
	Total	27690	9806044	3643	34.7158	0.0105
Other	1 Current Asthmatic	50	17084	5853	0.0605	0.0207
	2 Previous Asthmatic	19	3823	2121	0.0135	0.0075
	3 Non-Asthmatic	404	135213	10034	0.4787	0.0355
	Total	473	156121	11151	0.5527	0.0395
American Indian / Alaska Native	1 Current Asthmatic	232	26802	3161	0.0949	0.0112
	2 Previous Asthmatic	39	6871	1802	0.0243	0.0064
	3 Non-Asthmatic	896	102231	3501	0.3619	0.0124
	Total	1167	135904	872.17537	0.4811	0.0031
Asian	1 Current Asthmatic	849	272817	20174	0.9658	0.0714
	2 Previous Asthmatic	353	176128	16523	0.6235	0.0585
	3 Non-Asthmatic	10804	3475486	27062	12.3041	0.0957
	Total	12006	3924430	7553	13.8934	0.0268
African American	1 Current Asthmatic	916	229044	13363	0.8109	0.0473
	2 Previous Asthmatic	280	91290	9674	0.3232	0.0342
	3 Non-Asthmatic	4768	1261315	15296	4.4654	0.0541
	Total	5964	1581649	1805	5.5994	0.0063
White	1 Current Asthmatic	8445	1361955	31030	4.8217	0.1097
	2 Previous Asthmatic	2957	548243	21491	1.9409	0.0760
	3 Non-Asthmatic	63095	10182463	36476	36.0484	0.1304
	Total	74497	12092661	8954	42.8110	0.0315
Multiracial	1 Current Asthmatic	513	95513	7924	0.3381	0.0281
	2 Previous Asthmatic	154	42374	6305	0.1500	0.0223
	3 Non-Asthmatic	2057	411937	10902	1.4584	0.0386
	Total	2724	549824	5483	1.9465	0.0193
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of RACEDF\_P1 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	1041.9991			
<b>Design Correction</b>	4.7716			
Rao-Scott Chi-Square	218.3743			
DF	12			
Pr > ChiSq	<.0001			
F Value	18.1979			
Num DF	12			
Den DF	1920			
Pr > F <.000				
Sample Size = 124521				

	Table of AH33NEW by asthmastatus							
AH33NEW	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent		
Born in U.S.	1 Current Asthmatic	11599	2239461	45107	7.9282	0.1596		
	2 Previous Asthmatic	4144	1013137	36992	3.5868	0.1309		
	3 Non-Asthmatic	78187	15437106	70971	54.6511	0.2510		
	Total	93930	18689704	58245	66.1661	0.2048		
Born Outside U.S.	1 Current Asthmatic	1991	526428	24826	1.8637	0.0878		
	2 Previous Asthmatic	667	248888	19666	0.8811	0.0696		
	3 Non-Asthmatic	27933	8781614	67807	31.0891	0.2409		
	Total	30591	9556930	57751	33.8339	0.2048		
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810		
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453		
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254		
	Total	124521	28246634	6429	100.0000			

#### The SURVEYFREQ Procedure

## Table of AH33NEW by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	1968.7627			
<b>Design Correction</b>	6.2956			
Rao-Scott Chi-Square	312.7193			
DF	2			
Pr > ChiSq	<.0001			
F Value	156.3597			
Num DF	2			
Den DF	320			
Pr > F < .000				
Sample Size = 124521				

	Table of AH34NEW by asthmastatus						
AH34NEW	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent	
Inapplicable	1 Current Asthmatic	2017	529844	24878	1.8758	0.0880	
	2 Previous Asthmatic	675	251517	19911	0.8904	0.0705	
	3 Non-Asthmatic	28095	8824660	68297	31.2415	0.2426	
	Total	30787	9606021	58321	34.0077	0.2067	
Born in U.S.	1 Current Asthmatic	10223	1851388	38205	6.5544	0.1352	
	2 Previous Asthmatic	3493	765028	27262	2.7084	0.0964	
	3 Non-Asthmatic	66393	11846523	66127	41.9396	0.2346	
	Total	80109	14462940	56793	51.2023	0.2006	
Born Outside U.S.	1 Current Asthmatic	1350	384657	19447	1.3618	0.0688	
	2 Previous Asthmatic	643	245479	21135	0.8691	0.0748	
	3 Non-Asthmatic	11632	3547537	51708	12.5592	0.1828	
	Total	13625	4177673	55237	14.7900	0.1954	
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810	
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453	
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254	
	Total	124521	28246634	6429	100.0000		

#### The SURVEYFREQ Procedure

## Table of AH34NEW by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	2184.9633			
<b>Design Correction</b>	5.7351			
Rao-Scott Chi-Square	380.9787			
DF	4			
Pr > ChiSq	<.0001			
F Value	95.2447			
Num DF				
Den DF	640			
Pr > F	<.0001			
Sample Size = 124521				

	Table of AH35NEW by asthmastatus					
AH35NEW	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2017	529844	24878	1.8758	0.0880
	2 Previous Asthmatic	675	251517	19911	0.8904	0.0705
	3 Non-Asthmatic	28095	8824660	68297	31.2415	0.2426
	Total	30787	9606021	58321	34.0077	0.2067
Born in U.S.	1 Current Asthmatic	10017	1809421	37640	6.4058	0.1331
	2 Previous Asthmatic	3439	750010	28818	2.6552	0.1020
	3 Non-Asthmatic	65265	11634609	67604	41.1894	0.2398
	Total	78721	14194039	61626	50.2504	0.2173
Born Outside U.S.	1 Current Asthmatic	1556	426625	22091	1.5104	0.0783
	2 Previous Asthmatic	697	260498	21286	0.9222	0.0754
	3 Non-Asthmatic	12760	3759451	56066	13.3094	0.1982
	Total	15013	4446573	60248	15.7420	0.2133
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of AH35NEW by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	2144.6289			
<b>Design Correction</b>	5.9406			
Rao-Scott Chi-Square	361.0107			
DF	4			
Pr > ChiSq	<.0001			
F Value	90.2527			
Num DF	4			
Den DF	640			
Pr > F	<.0001			
Sample Size = 124521				

	Table of CITIZEN2 by asthmastatus					
CITIZEN2	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
<b>US-Born Citizen</b>	1 Current Asthmatic	11599	2239461	45107	7.9282	0.1596
	2 Previous Asthmatic	4144	1013137	36992	3.5868	0.1309
	3 Non-Asthmatic	78187	15437106	70971	54.6511	0.2510
	Total	93930	18689704	58245	66.1661	0.2048
Naturalized Citizen	1 Current Asthmatic	1335	311407	18862	1.1025	0.0667
	2 Previous Asthmatic	446	160687	15085	0.5689	0.0534
	3 Non-Asthmatic	16878	4501286	64994	15.9357	0.2302
	Total	18659	4973380	61062	17.6070	0.2160
Non-Citizen	1 Current Asthmatic	656	215021	15778	0.7612	0.0558
	2 Previous Asthmatic	221	88201	11252	0.3123	0.0398
	3 Non-Asthmatic	11055	4280328	59999	15.1534	0.2128
	Total	11932	4583550	57865	16.2269	0.2052
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of CITIZEN2 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	2045.5757			
<b>Design Correction</b>	5.9598			
Rao-Scott Chi-Square	343.2288			
DF	4			
Pr > ChiSq	<.0001			
F Value	85.8072			
Num DF	4			
Den DF	640			
Pr > F	<.0001			
Sample Size = 124521				

	Table of YRUS_P1 by asthmastatus					
YRUS_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	11599	2239461	45107	7.9282	0.1596
	2 Previous Asthmatic	4144	1013137	36992	3.5868	0.1309
	3 Non-Asthmatic	78187	15437106	70971	54.6511	0.2510
	Total	93930	18689704	58245	66.1661	0.2048
<5 Years	1 Current Asthmatic	51	19002	5112	0.0673	0.0181
	2 Previous Asthmatic	31	16218	5475	0.0574	0.0194
	3 Non-Asthmatic	1248	594321	31525	2.1040	0.1116
	Total	1330	629541	31779	2.2287	0.1126
5-9 Years	1 Current Asthmatic	87	41474	8026	0.1468	0.0284
	2 Previous Asthmatic	38	21590	4902	0.0764	0.0174
	3 Non-Asthmatic	1922	833571	32630	2.9510	0.1156
	Total	2047	896636	33576	3.1743	0.1190
10-14 Years	1 Current Asthmatic	157	55476	8469	0.1964	0.0300
	2 Previous Asthmatic	66	23590	5629	0.0835	0.0199
	3 Non-Asthmatic	3195	1232974	34800	4.3650	0.1231
	Total	3418	1312040	34274	4.6449	0.1212
15-19 Years	1 Current Asthmatic	1696	410476	20779	1.4532	0.0735
	2 Previous Asthmatic	532	187489	17238	0.6638	0.0610
	3 Non-Asthmatic	21568	6120748	67232	21.6689	0.2383
	Total	23796	6718712	61134	23.7859	0.2163
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of YRUS\_P1 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	2028.8170			
<b>Design Correction</b>	6.3241			
Rao-Scott Chi-Square	320.8072			
DF	8			
Pr > ChiSq	<.0001			
F Value	40.1009			
Num DF	8			
Den DF	1280			
Pr > F	<.0001			
Sample Size = 124521				

	Table	of PCTLF_P	by asthmas	tatus		
PCTLF_P	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
0-20	1 Current Asthmatic	127	40985	7282	0.1451	0.0258
	2 Previous Asthmatic	61	35126	7402	0.1244	0.0262
	3 Non-Asthmatic	2754	1091900	39645	3.8656	0.1404
	Total	2942	1168011	40266	4.1350	0.1427
21-40	1 Current Asthmatic	413	100582	10432	0.3561	0.0369
	2 Previous Asthmatic	113	40129	7151	0.1421	0.0253
	3 Non-Asthmatic	6555	2076274	51134	7.3505	0.1810
	Total	7081	2216985	51020	7.8487	0.1806
41-60	1 Current Asthmatic	630	169195	13520	0.5990	0.0478
	2 Previous Asthmatic	196	65518	9193	0.2320	0.0325
	3 Non-Asthmatic	9111	2844952	55534	10.0718	0.1967
	Total	9937	3079665	55890	10.9028	0.1978
61-80	1 Current Asthmatic	478	117906	11317	0.4174	0.0401
	2 Previous Asthmatic	165	63343	8670	0.2242	0.0307
	3 Non-Asthmatic	6203	1781568	50778	6.3072	0.1797
	Total	6846	1962817	50715	6.9489	0.1795
81+	1 Current Asthmatic	11942	2337221	44959	8.2743	0.1590
	2 Previous Asthmatic	4276	1057909	38175	3.7453	0.1351
	3 Non-Asthmatic	81497	16424025	71482	58.1451	0.2534
	Total	97715	19819156	62711	70.1647	0.2208
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of PCTLF\_P by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	2033.0954			
<b>Design Correction</b>	5.5679			
Rao-Scott Chi-Square	365.1444			
DF	8			
Pr > ChiSq	<.0001			
F Value	45.6431			
Num DF	8			
Den DF	1280			
Pr > F	<.0001			
Sample Size = 124521				

Table of prilanguage by asthmastatus						
prilanguage	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
English (Includes English & Other)	1 Current Asthmatic	12556	2527590	48980	8.9483	0.1733
	2 Previous Asthmatic	4529	1157982	39893	4.0995	0.1411
	3 Non-Asthmatic	92799	20163667	69369	71.3843	0.2457
	Total	109884	23849238	57107	84.4321	0.1995
Spanish	1 Current Asthmatic	542	142610	11403	0.5049	0.0404
	2 Previous Asthmatic	147	53923	8552	0.1909	0.0303
	3 Non-Asthmatic	7220	2497012	49001	8.8400	0.1738
	Total	7909	2693544	46559	9.5358	0.1651
Chinese	1 Current Asthmatic	51	10357	2401	0.0367	0.0085
	2 Previous Asthmatic	15	10780	5206	0.0382	0.0184
	3 Non-Asthmatic	1202	324389	16612	1.1484	0.0588
	Total	1268	345526	18386	1.2232	0.0651
Vietnamese	1 Current Asthmatic	109	14210	3871	0.0503	0.0137
	2 Previous Asthmatic	9	1796	966.58087	0.0064	0.0034
	3 Non-Asthmatic	1136	199536	11334	0.7064	0.0401
	Total	1254	215542	11820	0.7631	0.0418
Korean	1 Current Asthmatic	54	5422	1540	0.0192	0.0055
	2 Previous Asthmatic	1	35.71068	36.70096	0.0001	0.0001
	3 Non-Asthmatic	866	149170	11703	0.5281	0.0414
	Total	921	154628	11596	0.5474	0.0410
Other	1 Current Asthmatic	278	65701	9121	0.2326	0.0323
	2 Previous Asthmatic	110	37508	6672	0.1328	0.0236
	3 Non-Asthmatic	2897	884948	30798	3.1329	0.1090
	Total	3285	988156	32626	3.4983	0.1155
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of prilanguage by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	852.1910			
<b>Design Correction</b>	4.3589			
Rao-Scott Chi-Square	195.5058			
DF	10			
Pr > ChiSq	<.0001			
F Value	19.5506			
Num DF	10			
Den DF	1600			
Pr > F	<.0001			
Sample Size = 124521				

	Table of AH37 by asthmastatus					
AH37	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10372	1890888	39776	6.6942	0.1407
	2 Previous Asthmatic	3629	810062	32233	2.8678	0.1140
	3 Non-Asthmatic	71487	12824602	71898	45.4022	0.2547
	Total	85488	15525552	70990	54.9643	0.2497
Very Well	1 Current Asthmatic	1648	479694	25620	1.6982	0.0908
	2 Previous Asthmatic	723	277799	20387	0.9835	0.0722
	3 Non-Asthmatic	13096	4378862	59997	15.5022	0.2124
	Total	15467	5136355	61061	18.1840	0.2166
Well	1 Current Asthmatic	619	169941	14270	0.6016	0.0505
	2 Previous Asthmatic	259	105539	12726	0.3736	0.0450
	3 Non-Asthmatic	8656	2905935	53500	10.2877	0.1895
	Total	9534	3181415	55921	11.2630	0.1980
Not Well	1 Current Asthmatic	602	155842	14021	0.5517	0.0496
	2 Previous Asthmatic	138	49972	6732	0.1769	0.0238
	3 Non-Asthmatic	8376	2775010	53927	9.8242	0.1910
	Total	9116	2980824	53294	10.5528	0.1886
Not at All	1 Current Asthmatic	349	69523	7591	0.2461	0.0269
	2 Previous Asthmatic	62	18653	4821	0.0660	0.0171
	3 Non-Asthmatic	4505	1334311	40216	4.7238	0.1424
	Total	4916	1422487	40086	5.0360	0.1419
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of AH37 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	1922.7376			
<b>Design Correction</b>	5.4370			
Rao-Scott Chi-Square	353.6393			
DF	8			
Pr > ChiSq	<.0001			
F Value	44.2049			
Num DF	8			
Den DF	1280			
Pr > F	<.0001			
Sample Size = 124521				

Table of maritstat by asthmastatus								
maritstat	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent		
Married/Partnered	1 Current Asthmatic	6510	1449704	39193	5.1323	0.1386		
	2 Previous Asthmatic	2480	655694	29584	2.3213	0.1047		
	3 Non-Asthmatic	57288	14099302	74273	49.9150	0.2638		
	Total	66278	16204700	74560	57.3686	0.2639		
Widowed/Separated	1 Current Asthmatic	4452	512948	21133	1.8160	0.0748		
	2 Previous Asthmatic	1099	148033	9915	0.5241	0.0351		
	3 Non-Asthmatic	30069	3889230	60179	13.7688	0.2132		
	Total	35620	4550212	59008	16.1089	0.2089		
Never Married	1 Current Asthmatic	2628	803237	28665	2.8437	0.1015		
	2 Previous Asthmatic	1232	458297	22459	1.6225	0.0795		
	3 Non-Asthmatic	18763	6230188	62912	22.0564	0.2225		
	Total	22623	7491722	59892	26.5225	0.2117		
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810		
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453		
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254		
	Total	124521	28246634	6429	100.0000			

#### The SURVEYFREQ Procedure

## Table of maritstat by asthmastatus

Rao-Scott Chi-Squar	e Test			
Pearson Chi-Square	461.2126			
<b>Design Correction</b>	4.3822			
Rao-Scott Chi-Square	105.2458			
DF	4			
Pr > ChiSq	<.0001			
F Value	26.3114			
Num DF	4			
Den DF	640			
Pr > F	<.0001			
Sample Size = 124521				

Table of famtype by asthmastatus							
famtype	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent	
Single w/o Children	1 Current Asthmatic	6969	1319568	32908	4.6716	0.1164	
	2 Previous Asthmatic	2329	613874	24685	2.1733	0.0874	
	3 Non-Asthmatic	48883	10048307	71851	35.5735	0.2540	
	Total	58181	11981749	69087	42.4183	0.2437	
Single w/ Children	1 Current Asthmatic	857	215353	14349	0.7624	0.0508	
	2 Previous Asthmatic	258	64636	7875	0.2288	0.0279	
	3 Non-Asthmatic	5049	1506014	39683	5.3317	0.1405	
	Total	6164	1786003	43685	6.3229	0.1546	
Married w/o Children	1 Current Asthmatic	4024	706270	21008	2.5004	0.0744	
	2 Previous Asthmatic	1433	280869	16019	0.9943	0.0567	
	3 Non-Asthmatic	34272	6464244	59067	22.8850	0.2098	
	Total	39729	7451383	60895	26.3797	0.2163	
Married w/ Children	1 Current Asthmatic	1740	524698	26779	1.8576	0.0948	
	2 Previous Asthmatic	791	302645	23661	1.0714	0.0837	
	3 Non-Asthmatic	17916	6200156	64371	21.9501	0.2281	
	Total	20447	7027498	66940	24.8791	0.2368	
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810	
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453	
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254	
	Total	124521	28246634	6429	100.0000		

Rao-Scott Chi-Square Test					
Pearson Chi-Square	447.1270				
<b>Design Correction</b>	4.5568				
Rao-Scott Chi-Square	98.1233				
DF	6				
Pr > ChiSq	<.0001				
F Value	16.3539				
Num DF	6				
Den DF	960				
Pr > F	<.0001				
Sample Size = 124	521				

	Table of SRTENR by asthmastatus								
SRTENR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent			
Own	1 Current Asthmatic	8006	1555725	40313	5.5076	0.1427			
	2 Previous Asthmatic	3015	727114	34175	2.5742	0.1209			
	3 Non-Asthmatic	68024	13867512	52022	49.0944	0.1848			
	Total	79045	16150351	5143	57.1762	0.0114			
Rent/Other	1 Current Asthmatic	5584	1210164	34573	4.2843	0.1223			
	2 Previous Asthmatic	1796	534910	22322	1.8937	0.0790			
	3 Non-Asthmatic	38096	10351208	38700	36.6458	0.1378			
	Total	45476	12096283	4001	42.8238	0.0114			
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810			
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453			
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254			
	Total	124521	28246634	6429	100.0000				

Rao-Scott Chi-Square	Test			
Pearson Chi-Square	5.0407			
<b>Design Correction</b>	5.4222			
Rao-Scott Chi-Square	0.9297			
DF	2			
Pr > ChiSq	0.6282			
F Value	0.4648			
Num DF	2			
Den DF	320			
Pr > F	0.6287			
Sample Size = 124521				

	Table of AHEDC_P1 by asthmastatus							
AUEDO DA	asthmastatus	Eroguenov	Weighted	Std Err of	Doroont	Std Err of		
AHEDC_P1  None / Primary School	1 Current Asthmatic	Frequency 682	Frequency 150685	Wgt Freq	0.5335	0.0438		
None / Primary School	2 Previous Asthmatic	138	50940	8795	0.3333	0.0436		
	3 Non-Asthmatic	7193	2355739	41944	8.3399	0.0311		
	Total	8013	2557364	39887	9.0537	0.1413		
High School, Partial	1 Current Asthmatic	794	190729	14393	0.6752	0.0509		
	2 Previous Asthmatic	150	55455	8284	0.1963	0.0293		
	3 Non-Asthmatic	5001	1745634	38281	6.1800	0.1355		
	Total	5945	1991818	40249	7.0515	0.1424		
High School, Graduate	1 Current Asthmatic	3049	648383	22989	2.2954	0.0813		
	2 Previous Asthmatic	1006	292209	18583	1.0345	0.0658		
	3 Non-Asthmatic	23733	5678613	27755	20.1037	0.0985		
	Total	27788	6619205	7230	23.4336	0.0236		
College, Partial	1 Current Asthmatic	2433	488977	20305	1.7311	0.0718		
	2 Previous Asthmatic	805	196246	15614	0.6948	0.0553		
	3 Non-Asthmatic	16455	3370795	54585	11.9334	0.1937		
	Total	19693	4056019	55783	14.3593	0.1978		
Vocational School	1 Current Asthmatic	453	84968	8256	0.3008	0.0292		
	2 Previous Asthmatic	159	53716	9021	0.1902	0.0319		
	3 Non-Asthmatic	3121	682129	24759	2.4149	0.0876		
	Total	3733	820813	27812	2.9059	0.0984		
Associates Degree	1 Current Asthmatic	1280	257668	15020	0.9122	0.0532		
	2 Previous Asthmatic	497	116006	10524	0.4107	0.0372		
	3 Non-Asthmatic	8571	1752791	42186	6.2053	0.1492		
	Total	10348	2126465	43281	7.5282	0.1530		
Bachelors Degree	1 Current Asthmatic	2874	620885	25763	2.1981	0.0912		
	2 Previous Asthmatic	1193	318244	21760	1.1267	0.0770		
	3 Non-Asthmatic	25043	5531111	60045	19.5815	0.2128		
	Total	29110	6470239	58586	22.9062	0.2075		
Masters Degree	1 Current Asthmatic	1548	245317	11671	0.8685	0.0413		
	2 Previous Asthmatic	632	133154	12457	0.4714	0.0441		
	3 Non-Asthmatic	12318	2278059	39344	8.0649	0.1392		
	Total	14498	2656530	41009	9.4048	0.1450		
Doctorate Degree	1 Current Asthmatic	477	78277	7797	0.2771	0.0276		
2000000	2 Previous Asthmatic	231	46055	6385	0.1630	0.0226		
	3 Non-Asthmatic	4685	823849	30104	2.9166	0.1066		
	Total	5393	948181	29433	3.3568	0.1042		
	· Juli	0000	0-10101	20400	0.0000	0.1072		

Table of AHEDC_P1 by asthmastatus							
AHEDC_P1 asthmastatus Frequency Frequency Weighted Std Err of Percent							
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810	
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453	
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254	
	Total	124521	28246634	6429	100.0000		

Rao-Scott Chi-Square Test					
Pearson Chi-Square	717.9450				
<b>Design Correction</b>	4.7997				
Rao-Scott Chi-Square	149.5811				
DF	16				
Pr > ChiSq	<.0001				
F Value	9.3488				
Num DF	16				
Den DF	2560				
Pr > F	<.0001				
Sample Size = 124521					

	Ta	able of AG22	by asthmas	tatus		
AG22	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	1142	167526	11268	0.5931	0.0399
	2 Previous Asthmatic	462	80654	12432	0.2855	0.0440
	3 Non-Asthmatic	12604	1835368	32490	6.4977	0.1152
	Total	14208	2083549	37937	7.3763	0.1346
No	1 Current Asthmatic	12448	2598364	49509	9.1988	0.1751
	2 Previous Asthmatic	4349	1181370	38008	4.1823	0.1344
	3 Non-Asthmatic	93516	22383352	66154	79.2425	0.2346
	Total	110313	26163085	39436	92.6237	0.1346
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of AG22 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	45.3537			
<b>Design Correction</b>	5.3205			
Rao-Scott Chi-Square	8.5243			
DF	2			
Pr > ChiSq	0.0141			
F Value	4.2622			
Num DF	2			
Den DF	320			
Pr > F	0.0149			
Sample Size = 124521				

	Table o	of SERVED b	y asthmastat	tus		
SERVED	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	12448	2598364	49509	9.1988	0.1751
	2 Previous Asthmatic	4349	1181370	38008	4.1823	0.1344
	3 Non-Asthmatic	93524	22386513	66000	79.2537	0.2341
	Total	110321	26166246	39329	92.6349	0.1342
<0.5 Years	1 Current Asthmatic	38	3230	1126	0.0114	0.0040
	2 Previous Asthmatic	18	4214	1429	0.0149	0.0051
	3 Non-Asthmatic	322	51405	10395	0.1820	0.0368
	Total	378	58849	10550	0.2083	0.0374
0.5 - 2 Years	1 Current Asthmatic	288	42865	6164	0.1518	0.0218
	2 Previous Asthmatic	127	15244	2910	0.0540	0.0103
	3 Non-Asthmatic	3240	410015	15329	1.4516	0.0543
	Total	3655	468124	16878	1.6573	0.0597
2 - 4 Years	1 Current Asthmatic	431	61383	7158	0.2173	0.0253
	2 Previous Asthmatic	156	31152	10996	0.1103	0.0389
	3 Non-Asthmatic	4679	661319	20406	2.3412	0.0723
	Total	5266	753854	24711	2.6688	0.0876
4 - 20 Years	1 Current Asthmatic	283	47092	6770	0.1667	0.0240
	2 Previous Asthmatic	134	26770	4576	0.0948	0.0162
	3 Non-Asthmatic	3074	549974	20742	1.9470	0.0735
	Total	3491	623836	22689	2.2085	0.0804
20+ Years	1 Current Asthmatic	102	12956	2998	0.0459	0.0106
	2 Previous Asthmatic	27	3275	1487	0.0116	0.0053
	3 Non-Asthmatic	1281	159494	8574	0.5646	0.0304
	Total	1410	175725	9338	0.6221	0.0331
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of SERVED by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square 67.394				
<b>Design Correction</b>	4.3778			
Rao-Scott Chi-Square	15.3944			
DF	10			
Pr > ChiSq	0.1183			
F Value	1.5394			
Num DF	10			
Den DF	1600			
Pr > F	0.1195			
Sample Size = 124521				

Table of AG10 by asthmastatus						
AG10	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10877	2038378	43155	7.2164	0.1526
	2 Previous Asthmatic	3830	963593	34074	3.4114	0.1205
	3 Non-Asthmatic	85587	18283761	87676	64.7290	0.3103
	Total	100294	21285732	78452	75.3567	0.2756
Yes	1 Current Asthmatic	857	226072	15471	0.8003	0.0548
	2 Previous Asthmatic	344	103546	10801	0.3666	0.0382
	3 Non-Asthmatic	6557	1821170	46810	6.4474	0.1659
	Total	7758	2150788	47702	7.6143	0.1691
No	1 Current Asthmatic	1395	353941	17996	1.2530	0.0637
	2 Previous Asthmatic	451	138561	12036	0.4905	0.0426
	3 Non-Asthmatic	10431	2915660	53249	10.3222	0.1886
	Total	12277	3408162	55420	12.0657	0.1962
<b>Looking for Work</b>	1 Current Asthmatic	461	147499	10915	0.5222	0.0386
	2 Previous Asthmatic	186	56324	8444	0.1994	0.0299
	3 Non-Asthmatic	3545	1198129	33568	4.2417	0.1189
	Total	4192	1401951	35315	4.9633	0.1250
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test				
Pearson Chi-Square	31.3909			
<b>Design Correction</b>	4.6211			
Rao-Scott Chi-Square	6.7930			
DF	6			
Pr > ChiSq	0.3404			
F Value	1.1322			
Num DF	6			
Den DF	960			
Pr > F	0.3414			
Sample Size = 124521				

Table of WRKST_P1 by asthmastatus						
WRKST_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Full-Time Employment (21+ hrs/week)	1 Current Asthmatic	4782	1310954	37185	4.6411	0.1316
	2 Previous Asthmatic	2304	751410	30077	2.6602	0.1064
	3 Non-Asthmatic	43849	13360905	85217	47.3009	0.3026
	Total	50935	15423269	75420	54.6021	0.2672
Part-Time Employment (0-20 hrs/week)	1 Current Asthmatic	1060	240472	15602	0.8513	0.0553
	2 Previous Asthmatic	452	135863	12634	0.4810	0.0447
	3 Non-Asthmatic	8676	2111249	48851	7.4743	0.1729
	Total	10188	2487583	52116	8.8067	0.1845
Other Employed	1 Current Asthmatic	53	10836	3150	0.0384	0.0112
	2 Previous Asthmatic	19	4305	1910	0.0152	0.0068
	3 Non-Asthmatic	354	65483	6779	0.2318	0.0240
	Total	426	80623	7653	0.2854	0.0271
Unemployed, Looking for Work	1 Current Asthmatic	662	204819	14300	0.7251	0.0506
	2 Previous Asthmatic	253	77895	9824	0.2758	0.0348
	3 Non-Asthmatic	4955	1665210	41352	5.8952	0.1464
	Total	5870	1947924	44303	6.8961	0.1568
Unemployed, Not Looking for Work	1 Current Asthmatic	7033	998808	28961	3.5360	0.1024
	2 Previous Asthmatic	1783	292551	15908	1.0357	0.0563
	3 Non-Asthmatic	48286	7015874	59676	24.8379	0.2112
	Total	57102	8307234	68045	29.4096	0.2405
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

#### The SURVEYFREQ Procedure

## Table of WRKST\_P1 by asthmastatus

Rao-Scott Chi-Square Test				
Pearson Chi-Square	454.2171			
<b>Design Correction</b>	4.3320			
Rao-Scott Chi-Square	104.8512			
DF	8			
Pr > ChiSq	<.0001			
F Value	13.1064			
Num DF	8			
Den DF	1280			
Pr > F	<.0001			
Sample Size = 124521				

Table of AM34 by asthmastatus						
AM34	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	4583	1363998	38783	4.8289	0.1374
	2 Previous Asthmatic	1540	647836	29955	2.2935	0.1060
	3 Non-Asthmatic	35386	12218362	58938	43.2560	0.2092
	Total	41509	14230196	38729	50.3784	0.1381
All or Almost All Calls on Cell Phones	1 Current Asthmatic	2567	561030	21234	1.9862	0.0751
	2 Previous Asthmatic	1210	309872	15891	1.0970	0.0562
	3 Non-Asthmatic	20185	4871196	52113	17.2452	0.1846
	Total	23962	5742098	53551	20.3284	0.1892
Some Calls on Cell, Some Regular Phones	1 Current Asthmatic	3397	499579	20137	1.7686	0.0712
	2 Previous Asthmatic	1176	199912	16245	0.7077	0.0575
	3 Non-Asthmatic	26294	4275259	48153	15.1355	0.1706
	Total	30867	4974751	48785	17.6118	0.1726
Very Few or No Calls on Cell Phones	1 Current Asthmatic	3043	341282	14555	1.2082	0.0515
	2 Previous Asthmatic	885	104404	7271	0.3696	0.0257
	3 Non-Asthmatic	24255	2853903	38987	10.1035	0.1380
	Total	28183	3299589	38551	11.6814	0.1364
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test				
Pearson Chi-Square	127.3761			
<b>Design Correction</b>	3.8950			
Rao-Scott Chi-Square	32.7027			
DF	6			
Pr > ChiSq	<.0001			
F Value	5.4505			
Num DF	6			
Den DF	960			
Pr > F	<.0001			
Sample Size = 124521				

Table of UR_CLRT by asthmastatus						
UR_CLRT	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Urban	1 Current Asthmatic	4705	1341843	34440	4.7505	0.1219
	2 Previous Asthmatic	1752	628509	32007	2.2251	0.1133
	3 Non-Asthmatic	40464	12704979	80030	44.9787	0.2836
	Total	46921	14675331	68719	51.9543	0.2431
2nd City	1 Current Asthmatic	3893	652279	24545	2.3092	0.0869
	2 Previous Asthmatic	1295	272227	18580	0.9638	0.0658
	3 Non-Asthmatic	27566	5002178	46585	17.7089	0.1649
	Total	32754	5926684	47068	20.9819	0.1664
Suburban	1 Current Asthmatic	2142	463750	19799	1.6418	0.0701
	2 Previous Asthmatic	847	239635	16770	0.8484	0.0594
	3 Non-Asthmatic	17882	4132581	54893	14.6303	0.1948
	Total	20871	4835966	60933	17.1205	0.2160
Town & Rural	1 Current Asthmatic	2850	308017	13773	1.0905	0.0487
	2 Previous Asthmatic	917	121653	8514	0.4307	0.0301
	3 Non-Asthmatic	20208	2378982	36584	8.4222	0.1294
	Total	23975	2808653	37202	9.9433	0.1315
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test				
Pearson Chi-Square	115.6330			
<b>Design Correction</b>	4.2340			
Rao-Scott Chi-Square	27.3106			
DF	6			
Pr > ChiSq	0.0001			
F Value	4.5518			
Num DF	6			
Den DF	960			
Pr > F	0.0001			
Sample Size = 124521				