

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

Data Summary	
Number of Observations	124521
Sum of Weights	28246633.6

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

Table of AB17 by asthmastatus						
AB17	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	18401	4027914	63803	14.2598	0.2254
No	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB43 by asthmastatus						
AB43	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	9499	1833219	41066	6.4900	0.1454
	2 Previous Asthmatic	1163	296609	17984	1.0501	0.0636
	3 Non-Asthmatic	0
	Total	10662	2129829	44941	7.5401	0.1589
No	1 Current Asthmatic	4091	932670	30994	3.3019	0.1096
	2 Previous Asthmatic	3648	965415	36687	3.4178	0.1299
	3 Non-Asthmatic	0
	Total	7739	1898085	47924	6.7197	0.1695
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB98 by asthmastatus						
AB98	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	4091	932670	30994	3.3019	0.1096
	2 Previous Asthmatic	3648	965415	36687	3.4178	0.1299
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113859	26116805	44583	92.4599	0.1589
Yes	1 Current Asthmatic	2549	486803	20071	1.7234	0.0710
	2 Previous Asthmatic	181	36195	5635	0.1281	0.0199
	3 Non-Asthmatic	0
	Total	2730	522998	21405	1.8515	0.0757
No	1 Current Asthmatic	6950	1346417	35353	4.7666	0.1252
	2 Previous Asthmatic	982	260414	17449	0.9219	0.0617
	3 Non-Asthmatic	0
	Total	7932	1606831	39483	5.6886	0.1397
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB108_P1 by asthmastatus						
AB108_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Very Confident	1 Current Asthmatic	9772	1997216	41597	7.0706	0.1471
	2 Previous Asthmatic	4495	1178378	39684	4.1717	0.1404
	3 Non-Asthmatic	0
	Total	14267	3175594	55173	11.2424	0.1949
Somewhat Confident	1 Current Asthmatic	3162	644905	26845	2.2831	0.0950
	2 Previous Asthmatic	246	55002	6919	0.1947	0.0245
	3 Non-Asthmatic	0
	Total	3408	699907	28829	2.4778	0.1020
Not Too Confident / Not at All Confident	1 Current Asthmatic	656	123768	10454	0.4382	0.0370
	2 Previous Asthmatic	70	28644	6863	0.1014	0.0243
	3 Non-Asthmatic	0
	Total	726	152412	12578	0.5396	0.0445
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by asthmastatus						
AB40	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	11091	2191133	46903	7.7571	0.1661
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	11091	2191133	46903	7.7571	0.1661
No	1 Current Asthmatic	2499	574756	25763	2.0348	0.0911
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	7310	1836781	49537	6.5027	0.1750
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB41 by asthmastatus						
AB41	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	5837	1142723	30140	4.0455	0.1067
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	5837	1142723	30140	4.0455	0.1067
No	1 Current Asthmatic	7753	1623166	41596	5.7464	0.1471
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	12564	2885191	57309	10.2143	0.2025
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Table of ASTCUR by asthmastatus						
ASTCUR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Current Asthma	1 Current Asthmatic	11505	2278995	48596	8.0682	0.1721
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	11505	2278995	48596	8.0682	0.1721
No Current Asthma	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of ASTS by asthmastatus						
ASTS	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	12377	2524776	48265	8.9383	0.1707
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	12377	2524776	48265	8.9383	0.1707
No	1 Current Asthmatic	1213	241114	14901	0.8536	0.0528
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	6024	1503138	45297	5.3215	0.1602
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of ASTYR by asthmastatus						
ASTYR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Yes	1 Current Asthmatic	10390	2054349	45944	7.2729	0.1626
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	10390	2054349	45944	7.2729	0.1626
No	1 Current Asthmatic	1115	224646	14495	0.7953	0.0513
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1115	224646	14495	0.7953	0.0513
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB18 by asthmastatus						
AB18	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	6321	1101625	30743	3.9000	0.1088
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	6321	1101625	30743	3.9000	0.1088
No	1 Current Asthmatic	7269	1664264	42209	5.8919	0.1493
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	12080	2926288	55754	10.3598	0.1970
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB19 by asthmastatus						
AB19	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Not at All	1 Current Asthmatic	1115	224646	14495	0.7953	0.0513
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1115	224646	14495	0.7953	0.0513
Less than Every Month	1 Current Asthmatic	4595	986719	31206	3.4932	0.1105
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	4595	986719	31206	3.4932	0.1105
Every Month	1 Current Asthmatic	2416	518528	23541	1.8357	0.0833
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	2416	518528	23541	1.8357	0.0833
Every Week	1 Current Asthmatic	1593	287845	16810	1.0190	0.0595
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1593	287845	16810	1.0190	0.0595
Every Day	1 Current Asthmatic	1786	261257	14564	0.9249	0.0515
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1786	261257	14564	0.9249	0.0515
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AH13A by asthmastatus						
AH13A	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Yes	1 Current Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1095	237259	16258	0.8400	0.0576
No	1 Current Asthmatic	10410	2041736	43390	7.2282	0.1536
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	10410	2041736	43390	7.2282	0.1536
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	