

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure**

Data Summary	
Number of Observations	124521
Sum of Weights	28246633.6

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB1 by asthmastatus						
AB1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Excellent	1 Current Asthmatic	1075	259127	15171	0.9174	0.0537
	2 Previous Asthmatic	933	276952	23117	0.9805	0.0818
	3 Non-Asthmatic	19651	4714556	67964	16.6907	0.2409
	Total	21659	5250635	72027	18.5885	0.2552
Very Good	1 Current Asthmatic	3287	757071	27159	2.6802	0.0961
	2 Previous Asthmatic	1652	428010	21793	1.5153	0.0771
	3 Non-Asthmatic	33255	7476004	71781	26.4669	0.2542
	Total	38194	8661085	76426	30.6624	0.2703
Good	1 Current Asthmatic	4327	857917	29344	3.0372	0.1038
	2 Previous Asthmatic	1447	376366	20244	1.3324	0.0717
	3 Non-Asthmatic	31661	7388211	80560	26.1561	0.2855
	Total	37435	8622494	82551	30.5257	0.2923
Fair	1 Current Asthmatic	3206	622952	22316	2.2054	0.0790
	2 Previous Asthmatic	598	150471	12478	0.5327	0.0442
	3 Non-Asthmatic	16362	3771723	60023	13.3528	0.2122
	Total	20166	4545146	63145	16.0909	0.2232
Poor	1 Current Asthmatic	1695	268823	16823	0.9517	0.0596
	2 Previous Asthmatic	181	30225	5439	0.1070	0.0193
	3 Non-Asthmatic	5191	868225	24890	3.0737	0.0882
	Total	7067	1167273	32160	4.1324	0.1139
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AB1 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	2131.5119
Design Correction	4.6359
Rao-Scott Chi-Square	459.7805
DF	8
Pr > ChiSq	<.0001
F Value	57.4726
Num DF	8
Den DF	1280
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of RBMI by asthmastatus						
RBMI	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Underweight 0-18.49	1 Current Asthmatic	230	45811	5763	0.1622	0.0204
	2 Previous Asthmatic	72	14406	3686	0.0510	0.0130
	3 Non-Asthmatic	1906	407341	21612	1.4421	0.0765
	Total	2208	467558	22114	1.6553	0.0783
Normal 18.5-24.99	1 Current Asthmatic	4009	852078	26298	3.0166	0.0931
	2 Previous Asthmatic	1741	486175	25841	1.7212	0.0914
	3 Non-Asthmatic	40298	9087918	88141	32.1735	0.3131
	Total	46048	10426170	86335	36.9112	0.3066
Overweight 25.0-29.99	1 Current Asthmatic	4303	869712	28934	3.0790	0.1023
	2 Previous Asthmatic	1651	431709	22027	1.5284	0.0780
	3 Non-Asthmatic	37686	8649938	88528	30.6229	0.3136
	Total	43640	9951359	92652	35.2302	0.3278
Obese 30.0+	1 Current Asthmatic	5048	998289	30966	3.5342	0.1096
	2 Previous Asthmatic	1347	329734	22877	1.1673	0.0810
	3 Non-Asthmatic	26230	6073523	75776	21.5018	0.2678
	Total	32625	7401546	79280	26.2033	0.2799
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	712.3601
Design Correction	4.7172
Rao-Scott Chi-Square	151.0137
DF	6
Pr > ChiSq	<.0001
F Value	25.1690
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB17 by asthmastatus						
AB17	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	18401	4027914	63803	14.2598	0.2254
No	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Table of AB43 by asthmastatus						
AB43	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	9499	1833219	41066	6.4900	0.1454
	2 Previous Asthmatic	1163	296609	17984	1.0501	0.0636
	3 Non-Asthmatic	0
	Total	10662	2129829	44941	7.5401	0.1589
No	1 Current Asthmatic	4091	932670	30994	3.3019	0.1096
	2 Previous Asthmatic	3648	965415	36687	3.4178	0.1299
	3 Non-Asthmatic	0
	Total	7739	1898085	47924	6.7197	0.1695
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB98 by asthmastatus						
AB98	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	4091	932670	30994	3.3019	0.1096
	2 Previous Asthmatic	3648	965415	36687	3.4178	0.1299
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113859	26116805	44583	92.4599	0.1589
Yes	1 Current Asthmatic	2549	486803	20071	1.7234	0.0710
	2 Previous Asthmatic	181	36195	5635	0.1281	0.0199
	3 Non-Asthmatic	0
	Total	2730	522998	21405	1.8515	0.0757
No	1 Current Asthmatic	6950	1346417	35353	4.7666	0.1252
	2 Previous Asthmatic	982	260414	17449	0.9219	0.0617
	3 Non-Asthmatic	0
	Total	7932	1606831	39483	5.6886	0.1397
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB108_P1 by asthmastatus						
AB108_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Very Confident	1 Current Asthmatic	9772	1997216	41597	7.0706	0.1471
	2 Previous Asthmatic	4495	1178378	39684	4.1717	0.1404
	3 Non-Asthmatic	0
	Total	14267	3175594	55173	11.2424	0.1949
Somewhat Confident	1 Current Asthmatic	3162	644905	26845	2.2831	0.0950
	2 Previous Asthmatic	246	55002	6919	0.1947	0.0245
	3 Non-Asthmatic	0
	Total	3408	699907	28829	2.4778	0.1020
Not Too Confident / Not at All Confident	1 Current Asthmatic	656	123768	10454	0.4382	0.0370
	2 Previous Asthmatic	70	28644	6863	0.1014	0.0243
	3 Non-Asthmatic	0
	Total	726	152412	12578	0.5396	0.0445
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB40 by asthmastatus						
AB40	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	11091	2191133	46903	7.7571	0.1661
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	11091	2191133	46903	7.7571	0.1661
No	1 Current Asthmatic	2499	574756	25763	2.0348	0.0911
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	7310	1836781	49537	6.5027	0.1750
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB41 by asthmastatus						
AB41	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	5837	1142723	30140	4.0455	0.1067
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	5837	1142723	30140	4.0455	0.1067
No	1 Current Asthmatic	7753	1623166	41596	5.7464	0.1471
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	12564	2885191	57309	10.2143	0.2025
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Table of ASTCUR by asthmastatus						
ASTCUR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Current Asthma	1 Current Asthmatic	11505	2278995	48596	8.0682	0.1721
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	11505	2278995	48596	8.0682	0.1721
No Current Asthma	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of ASTS by asthmastatus						
ASTS	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	12377	2524776	48265	8.9383	0.1707
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	12377	2524776	48265	8.9383	0.1707
No	1 Current Asthmatic	1213	241114	14901	0.8536	0.0528
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	6024	1503138	45297	5.3215	0.1602
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of ASTYR by asthmastatus						
ASTYR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Yes	1 Current Asthmatic	10390	2054349	45944	7.2729	0.1626
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	10390	2054349	45944	7.2729	0.1626
No	1 Current Asthmatic	1115	224646	14495	0.7953	0.0513
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1115	224646	14495	0.7953	0.0513
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB18 by asthmastatus						
AB18	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	0
	2 Previous Asthmatic	0
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	106120	24218720	63095	85.7402	0.2254
Yes	1 Current Asthmatic	6321	1101625	30743	3.9000	0.1088
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	6321	1101625	30743	3.9000	0.1088
No	1 Current Asthmatic	7269	1664264	42209	5.8919	0.1493
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	0
	Total	12080	2926288	55754	10.3598	0.1970
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB19 by asthmastatus						
AB19	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Not at All	1 Current Asthmatic	1115	224646	14495	0.7953	0.0513
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1115	224646	14495	0.7953	0.0513
Less than Every Month	1 Current Asthmatic	4595	986719	31206	3.4932	0.1105
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	4595	986719	31206	3.4932	0.1105
Every Month	1 Current Asthmatic	2416	518528	23541	1.8357	0.0833
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	2416	518528	23541	1.8357	0.0833
Every Week	1 Current Asthmatic	1593	287845	16810	1.0190	0.0595
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1593	287845	16810	1.0190	0.0595
Every Day	1 Current Asthmatic	1786	261257	14564	0.9249	0.0515
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1786	261257	14564	0.9249	0.0515
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AH13A by asthmastatus						
AH13A	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	2085	486894	23963	1.7237	0.0847
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	113016	25967638	49026	91.9318	0.1721
Yes	1 Current Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	1095	237259	16258	0.8400	0.0576
No	1 Current Asthmatic	10410	2041736	43390	7.2282	0.1536
	2 Previous Asthmatic	0
	3 Non-Asthmatic	0
	Total	10410	2041736	43390	7.2282	0.1536
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB22 by asthmastatus						
AB22	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	2242	334730	15022	1.1850	0.0532
	2 Previous Asthmatic	492	82183	8143	0.2909	0.0288
	3 Non-Asthmatic	11909	2086277	45766	7.3859	0.1620
	Total	14643	2503190	47571	8.8619	0.1683
No	1 Current Asthmatic	11019	2366415	44902	8.3777	0.1588
	2 Previous Asthmatic	4247	1169720	40320	4.1411	0.1427
	3 Non-Asthmatic	92066	21757818	69225	77.0280	0.2476
	Total	107332	25293954	50234	89.5468	0.1785
Borderline/Pre-Diabetes	1 Current Asthmatic	329	64745	9094	0.2292	0.0322
	2 Previous Asthmatic	72	10121	2234	0.0358	0.0079
	3 Non-Asthmatic	2145	374624	19400	1.3263	0.0687
	Total	2546	449490	20168	1.5913	0.0713
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	281.4726
Design Correction	3.7101
Rao-Scott Chi-Square	75.8660
DF	4
Pr > ChiSq	<.0001
F Value	18.9665
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB24 by asthmastatus						
AB24	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	11348	2431159	46918	8.6069	0.1659
	2 Previous Asthmatic	4319	1179841	40218	4.1769	0.1423
	3 Non-Asthmatic	94211	22132443	68635	78.3543	0.2450
	Total	109878	25743443	47765	91.1381	0.1683
Yes	1 Current Asthmatic	716	94819	7316	0.3357	0.0259
	2 Previous Asthmatic	153	22905	3696	0.0811	0.0131
	3 Non-Asthmatic	3268	580733	20488	2.0559	0.0725
	Total	4137	698457	21797	2.4727	0.0772
No	1 Current Asthmatic	1526	239911	14327	0.8493	0.0507
	2 Previous Asthmatic	339	59278	7641	0.2099	0.0270
	3 Non-Asthmatic	8641	1505544	40872	5.3300	0.1447
	Total	10506	1804733	41513	6.3892	0.1469
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	204.8385
Design Correction	3.4738
Rao-Scott Chi-Square	58.9659
DF	4
Pr > ChiSq	<.0001
F Value	14.7415
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB25 by asthmastatus						
AB25	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	11348	2431159	46918	8.6069	0.1659
	2 Previous Asthmatic	4319	1179841	40218	4.1769	0.1423
	3 Non-Asthmatic	94211	22132443	68635	78.3543	0.2450
	Total	109878	25743443	47765	91.1381	0.1683
Yes	1 Current Asthmatic	1561	243844	13990	0.8633	0.0495
	2 Previous Asthmatic	331	49349	5548	0.1747	0.0196
	3 Non-Asthmatic	8658	1480016	35665	5.2396	0.1262
	Total	10550	1773209	37959	6.2776	0.1343
No	1 Current Asthmatic	681	90886	7517	0.3218	0.0266
	2 Previous Asthmatic	161	32834	5647	0.1162	0.0200
	3 Non-Asthmatic	3251	606262	25145	2.1463	0.0890
	Total	4093	729981	26713	2.5843	0.0946
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	223.6281
Design Correction	3.3999
Rao-Scott Chi-Square	65.7742
DF	4
Pr > ChiSq	<.0001
F Value	16.4436
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB34 by asthmastatus						
AB34	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	2220	282806	13947	1.0012	0.0494
	2 Previous Asthmatic	464	66976	7569	0.2371	0.0268
	3 Non-Asthmatic	10560	1363015	30983	4.8254	0.1097
	Total	13244	1712797	34290	6.0637	0.1214
No	1 Current Asthmatic	11370	2483084	49056	8.7907	0.1735
	2 Previous Asthmatic	4347	1195048	40369	4.2308	0.1428
	3 Non-Asthmatic	95560	22855705	66652	80.9148	0.2376
	Total	111277	26533837	35032	93.9363	0.1214
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	411.8183
Design Correction	3.5154
Rao-Scott Chi-Square	117.1468
DF	2
Pr > ChiSq	<.0001
F Value	58.5734
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB52 by asthmastatus						
AB52	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	11370	2483084	49056	8.7907	0.1735
	2 Previous Asthmatic	4347	1195048	40369	4.2308	0.1428
	3 Non-Asthmatic	95560	22855705	66652	80.9148	0.2376
	Total	111277	26533837	35032	93.9363	0.1214
Yes	1 Current Asthmatic	828	103084	8033	0.3649	0.0284
	2 Previous Asthmatic	116	17597	3857	0.0623	0.0137
	3 Non-Asthmatic	2919	388590	18078	1.3757	0.0640
	Total	3863	509271	20583	1.8029	0.0729
No	1 Current Asthmatic	1392	179722	11806	0.6363	0.0418
	2 Previous Asthmatic	348	49380	6651	0.1748	0.0236
	3 Non-Asthmatic	7641	974425	26153	3.4497	0.0926
	Total	9381	1203526	29519	4.2608	0.1046
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	462.6966
Design Correction	3.4869
Rao-Scott Chi-Square	132.6958
DF	4
Pr > ChiSq	<.0001
F Value	33.1739
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB30 by asthmastatus						
AB30	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	7043	1768579	38892	6.2612	0.1377
	2 Previous Asthmatic	3157	963932	37363	3.4126	0.1322
	3 Non-Asthmatic	66404	17654185	81780	62.5001	0.2894
	Total	76604	20386696	66056	72.1739	0.2323
Yes	1 Current Asthmatic	5193	705832	20851	2.4988	0.0737
	2 Previous Asthmatic	1179	177853	9864	0.6296	0.0349
	3 Non-Asthmatic	31524	4492109	49150	15.9032	0.1743
	Total	37896	5375795	50437	19.0316	0.1786
No	1 Current Asthmatic	1354	291478	17780	1.0319	0.0629
	2 Previous Asthmatic	475	120239	12131	0.4257	0.0429
	3 Non-Asthmatic	8192	2072426	47060	7.3369	0.1667
	Total	10021	2484143	49519	8.7945	0.1754
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	542.2603
Design Correction	4.0101
Rao-Scott Chi-Square	135.2225
DF	4
Pr > ChiSq	<.0001
F Value	33.8056
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AB117 by asthmastatus						
AB117	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	11370	2483084	49056	8.7907	0.1735
	2 Previous Asthmatic	4347	1195048	40369	4.2308	0.1428
	3 Non-Asthmatic	95560	22855705	66652	80.9148	0.2376
	Total	111277	26533837	35032	93.9363	0.1214
Yes	1 Current Asthmatic	357	48263	5434	0.1709	0.0192
	2 Previous Asthmatic	57	7410	2298	0.0262	0.0081
	3 Non-Asthmatic	1488	191677	10615	0.6786	0.0376
	Total	1902	247351	11754	0.8757	0.0416
No	1 Current Asthmatic	1863	234542	12786	0.8303	0.0453
	2 Previous Asthmatic	407	59566	7101	0.2109	0.0251
	3 Non-Asthmatic	9072	1171338	29562	4.1468	0.1047
	Total	11342	1465446	33580	5.1880	0.1189
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	426.5701
Design Correction	3.2045
Rao-Scott Chi-Square	133.1153
DF	4
Pr > ChiSq	<.0001
F Value	33.2788
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of DSTRS12 by asthmastatus						
DSTRS12	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	1799	426437	22009	1.5097	0.0779
	2 Previous Asthmatic	381	123314	13098	0.4366	0.0464
	3 Non-Asthmatic	6470	1732213	39650	6.1325	0.1406
	Total	8650	2281964	44414	8.0787	0.1575
No	1 Current Asthmatic	11791	2339453	46046	8.2822	0.1628
	2 Previous Asthmatic	4430	1138710	38834	4.0313	0.1374
	3 Non-Asthmatic	99650	22486507	69205	79.6077	0.2453
	Total	115871	25964669	45737	91.9213	0.1575
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	1029.1819
Design Correction	5.4802
Rao-Scott Chi-Square	187.8000
DF	2
Pr > ChiSq	<.0001
F Value	93.9000
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of DSTRS30 by asthmastatus						
DSTRS30	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	1056	224547	15327	0.7950	0.0543
	2 Previous Asthmatic	149	48419	8767	0.1714	0.0310
	3 Non-Asthmatic	3336	799576	24320	2.8307	0.0861
	Total	4541	1072542	29653	3.7971	0.1050
No	1 Current Asthmatic	12534	2541342	48356	8.9970	0.1710
	2 Previous Asthmatic	4662	1213605	40498	4.2965	0.1432
	3 Non-Asthmatic	102784	23419144	65686	82.9095	0.2343
	Total	119980	27174091	30675	96.2029	0.1050
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	695.1407
Design Correction	5.5709
Rao-Scott Chi-Square	124.7804
DF	2
Pr > ChiSq	<.0001
F Value	62.3902
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AF65 by asthmastatus						
AF65	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10165	2011365	45778	7.1207	0.1619
	2 Previous Asthmatic	3869	989257	32571	3.5022	0.1153
	3 Non-Asthmatic	87744	19632297	81683	69.5031	0.2903
	Total	101778	22632919	67635	80.1261	0.2391
All of the Time	1 Current Asthmatic	495	115337	9510	0.4083	0.0337
	2 Previous Asthmatic	89	28897	6097	0.1023	0.0216
	3 Non-Asthmatic	1578	476461	26225	1.6868	0.0929
	Total	2162	620695	26415	2.1974	0.0936
Most of the Time	1 Current Asthmatic	684	173189	13224	0.6131	0.0468
	2 Previous Asthmatic	174	57996	8764	0.2053	0.0310
	3 Non-Asthmatic	2934	841159	27008	2.9779	0.0955
	Total	3792	1072345	29185	3.7964	0.1032
Some of the Time	1 Current Asthmatic	1079	240190	14450	0.8503	0.0512
	2 Previous Asthmatic	319	95862	10598	0.3394	0.0375
	3 Non-Asthmatic	6099	1527283	38005	5.4070	0.1345
	Total	7497	1863334	44972	6.5967	0.1592
A Little of the Time	1 Current Asthmatic	634	120046	11081	0.4250	0.0392
	2 Previous Asthmatic	198	49736	7119	0.1761	0.0252
	3 Non-Asthmatic	4245	1042154	33821	3.6895	0.1198
	Total	5077	1211937	36502	4.2906	0.1293
Not at All	1 Current Asthmatic	533	105763	10050	0.3744	0.0356
	2 Previous Asthmatic	162	40275	8065	0.1426	0.0285
	3 Non-Asthmatic	3520	699366	25261	2.4759	0.0894
	Total	4215	845404	28528	2.9929	0.1009
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AF65 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	710.1159
Design Correction	4.8767
Rao-Scott Chi-Square	145.6144
DF	10
Pr > ChiSq	<.0001
F Value	14.5614
Num DF	10
Den DF	1600
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AF63 by asthmastatus						
AF63	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10165	2011365	45778	7.1207	0.1619
	2 Previous Asthmatic	3869	989257	32571	3.5022	0.1153
	3 Non-Asthmatic	87744	19632297	81683	69.5031	0.2903
	Total	101778	22632919	67635	80.1261	0.2391
All of the Time	1 Current Asthmatic	625	145502	12773	0.5151	0.0452
	2 Previous Asthmatic	120	31322	5670	0.1109	0.0201
	3 Non-Asthmatic	2011	521126	22379	1.8449	0.0793
	Total	2756	697950	25595	2.4709	0.0907
Most of the Time	1 Current Asthmatic	839	205407	12583	0.7272	0.0445
	2 Previous Asthmatic	231	81459	10665	0.2884	0.0378
	3 Non-Asthmatic	3868	1062584	31752	3.7618	0.1124
	Total	4938	1349450	36094	4.7774	0.1278
Some of the Time	1 Current Asthmatic	956	217044	15221	0.7684	0.0539
	2 Previous Asthmatic	283	80707	9850	0.2857	0.0349
	3 Non-Asthmatic	5835	1460168	38542	5.1694	0.1365
	Total	7074	1757919	39002	6.2235	0.1381
A Little of the Time	1 Current Asthmatic	617	107636	9168	0.3811	0.0325
	2 Previous Asthmatic	195	47953	6944	0.1698	0.0246
	3 Non-Asthmatic	4274	1056268	33800	3.7394	0.1196
	Total	5086	1211858	34825	4.2903	0.1232
Not at All	1 Current Asthmatic	388	78935	7983	0.2794	0.0283
	2 Previous Asthmatic	113	31325	7602	0.1109	0.0269
	3 Non-Asthmatic	2388	486278	21746	1.7215	0.0770
	Total	2889	596537	23175	2.1119	0.0820
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AF63 by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	879.2925
Design Correction	4.9105
Rao-Scott Chi-Square	179.0655
DF	10
Pr > ChiSq	<.0001
F Value	17.9066
Num DF	10
Den DF	1600
Pr > F	<.0001
Sample Size = 124521	

Table of AD50 by asthmastatus						
AD50	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	1929	287041	14443	1.0162	0.0511
	2 Previous Asthmatic	424	90029	10124	0.3187	0.0359
	3 Non-Asthmatic	10463	1661907	37515	5.8836	0.1328
	Total	12816	2038977	40316	7.2185	0.1428
No	1 Current Asthmatic	11661	2478848	49791	8.7757	0.1761
	2 Previous Asthmatic	4387	1171995	39587	4.1491	0.1400
	3 Non-Asthmatic	95657	22556813	72218	79.8566	0.2573
	Total	111705	26207656	41032	92.7815	0.1428
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AD50 by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	202.0349
Design Correction	4.3465
Rao-Scott Chi-Square	46.4820
DF	2
Pr > ChiSq	<.0001
F Value	23.2410
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

Table of AE15 by asthmastatus						
AE15	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	6250	1106372	32343	3.9168	0.1144
	2 Previous Asthmatic	1932	425919	17361	1.5079	0.0614
	3 Non-Asthmatic	42083	8431153	74855	29.8483	0.2661
	Total	50265	9963444	77502	35.2730	0.2751
No	1 Current Asthmatic	7340	1659517	40082	5.8751	0.1419
	2 Previous Asthmatic	2879	836105	35647	2.9600	0.1261
	3 Non-Asthmatic	64037	15787567	84438	55.8919	0.2980
	Total	74256	18283189	78250	64.7270	0.2751
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AE15 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	134.9363
Design Correction	4.1273
Rao-Scott Chi-Square	32.6935
DF	2
Pr > ChiSq	<.0001
F Value	16.3467
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AE15A by asthmastatus						
AE15A	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	7340	1659517	40082	5.8751	0.1419
	2 Previous Asthmatic	2879	836105	35647	2.9600	0.1261
	3 Non-Asthmatic	64037	15787567	84438	55.8919	0.2980
	Total	74256	18283189	78250	64.7270	0.2751
Every Day	1 Current Asthmatic	1350	281716	17096	0.9973	0.0605
	2 Previous Asthmatic	337	101898	9513	0.3607	0.0337
	3 Non-Asthmatic	8064	1897730	45902	6.7184	0.1625
	Total	9751	2281344	48772	8.0765	0.1726
Some Days	1 Current Asthmatic	531	138222	12692	0.4893	0.0449
	2 Previous Asthmatic	199	68853	8308	0.2438	0.0294
	3 Non-Asthmatic	3512	1152279	38227	4.0794	0.1353
	Total	4242	1359354	40956	4.8124	0.1450
Not at All	1 Current Asthmatic	4369	686434	24875	2.4301	0.0880
	2 Previous Asthmatic	1396	255168	13574	0.9034	0.0481
	3 Non-Asthmatic	30507	5381144	59846	19.0506	0.2129
	Total	36272	6322746	64303	22.3841	0.2285
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	173.9264
Design Correction	4.3993
Rao-Scott Chi-Square	39.5348
DF	6
Pr > ChiSq	<.0001
F Value	6.5891
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of SMKCUR by asthmastatus						
SMKCUR	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Current Smoker	1 Current Asthmatic	1881	419938	21049	1.4867	0.0745
	2 Previous Asthmatic	536	170751	10646	0.6045	0.0377
	3 Non-Asthmatic	11576	3050009	53480	10.7978	0.1893
	Total	13993	3640698	55249	12.8890	0.1954
Not Current Smoker	1 Current Asthmatic	11709	2345951	47720	8.3052	0.1688
	2 Previous Asthmatic	4275	1091273	38901	3.8634	0.1376
	3 Non-Asthmatic	94544	21168711	77675	74.9424	0.2767
	Total	110528	24605935	55201	87.1110	0.1954
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	67.4695
Design Correction	4.1650
Rao-Scott Chi-Square	16.1992
DF	2
Pr > ChiSq	0.0003
F Value	8.0996
Num DF	2
Den DF	320
Pr > F	0.0004
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of SMOKING by asthmastatus						
SMOKING	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Currently Smokes	1 Current Asthmatic	1881	419938	21049	1.4867	0.0745
	2 Previous Asthmatic	536	170751	10646	0.6045	0.0377
	3 Non-Asthmatic	11576	3050009	53480	10.7978	0.1893
	Total	13993	3640698	55249	12.8890	0.1954
Quit Smoking	1 Current Asthmatic	4369	686434	24875	2.4301	0.0880
	2 Previous Asthmatic	1396	255168	13574	0.9034	0.0481
	3 Non-Asthmatic	30507	5381144	59846	19.0506	0.2129
	Total	36272	6322746	64303	22.3841	0.2285
Never Smoked Regularly	1 Current Asthmatic	7340	1659517	40082	5.8751	0.1419
	2 Previous Asthmatic	2879	836105	35647	2.9600	0.1261
	3 Non-Asthmatic	64037	15787567	84438	55.8919	0.2980
	Total	74256	18283189	78250	64.7270	0.2751
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	151.5863
Design Correction	3.9793
Rao-Scott Chi-Square	38.0935
DF	4
Pr > ChiSq	<.0001
F Value	9.5234
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of NUMCIG by asthmastatus						
NUMCIG	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
None	1 Current Asthmatic	11709	2345951	47720	8.3052	0.1688
	2 Previous Asthmatic	4275	1091273	38901	3.8634	0.1376
	3 Non-Asthmatic	94544	21168711	77675	74.9424	0.2767
	Total	110528	24605935	55201	87.1110	0.1954
<=1 Cigarette	1 Current Asthmatic	138	46158	7220	0.1634	0.0256
	2 Previous Asthmatic	60	21049	4172	0.0745	0.0148
	3 Non-Asthmatic	966	382433	25819	1.3539	0.0914
	Total	1164	449640	26575	1.5918	0.0940
2-5 Cigarettes	1 Current Asthmatic	530	143833	12405	0.5092	0.0439
	2 Previous Asthmatic	176	58254	7218	0.2062	0.0256
	3 Non-Asthmatic	3466	1075982	32517	3.8092	0.1152
	Total	4172	1278069	35626	4.5247	0.1263
6-10 Cigarettes	1 Current Asthmatic	563	113465	9151	0.4017	0.0324
	2 Previous Asthmatic	152	49695	6601	0.1759	0.0234
	3 Non-Asthmatic	3497	867216	30478	3.0702	0.1078
	Total	4212	1030376	31948	3.6478	0.1130
11-19 Cigarettes	1 Current Asthmatic	216	41506	8831	0.1469	0.0313
	2 Previous Asthmatic	65	20871	5064	0.0739	0.0179
	3 Non-Asthmatic	1327	306781	16019	1.0861	0.0567
	Total	1608	369158	19801	1.3069	0.0701
20 or More	1 Current Asthmatic	434	74975	6947	0.2654	0.0246
	2 Previous Asthmatic	83	20883	4578	0.0739	0.0162
	3 Non-Asthmatic	2320	417597	20034	1.4784	0.0709
	Total	2837	513455	21776	1.8178	0.0771
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of NUMCIG by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	102.3227
Design Correction	4.5921
Rao-Scott Chi-Square	22.2825
DF	10
Pr > ChiSq	0.0137
F Value	2.2282
Num DF	10
Den DF	1600
Pr > F	0.0142
Sample Size = 124521	

Table of AD37W by asthmastatus						
AD37W	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	6034	1431925	38897	5.0694	0.1377
	2 Previous Asthmatic	2378	690083	27752	2.4431	0.0982
	3 Non-Asthmatic	49953	12988564	92538	45.9827	0.3279
	Total	58365	15110572	92010	53.4951	0.3257
No	1 Current Asthmatic	7388	1311979	33260	4.6447	0.1176
	2 Previous Asthmatic	2406	568258	24756	2.0118	0.0876
	3 Non-Asthmatic	55409	11133912	85283	39.4168	0.3024
	Total	65203	13014149	91684	46.0733	0.3242
Unable to Walk	1 Current Asthmatic	168	21986	3607	0.0778	0.0128
	2 Previous Asthmatic	27	3683	1851	0.0130	0.0066
	3 Non-Asthmatic	758	96244	8279	0.3407	0.0293
	Total	953	121913	8712	0.4316	0.0308
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AD37W by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	57.7617
Design Correction	3.7088
Rao-Scott Chi-Square	15.5741
DF	4
Pr > ChiSq	0.0036
F Value	3.8935
Num DF	4
Den DF	640
Pr > F	0.0039
Sample Size = 124521	

Table of AD40W by asthmastatus						
AD40W	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	168	21986	3607	0.0778	0.0128
	2 Previous Asthmatic	27	3683	1851	0.0130	0.0066
	3 Non-Asthmatic	757	96154	8297	0.3404	0.0294
	Total	952	121823	8730	0.4313	0.0309
Yes	1 Current Asthmatic	8084	1729288	43618	6.1221	0.1543
	2 Previous Asthmatic	3196	853441	34756	3.0214	0.1229
	3 Non-Asthmatic	68090	15849919	96122	56.1126	0.3416
	Total	79370	18432648	85519	65.2561	0.3022
No	1 Current Asthmatic	5338	1014615	30012	3.5920	0.1062
	2 Previous Asthmatic	1588	404901	22188	1.4334	0.0786
	3 Non-Asthmatic	37273	8272646	84106	29.2872	0.2975
	Total	44199	9692162	84865	34.3126	0.3004
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AD40W by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	90.8977
Design Correction	4.4998
Rao-Scott Chi-Square	20.2004
DF	4
Pr > ChiSq	0.0005
F Value	5.0501
Num DF	4
Den DF	640
Pr > F	0.0005
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AESODA_P1 by asthmastatus						
AESODA_P1	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
0 Times	1 Current Asthmatic	9231	1628676	37739	5.7659	0.1335
	2 Previous Asthmatic	3247	718378	30900	2.5432	0.1093
	3 Non-Asthmatic	73219	14271103	73674	50.5232	0.2596
	Total	85697	16618156	84050	58.8323	0.2954
1 Time	1 Current Asthmatic	1553	383935	18375	1.3592	0.0650
	2 Previous Asthmatic	595	195937	14882	0.6937	0.0527
	3 Non-Asthmatic	12422	3610116	57757	12.7807	0.2051
	Total	14570	4189989	60956	14.8336	0.2163
2-3 Times	1 Current Asthmatic	1109	310557	19629	1.0994	0.0695
	2 Previous Asthmatic	419	176494	18112	0.6248	0.0641
	3 Non-Asthmatic	8780	2790549	55591	9.8792	0.1970
	Total	10308	3277601	58738	11.6035	0.2081
4-6 Times	1 Current Asthmatic	378	121838	12212	0.4313	0.0432
	2 Previous Asthmatic	145	42057	5901	0.1489	0.0209
	3 Non-Asthmatic	2784	899329	31653	3.1838	0.1119
	Total	3307	1063224	33406	3.7641	0.1181
7-13 Times	1 Current Asthmatic	765	178705	13512	0.6327	0.0478
	2 Previous Asthmatic	247	69179	7477	0.2449	0.0265
	3 Non-Asthmatic	5857	1712907	40707	6.0641	0.1444
	Total	6869	1960790	41162	6.9417	0.1460
14-20 Times	1 Current Asthmatic	276	75743	11892	0.2681	0.0421
	2 Previous Asthmatic	81	27395	6003	0.0970	0.0213
	3 Non-Asthmatic	1729	548707	26019	1.9426	0.0921
	Total	2086	651844	30524	2.3077	0.1081
21+ Times	1 Current Asthmatic	278	66436	8844	0.2352	0.0313
	2 Previous Asthmatic	77	32584	6941	0.1154	0.0246
	3 Non-Asthmatic	1329	386009	19998	1.3666	0.0708
	Total	1684	485029	21315	1.7171	0.0754
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AESODA_P1 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	161.1602
Design Correction	5.4017
Rao-Scott Chi-Square	29.8349
DF	12
Pr > ChiSq	0.0030
F Value	2.4862
Num DF	12
Den DF	1920
Pr > F	0.0031
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AC42_P by asthmastatus						
AC42_P	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Never	1 Current Asthmatic	623	103693	9852	0.3671	0.0349
	2 Previous Asthmatic	161	36825	5505	0.1304	0.0195
	3 Non-Asthmatic	4060	850937	31049	3.0125	0.1099
	Total	4844	991455	34009	3.5100	0.1204
Sometimes	1 Current Asthmatic	1095	248330	16117	0.8791	0.0571
	2 Previous Asthmatic	296	86091	11698	0.3048	0.0414
	3 Non-Asthmatic	7417	2082041	51462	7.3709	0.1824
	Total	8808	2416462	54269	8.5549	0.1924
Usually	1 Current Asthmatic	1225	263794	16269	0.9339	0.0576
	2 Previous Asthmatic	403	127823	15437	0.4525	0.0546
	3 Non-Asthmatic	9951	2727041	49896	9.6544	0.1770
	Total	11579	3118658	52053	11.0408	0.1845
Always	1 Current Asthmatic	10510	2130537	45518	7.5426	0.1610
	2 Previous Asthmatic	3918	1003932	33457	3.5542	0.1184
	3 Non-Asthmatic	83327	18344387	81970	64.9436	0.2894
	Total	97755	21478856	73188	76.0404	0.2561
Does Eat/Shop for Fruits & Vegetables	1 Current Asthmatic	137	19536	3818	0.0692	0.0135
	2 Previous Asthmatic	33	7353	2608	0.0260	0.0092
	3 Non-Asthmatic	1365	214315	15540	0.7587	0.0550
	Total	1535	241204	16152	0.8539	0.0572
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AC42_P by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	84.5705
Design Correction	4.8488
Rao-Scott Chi-Square	17.4416
DF	8
Pr > ChiSq	0.0258
F Value	2.1802
Num DF	8
Den DF	1280
Pr > F	0.0265
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health

The SURVEYFREQ Procedure

Table of AC44 by asthmastatus						
AC44	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	760	123229	10417	0.4363	0.0369
	2 Previous Asthmatic	194	44178	6048	0.1564	0.0214
	3 Non-Asthmatic	5425	1065252	36608	3.7713	0.1296
	Total	6379	1232658	39266	4.3639	0.1390
Never	1 Current Asthmatic	301	61704	7673	0.2184	0.0272
	2 Previous Asthmatic	59	20357	7412	0.0721	0.0262
	3 Non-Asthmatic	1369	292602	18485	1.0359	0.0654
	Total	1729	374663	20589	1.3264	0.0729
Sometimes	1 Current Asthmatic	2965	660039	25650	2.3367	0.0908
	2 Previous Asthmatic	727	213192	15405	0.7548	0.0545
	3 Non-Asthmatic	16584	4530417	68331	16.0388	0.2425
	Total	20276	5403648	70259	19.1302	0.2493
Usually	1 Current Asthmatic	3501	769482	24454	2.7242	0.0866
	2 Previous Asthmatic	1299	354841	22346	1.2562	0.0791
	3 Non-Asthmatic	27812	6981417	76144	24.7159	0.2700
	Total	32612	8105740	81945	28.6963	0.2905
Always	1 Current Asthmatic	6063	1151436	32706	4.0764	0.1157
	2 Previous Asthmatic	2532	629456	26404	2.2284	0.0934
	3 Non-Asthmatic	54930	11349033	90007	40.1784	0.3176
	Total	63525	13129925	88813	46.4832	0.3125
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Health**The SURVEYFREQ Procedure****Table of AC44 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	350.7006
Design Correction	5.2465
Rao-Scott Chi-Square	66.8443
DF	8
Pr > ChiSq	<.0001
F Value	8.3555
Num DF	8
Den DF	1280
Pr > F	<.0001
Sample Size = 124521	