

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Data Summary	
Number of Observations	125264
Sum of Weights	28362405.2

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

DOCTOR EVER TOLD HAVE ASTHMA					
AB17	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	18477	4040342	63612	14.2454	0.2243
No	106787	24322063	63612	85.7546	0.2243
Total	125264	28362405	3.55947E-6	100.0000	

STILL HAS ASTHMA					
AB40	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	106787	24322063	63612	85.7546	0.2243
Yes	11145	2199334	47032	7.7544	0.1658
No	7332	1841008	49467	6.4910	0.1744
Total	125264	28362405	3.5103E-6	100.0000	

ASTHMA EPISODE/ATTACK IN PAST 12 MOS					
AB41	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	106787	24322063	63612	85.7546	0.2243
Yes	5867	1146274	30144	4.0415	0.1063
No	12610	2894068	57366	10.2039	0.2023
Total	125264	28362405	3.58472E-6	100.0000	

CURRENT ASTHMA STATUS					
ASTCUR	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Current Asthma	11561	2287233	48692	8.0643	0.1717
No Current Asthma	113703	26075172	48692	91.9357	0.1717
Total	125264	28362405	4.3704E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA					
ASTS	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	106787	24322063	63612	85.7546	0.2243
Yes	12430	2532207	48131	8.9280	0.1697
No	6047	1508135	45409	5.3174	0.1601
Total	125264	28362405	3.53466E-6	100.0000	

ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA					
ASTYR	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	113703	26075172	48692	91.9357	0.1717
Yes	10440	2061693	45968	7.2691	0.1621
No	1121	225540	14523	0.7952	0.0512
Total	125264	28362405	4.33642E-6	100.0000	

TAKING DAILY MEDICATION TO CONTROL ASTHMA					
AB18	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	106787	24322063	63612	85.7546	0.2243
Yes	6362	1108241	30571	3.9074	0.1078
No	12115	2932102	55626	10.3380	0.1961
Total	125264	28362405	3.44009E-6	100.0000	

FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS					
AB19	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	113703	26075172	48692	91.9357	0.1717
Not at All	1121	225540	14523	0.7952	0.0512
Less than Every Month	4609	987918	31201	3.4832	0.1100
Every Month	2427	519509	23455	1.8317	0.0827
Every Week	1599	289573	16924	1.0210	0.0597
Every Day	1805	264693	14569	0.9333	0.0514
Total	125264	28362405	4.33642E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS					
AH13A	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	113703	26075172	48692	91.9357	0.1717
Yes	1105	239471	16176	0.8443	0.0570
No	10456	2047763	43433	7.2200	0.1531
Total	125264	28362405	4.3704E-6	100.0000	

HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN					
AB43	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	106787	24322063	63612	85.7546	0.2243
Yes	10712	2137888	44798	7.5378	0.1579
No	7765	1902455	47798	6.7077	0.1685
Total	125264	28362405	3.48642E-6	100.0000	

HAVE WRITTEN COPY OF ASTHMA CARE PLAN					
AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	114552	26224518	44798	92.4622	0.1579
Yes	2744	525067	21390	1.8513	0.0754
No	7968	1612820	39307	5.6865	0.1386
Total	125264	28362405	4.40463E-6	100.0000	

CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)					
AB108_P1	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Proxy Skipped	743	115772	6429	0.4082	0.0227
Inapplicable	106120	24218720	63095	85.3902	0.2225
Very Confident	14267	3175594	55173	11.1965	0.1945
Somewhat Confident	3408	699907	28829	2.4677	0.1016
Not Too Confident / Not at All Confident	726	152412	12578	0.5374	0.0443
Total	125264	28362405	3.48642E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Data Summary	
Number of Observations	125264
Sum of Weights	28362405.2

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

Table of AB17 by ASTS						
AB17	ASTS	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	0
	Yes	12430	2532207	48131	8.9280	0.1697
	No	6047	1508135	45409	5.3174	0.1601
	Total	18477	4040342	63612	14.2454	0.2243
No	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	12430	2532207	48131	8.9280	0.1697
	No	6047	1508135	45409	5.3174	0.1601
	Total	125264	28362405	2.87403E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

Table of AB17 by AB18						
AB17	AB18	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	0
	Yes	6362	1108241	30571	3.9074	0.1078
	No	12115	2932102	55626	10.3380	0.1961
	Total	18477	4040342	63612	14.2454	0.2243
No	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	6362	1108241	30571	3.9074	0.1078
	No	12115	2932102	55626	10.3380	0.1961
	Total	125264	28362405	2.82521E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB17 by AB19						
AB17	AB19	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	6916	1753109	47392	6.1811	0.1671
	Not at All	1121	225540	14523	0.7952	0.0512
	Less than Every Month	4609	987918	31201	3.4832	0.1100
	Every Month	2427	519509	23455	1.8317	0.0827
	Every Week	1599	289573	16924	1.0210	0.0597
	Every Day	1805	264693	14569	0.9333	0.0514
	Total	18477	4040342	63612	14.2454	0.2243
No	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Not at All	0
	Less than Every Month	0
	Every Month	0
	Every Week	0
	Every Day	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Inapplicable	113703	26075172	48692	91.9357	0.1717
	Not at All	1121	225540	14523	0.7952	0.0512
	Less than Every Month	4609	987918	31201	3.4832	0.1100
	Every Month	2427	519509	23455	1.8317	0.0827
	Every Week	1599	289573	16924	1.0210	0.0597
	Every Day	1805	264693	14569	0.9333	0.0514
	Total	125264	28362405	2.83786E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB17 by AB43						
AB17	AB43	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	0
	Yes	10712	2137888	44798	7.5378	0.1579
	No	7765	1902455	47798	6.7077	0.1685
	Total	18477	4040342	63612	14.2454	0.2243
No	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	10712	2137888	44798	7.5378	0.1579
	No	7765	1902455	47798	6.7077	0.1685
	Total	125264	28362405	2.85589E-6	100.0000	

Table of AB17 by AB98						
AB17	AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	7765	1902455	47798	6.7077	0.1685
	Yes	2744	525067	21390	1.8513	0.0754
	No	7968	1612820	39307	5.6865	0.1386
	Total	18477	4040342	63612	14.2454	0.2243
No	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Inapplicable	114552	26224518	44798	92.4622	0.1579
	Yes	2744	525067	21390	1.8513	0.0754
	No	7968	1612820	39307	5.6865	0.1386
	Total	125264	28362405	2.81586E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB17 by AB108_P1						
AB17	AB108_P1	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Proxy Skipped	76	12429	2699	0.0438	0.0095
	Inapplicable	0
	Very Confident	14267	3175594	55173	11.1965	0.1945
	Somewhat Confident	3408	699907	28829	2.4677	0.1016
	Not Too Confident / Not at All Confident	726	152412	12578	0.5374	0.0443
	Total	18477	4040342	63612	14.2454	0.2243
No	Proxy Skipped	667	103343	5646	0.3644	0.0199
	Inapplicable	106120	24218720	63095	85.3902	0.2225
	Very Confident	0
	Somewhat Confident	0
	Not Too Confident / Not at All Confident	0
	Total	106787	24322063	63612	85.7546	0.2243
Total	Proxy Skipped	743	115772	6429	0.4082	0.0227
	Inapplicable	106120	24218720	63095	85.3902	0.2225
	Very Confident	14267	3175594	55173	11.1965	0.1945
	Somewhat Confident	3408	699907	28829	2.4677	0.1016
	Not Too Confident / Not at All Confident	726	152412	12578	0.5374	0.0443
	Total	125264	28362405	2.87068E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AB17						
AB40	AB17	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Yes	0
	No	106787	24322063	63612	85.7546	0.2243
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Yes	11145	2199334	47032	7.7544	0.1658
	No	0
	Total	11145	2199334	47032	7.7544	0.1658
No	Yes	7332	1841008	49467	6.4910	0.1744
	No	0
	Total	7332	1841008	49467	6.4910	0.1744
Total	Yes	18477	4040342	63612	14.2454	0.2243
	No	106787	24322063	63612	85.7546	0.2243
	Total	125264	28362405	2.87826E-6	100.0000	

Table of AB40 by ASTCUR						
AB40	ASTCUR	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Current Asthma	0
	No Current Asthma	106787	24322063	63612	85.7546	0.2243
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Current Asthma	11145	2199334	47032	7.7544	0.1658
	No Current Asthma	0
	Total	11145	2199334	47032	7.7544	0.1658
No	Current Asthma	416	87899	8938	0.3099	0.0315
	No Current Asthma	6916	1753109	47392	6.1811	0.1671
	Total	7332	1841008	49467	6.4910	0.1744
Total	Current Asthma	11561	2287233	48692	8.0643	0.1717
	No Current Asthma	113703	26075172	48692	91.9357	0.1717
	Total	125264	28362405	2.88252E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by ASTYR						
AB40	ASTYR	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Yes	10047	1978712	44336	6.9765	0.1563
	No	1098	220622	14407	0.7779	0.0508
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	6916	1753109	47392	6.1811	0.1671
	Yes	393	82981	8867	0.2926	0.0313
	No	23	4918	1509	0.0173	0.0053
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	113703	26075172	48692	91.9357	0.1717
	Yes	10440	2061693	45968	7.2691	0.1621
	No	1121	225540	14523	0.7952	0.0512
	Total	125264	28362405	2.82823E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AB18						
AB40	AB18	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Yes	6004	1050179	30814	3.7027	0.1086
	No	5141	1149155	33928	4.0517	0.1196
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	0
	Yes	358	58062	6404	0.2047	0.0226
	No	6974	1782946	48834	6.2863	0.1722
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	6362	1108241	30571	3.9074	0.1078
	No	12115	2932102	55626	10.3380	0.1961
	Total	125264	28362405	2.84276E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AB19						
AB40	AB19	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Not at All	0
	Less than Every Month	0
	Every Month	0
	Every Week	0
	Every Day	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Not at All	1098	220622	14407	0.7779	0.0508
	Less than Every Month	4329	929114	30864	3.2759	0.1088
	Every Month	2366	504085	22977	1.7773	0.0810
	Every Week	1576	285144	16996	1.0054	0.0599
	Every Day	1776	260370	14329	0.9180	0.0505
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	6916	1753109	47392	6.1811	0.1671
	Not at All	23	4918	1509	0.0173	0.0053
	Less than Every Month	280	58803	7344	0.2073	0.0259
	Every Month	61	15424	3839	0.0544	0.0135
	Every Week	23	4430	2633	0.0156	0.0093
	Every Day	29	4323	1971	0.0152	0.0069
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	113703	26075172	48692	91.9357	0.1717
	Not at All	1121	225540	14523	0.7952	0.0512
	Less than Every Month	4609	987918	31201	3.4832	0.1100
	Every Month	2427	519509	23455	1.8317	0.0827
	Every Week	1599	289573	16924	1.0210	0.0597
	Every Day	1805	264693	14569	0.9333	0.0514
	Total	125264	28362405	2.83669E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AH13A						
AB40	AH13A	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Yes	1060	229842	15513	0.8104	0.0547
	No	10085	1969492	41609	6.9440	0.1467
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	6916	1753109	47392	6.1811	0.1671
	Yes	45	9628	3003	0.0339	0.0106
	No	371	78271	8603	0.2760	0.0303
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	113703	26075172	48692	91.9357	0.1717
	Yes	1105	239471	16176	0.8443	0.0570
	No	10456	2047763	43433	7.2200	0.1531
	Total	125264	28362405	2.86714E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AB43						
AB40	AB43	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Yes	8340	1586558	37689	5.5939	0.1329
	No	2805	612776	25356	2.1605	0.0894
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	0
	Yes	2372	551329	22481	1.9439	0.0793
	No	4960	1289679	43836	4.5471	0.1546
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	10712	2137888	44798	7.5378	0.1579
	No	7765	1902455	47798	6.7077	0.1685
	Total	125264	28362405	2.85091E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

Table of AB40 by AB98						
AB40	AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	2805	612776	25356	2.1605	0.0894
	Yes	2316	438678	19244	1.5467	0.0679
	No	6024	1147881	31692	4.0472	0.1117
	Total	11145	2199334	47032	7.7544	0.1658
No	Inapplicable	4960	1289679	43836	4.5471	0.1546
	Yes	428	86389	9295	0.3046	0.0328
	No	1944	464940	22411	1.6393	0.0790
	Total	7332	1841008	49467	6.4910	0.1744
Total	Inapplicable	114552	26224518	44798	92.4622	0.1579
	Yes	2744	525067	21390	1.8513	0.0754
	No	7968	1612820	39307	5.6865	0.1386
	Total	125264	28362405	2.78813E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB40 by AB108_P1						
AB40	AB108_P1	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Proxy Skipped	667	103343	5646	0.3644	0.0199
	Inapplicable	106120	24218720	63095	85.3902	0.2225
	Very Confident	0
	Somewhat Confident	0
	Not Too Confident / Not at All Confident	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Proxy Skipped	54	8201	1938	0.0289	0.0068
	Inapplicable	0
	Very Confident	7776	1535337	38745	5.4133	0.1366
	Somewhat Confident	2741	549994	25194	1.9392	0.0888
	Not Too Confident / Not at All Confident	574	105803	9185	0.3730	0.0324
	Total	11145	2199334	47032	7.7544	0.1658
No	Proxy Skipped	22	4228	1670	0.0149	0.0059
	Inapplicable	0
	Very Confident	6491	1640257	47448	5.7832	0.1673
	Somewhat Confident	667	149914	12834	0.5286	0.0452
	Not Too Confident / Not at All Confident	152	46609	8583	0.1643	0.0303
	Total	7332	1841008	49467	6.4910	0.1744
Total	Proxy Skipped	743	115772	6429	0.4082	0.0227
	Inapplicable	106120	24218720	63095	85.3902	0.2225
	Very Confident	14267	3175594	55173	11.1965	0.1945
	Somewhat Confident	3408	699907	28829	2.4677	0.1016
	Not Too Confident / Not at All Confident	726	152412	12578	0.5374	0.0443
	Total	125264	28362405	2.77737E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

Table of AB43 by AB98						
AB43	AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	Inapplicable	106787	24322063	63612	85.7546	0.2243
	Yes	0
	No	0
	Total	106787	24322063	63612	85.7546	0.2243
Yes	Inapplicable	0
	Yes	2744	525067	21390	1.8513	0.0754
	No	7968	1612820	39307	5.6865	0.1386
	Total	10712	2137888	44798	7.5378	0.1579
No	Inapplicable	7765	1902455	47798	6.7077	0.1685
	Yes	0
	No	0
	Total	7765	1902455	47798	6.7077	0.1685
Total	Inapplicable	114552	26224518	44798	92.4622	0.1579
	Yes	2744	525067	21390	1.8513	0.0754
	No	7968	1612820	39307	5.6865	0.1386
	Total	125264	28362405	2.83849E-6	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Lifetime Asthmatic Variables

The SURVEYFREQ Procedure

Data Summary	
Number of Observations	18477
Sum of Weights	4040342.18

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

Table of AB17 by AB40						
AB17	AB40	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	11145	2199334	47032	54.4344	0.9051
	No	7332	1841008	49467	45.5656	0.9051
	Total	18477	4040342	63612	100.0000	

Table of AB17 by ASTS						
AB17	ASTS	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	12430	2532207	48131	62.6731	0.8612
	No	6047	1508135	45409	37.3269	0.8612
	Total	18477	4040342	63612	100.0000	

Table of AB17 by AB18						
AB17	AB18	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	6362	1108241	30571	27.4294	0.6651
	No	12115	2932102	55626	72.5706	0.6651
	Total	18477	4040342	63612	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Lifetime Asthmatic Variables

The SURVEYFREQ Procedure

Table of AB17 by AB19						
AB17	AB19	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	6916	1753109	47392	43.3901	0.8948
	Not at All	1121	225540	14523	5.5822	0.3368
	Less than Every Month	4609	987918	31201	24.4513	0.7465
	Every Month	2427	519509	23455	12.8580	0.5272
	Every Week	1599	289573	16924	7.1670	0.4061
	Every Day	1805	264693	14569	6.5513	0.3518
	Total	18477	4040342	63612	100.0000	

Table of AB17 by AB43						
AB17	AB43	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	10712	2137888	44798	52.9135	0.8380
	No	7765	1902455	47798	47.0865	0.8380
	Total	18477	4040342	63612	100.0000	

Table of AB17 by AB98						
AB17	AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	7765	1902455	47798	47.0865	0.8380
	Yes	2744	525067	21390	12.9956	0.5065
	No	7968	1612820	39307	39.9179	0.7887
	Total	18477	4040342	63612	100.0000	

Table of AB17 by AB108_P1						
AB17	AB108_P1	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Proxy Skipped	76	12429	2699	0.3076	0.0672
	Very Confident	14267	3175594	55173	78.5972	0.6876
	Somewhat Confident	3408	699907	28829	17.3230	0.6513
	Not Too Confident / Not at All Confident	726	152412	12578	3.7723	0.2968
	Total	18477	4040342	63612	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Current Asthmatic Variables

The SURVEYFREQ Procedure

Data Summary	
Number of Observations	11145
Sum of Weights	2199334.11

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

Table of AB40 by ASTYR						
AB40	ASTYR	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	10047	1978712	44336	89.9687	0.6176
	No	1098	220622	14407	10.0313	0.6176
	Total	11145	2199334	47032	100.0000	

Table of AB40 by AB18						
AB40	AB18	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	6004	1050179	30814	47.7499	1.0108
	No	5141	1149155	33928	52.2501	1.0108
	Total	11145	2199334	47032	100.0000	

Table of AB40 by AB19						
AB40	AB19	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Not at All	1098	220622	14407	10.0313	0.6176
	Less than Every Month	4329	929114	30864	42.2453	1.0716
	Every Month	2366	504085	22977	22.9199	0.9057
	Every Week	1576	285144	16996	12.9650	0.7170
	Every Day	1776	260370	14329	11.8386	0.6226
	Total	11145	2199334	47032	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Current Asthmatic Variables

The SURVEYFREQ Procedure

Table of AB40 by AH13A						
AB40	AH13A	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	1060	229842	15513	10.4505	0.6263
	No	10085	1969492	41609	89.5495	0.6263
	Total	11145	2199334	47032	100.0000	

Table of AB40 by AB43						
AB40	AB43	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Yes	8340	1586558	37689	72.1381	0.9268
	No	2805	612776	25356	27.8619	0.9268
	Total	11145	2199334	47032	100.0000	

Table of AB40 by AB98						
AB40	AB98	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Inapplicable	2805	612776	25356	27.8619	0.9268
	Yes	2316	438678	19244	19.9459	0.7650
	No	6024	1147881	31692	52.1922	1.0234
	Total	11145	2199334	47032	100.0000	

Table of AB40 by AB108_P1						
AB40	AB108_P1	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	Proxy Skipped	54	8201	1938	0.3729	0.0878
	Very Confident	7776	1535337	38745	69.8092	0.9987
	Somewhat Confident	2741	549994	25194	25.0073	0.9856
	Not Too Confident / Not at All Confident	574	105803	9185	4.8107	0.4073
	Total	11145	2199334	47032	100.0000	