

**PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status****The SURVEYFREQ Procedure**

Data Summary	
Number of Observations	124521
Sum of Weights	28246633.6

Variance Estimation	
Method	Jackknife
Replicate Weights	CHISSEVERITY
Number of Replicates	160

Table of POVLL by asthmaesc3						
POVLL	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
0-99% FPL	1 Severe Asthmatic	365	75819	7994	0.2684	0.0283
	2 Standard Asthmatic	1783	354912	18714	1.2565	0.0663
	3 Non-Asthmatic	16147	4276219	58832	15.1389	0.2084
	Total	18295	4706950	61906	16.6638	0.2194
100-199% FPL	1 Severe Asthmatic	284	60208	8003	0.2132	0.0283
	2 Standard Asthmatic	2018	365313	19101	1.2933	0.0676
	3 Non-Asthmatic	20520	5102634	60361	18.0646	0.2140
	Total	22822	5528155	62497	19.5710	0.2214
200-299% FPL	1 Severe Asthmatic	144	34423	6910	0.1219	0.0245
	2 Standard Asthmatic	1431	297456	16478	1.0531	0.0583
	3 Non-Asthmatic	15654	3641844	59035	12.8930	0.2090
	Total	17229	3973723	63387	14.0680	0.2243
300% FPL and Above	1 Severe Asthmatic	302	66809	8930	0.2365	0.0316
	2 Standard Asthmatic	5178	1024056	31194	3.6254	0.1105
	3 Non-Asthmatic	60695	12946941	73114	45.8353	0.2575
	Total	66175	14037805	74028	49.6973	0.2612
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

**PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status****The SURVEYFREQ Procedure****Table of POVLL by asthmaesc3**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	284.0735
Design Correction	4.5403
Rao-Scott Chi-Square	62.5673
DF	6
Pr > ChiSq	<.0001
F Value	10.4279
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of FSLEV by asthmaesc3						
FSLEV	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable / >=200% FPL	1 Severe Asthmatic	446	101232	10834	0.3584	0.0384
	2 Standard Asthmatic	6609	1321511	35563	4.6785	0.1260
	3 Non-Asthmatic	76349	16588785	73106	58.7284	0.2570
	Total	83404	18011528	68701	63.7652	0.2415
Food Security	1 Severe Asthmatic	233	48049	7276	0.1701	0.0258
	2 Standard Asthmatic	2012	356303	17457	1.2614	0.0618
	3 Non-Asthmatic	23353	5488732	71693	19.4315	0.2536
	Total	25598	5893084	73076	20.8630	0.2585
Food Insecurity w/o Hunger	1 Severe Asthmatic	190	39875	6672	0.1412	0.0236
	2 Standard Asthmatic	950	192673	13465	0.6821	0.0477
	3 Non-Asthmatic	8549	2566855	47212	9.0873	0.1675
	Total	9689	2799403	50236	9.9106	0.1783
Food Insecurity w/ Hunger	1 Severe Asthmatic	226	48102	6854	0.1703	0.0243
	2 Standard Asthmatic	839	171249	13749	0.6063	0.0487
	3 Non-Asthmatic	4765	1323267	38742	4.6847	0.1372
	Total	5830	1542618	37862	5.4612	0.1340
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	770.7293
Design Correction	4.6629
Rao-Scott Chi-Square	165.2897
DF	6
Pr > ChiSq	<.0001
F Value	27.5483
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AL6 by asthmaesc3						
AL6	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Severe Asthmatic	285	64109	8946	0.2270	0.0317
	2 Standard Asthmatic	4810	966973	29923	3.4233	0.1060
	3 Non-Asthmatic	55773	12082763	77273	42.7759	0.2725
	Total	60868	13113845	74586	46.4262	0.2633
Yes	1 Severe Asthmatic	262	37728	4207	0.1336	0.0149
	2 Standard Asthmatic	1064	145980	9131	0.5168	0.0323
	3 Non-Asthmatic	5729	867493	20380	3.0711	0.0721
	Total	7055	1051201	21114	3.7215	0.0746
No	1 Severe Asthmatic	548	135422	13357	0.4794	0.0473
	2 Standard Asthmatic	4536	928783	28920	3.2881	0.1024
	3 Non-Asthmatic	51514	13017382	72440	46.0847	0.2574
	Total	56598	14081588	73054	49.8523	0.2594
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	879.6755
Design Correction	3.8067
Rao-Scott Chi-Square	231.0887
DF	4
Pr > ChiSq	<.0001
F Value	57.7722
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AL22 by asthmaesc3						
AL22	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Severe Asthmatic	681	146023	12279	0.5170	0.0435
	2 Standard Asthmatic	8006	1567336	36595	5.5488	0.1295
	3 Non-Asthmatic	94340	21537744	76034	76.2489	0.2691
	Total	103027	23251104	64420	82.3146	0.2281
Yes	1 Severe Asthmatic	232	38845	6568	0.1375	0.0233
	2 Standard Asthmatic	935	140869	9320	0.4987	0.0330
	3 Non-Asthmatic	4480	761324	21573	2.6953	0.0764
	Total	5647	941037	23489	3.3315	0.0831
No	1 Severe Asthmatic	182	52391	8757	0.1855	0.0310
	2 Standard Asthmatic	1469	333532	19981	1.1808	0.0708
	3 Non-Asthmatic	14196	3668571	61126	12.9876	0.2162
	Total	15847	4054493	63438	14.3539	0.2245
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	1098.8969
Design Correction	4.7258
Rao-Scott Chi-Square	232.5296
DF	4
Pr > ChiSq	<.0001
F Value	58.1324
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AL18A by asthmaesc3						
AL18A	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Severe Asthmatic	785	196462	15045	0.6955	0.0533
	2 Standard Asthmatic	7826	1749405	41326	6.1933	0.1463
	3 Non-Asthmatic	86536	22290369	61987	78.9134	0.2187
	Total	95147	24236236	38866	85.8022	0.1367
Yes	1 Severe Asthmatic	235	25358	4167	0.0898	0.0147
	2 Standard Asthmatic	2007	203512	11698	0.7205	0.0414
	3 Non-Asthmatic	19672	2245620	33152	7.9500	0.1175
	Total	21914	2474490	31821	8.7603	0.1127
No	1 Severe Asthmatic	75	15439	4502	0.0547	0.0159
	2 Standard Asthmatic	577	88819	7472	0.3144	0.0265
	3 Non-Asthmatic	6808	1431649	32497	5.0684	0.1150
	Total	7460	1535907	33074	5.4375	0.1170
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	45.1718
Design Correction	3.8744
Rao-Scott Chi-Square	11.6590
DF	4
Pr > ChiSq	0.0201
F Value	2.9148
Num DF	4
Den DF	640
Pr > F	0.0208
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AK4 by asthmaesc3						
AK4	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Severe Asthmatic	754	135632	12595	0.4802	0.0446
	2 Standard Asthmatic	5871	867707	29486	3.0719	0.1044
	3 Non-Asthmatic	55656	9047707	67403	32.0311	0.2382
	Total	62281	10051046	70022	35.5832	0.2472
Private Company, Non-Profit Org	1 Severe Asthmatic	201	58551	8158	0.2073	0.0289
	2 Standard Asthmatic	2492	725187	27412	2.5673	0.0970
	3 Non-Asthmatic	33832	11241773	89519	39.7986	0.3178
	Total	36525	12025511	88244	42.5733	0.3131
Government	1 Severe Asthmatic	75	24753	5573	0.0876	0.0197
	2 Standard Asthmatic	1068	248545	17720	0.8799	0.0628
	3 Non-Asthmatic	10431	2516707	50521	8.9098	0.1786
	Total	11574	2790005	52233	9.8773	0.1848
Self-Employed	1 Severe Asthmatic	56	14896	3799	0.0527	0.0134
	2 Standard Asthmatic	866	174267	11578	0.6169	0.0410
	3 Non-Asthmatic	11865	2831679	61146	10.0248	0.2164
	Total	12787	3020842	62154	10.6945	0.2200
Family Business or Farm	1 Severe Asthmatic	9	3426	2644	0.0121	0.0094
	2 Standard Asthmatic	113	26030	4543	0.0922	0.0161
	3 Non-Asthmatic	1232	329773	18502	1.1675	0.0655
	Total	1354	359229	19358	1.2718	0.0685
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

**PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status****The SURVEYFREQ Procedure****Table of AK4 by asthmaesc3**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	588.9638
Design Correction	5.2117
Rao-Scott Chi-Square	113.0087
DF	8
Pr > ChiSq	<.0001
F Value	14.1261
Num DF	8
Den DF	1280
Pr > F	<.0001
Sample Size = 124521	

Table of AM36 by asthmaesc3						
AM36	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Severe Asthmatic	384	91163	9253	0.3227	0.0328
	2 Standard Asthmatic	4683	914039	28749	3.2359	0.1018
	3 Non-Asthmatic	49062	10505316	70834	37.1914	0.2512
	Total	54129	11510519	73339	40.7501	0.2603
No	1 Severe Asthmatic	711	146096	14089	0.5172	0.0499
	2 Standard Asthmatic	5727	1127697	32581	3.9923	0.1153
	3 Non-Asthmatic	63954	15462322	75799	54.7404	0.2672
	Total	70392	16736114	73936	59.2499	0.2603
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	



**PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status****The SURVEYFREQ Procedure****Table of AM36 by asthmaesc3**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	66.6354
Design Correction	4.5657
Rao-Scott Chi-Square	14.5947
DF	2
Pr > ChiSq	0.0007
F Value	7.2974
Num DF	2
Den DF	320
Pr > F	0.0008
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AK23 by asthmaesc3						
AK23	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
House	1 Severe Asthmatic	604	147098	14117	0.5208	0.0500
	2 Standard Asthmatic	7154	1405743	37082	4.9767	0.1313
	3 Non-Asthmatic	80281	18077690	67656	63.9994	0.2371
	Total	88039	19630532	62395	69.4969	0.2182
Duplex	1 Severe Asthmatic	80	14663	3762	0.0519	0.0133
	2 Standard Asthmatic	458	95712	8338	0.3388	0.0295
	3 Non-Asthmatic	4863	1345803	37454	4.7645	0.1324
	Total	5401	1456177	38553	5.1552	0.1363
Building with 3 or More Units	1 Severe Asthmatic	322	62863	7988	0.2226	0.0283
	2 Standard Asthmatic	2121	439291	22954	1.5552	0.0813
	3 Non-Asthmatic	21992	5507035	62370	19.4963	0.2217
	Total	24435	6009190	63239	21.2740	0.2248
Mobile Home	1 Severe Asthmatic	89	12634	3404	0.0447	0.0121
	2 Standard Asthmatic	677	100990	8963	0.3575	0.0317
	3 Non-Asthmatic	5880	1037111	31690	3.6716	0.1122
	Total	6646	1150735	33902	4.0739	0.1200
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	51.8747
Design Correction	4.3434
Rao-Scott Chi-Square	11.9434
DF	6
Pr > ChiSq	0.0632
F Value	1.9906
Num DF	6
Den DF	960
Pr > F	0.0644
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AK25 by asthmaesc3						
AK25	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Not Ascertained	1 Severe Asthmatic	4	2262	1529	0.0080	0.0054
	2 Standard Asthmatic	28	5181	1717	0.0183	0.0061
	3 Non-Asthmatic	366	115494	11621	0.4089	0.0411
	Total	398	122937	11688	0.4352	0.0414
Dont Know	1 Severe Asthmatic	6	1914	1165	0.0068	0.0041
	2 Standard Asthmatic	24	4273	1561	0.0151	0.0055
	3 Non-Asthmatic	207	65885	10138	0.2333	0.0359
	Total	237	72073	10211	0.2552	0.0362
Refused	1 Severe Asthmatic	4	1293	945.41516	0.0046	0.0033
	2 Standard Asthmatic	42	7989	2757	0.0283	0.0098
	3 Non-Asthmatic	484	122817	13091	0.4348	0.0464
	Total	530	132099	13633	0.4677	0.0483
Own	1 Severe Asthmatic	423	103988	12125	0.3681	0.0429
	2 Standard Asthmatic	6327	1173762	32542	4.1554	0.1153
	3 Non-Asthmatic	71665	14688729	41458	52.0017	0.1448
	Total	78415	15966479	17888	56.5252	0.0597
Rent	1 Severe Asthmatic	604	116227	9601	0.4115	0.0340
	2 Standard Asthmatic	3567	760195	26724	2.6913	0.0945
	3 Non-Asthmatic	35981	9969846	40070	35.2957	0.1423
	Total	40152	10846268	30542	38.3984	0.1085
Other Arrangement	1 Severe Asthmatic	54	11574	3168	0.0410	0.0112
	2 Standard Asthmatic	422	90337	9589	0.3198	0.0339
	3 Non-Asthmatic	4313	1004867	28336	3.5575	0.1002
	Total	4789	1106778	30073	3.9183	0.1064
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

**PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status****The SURVEYFREQ Procedure****Table of AK25 by asthmaesc3**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	102.1624
Design Correction	3.8110
Rao-Scott Chi-Square	26.8074
DF	10
Pr > ChiSq	0.0028
F Value	2.6807
Num DF	10
Den DF	1600
Pr > F	0.0030
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AM19 by asthmaesc3						
AM19	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Strongly Agree	1 Severe Asthmatic	233	42743	6851	0.1513	0.0243
	2 Standard Asthmatic	2676	481645	20288	1.7051	0.0719
	3 Non-Asthmatic	28463	5319084	65004	18.8309	0.2304
	Total	31372	5843472	67842	20.6873	0.2405
Agree	1 Severe Asthmatic	538	121565	13121	0.4304	0.0465
	2 Standard Asthmatic	5933	1164546	35826	4.1228	0.1268
	3 Non-Asthmatic	68560	15918561	102958	56.3556	0.3625
	Total	75031	17204672	97204	60.9088	0.3418
Disagree	1 Severe Asthmatic	236	56720	7593	0.2008	0.0269
	2 Standard Asthmatic	1357	307179	16225	1.0875	0.0574
	3 Non-Asthmatic	13189	3920554	69076	13.8797	0.2449
	Total	14782	4284453	70001	15.1680	0.2481
Strongly Disagree	1 Severe Asthmatic	88	16230	3136	0.0575	0.0111
	2 Standard Asthmatic	444	88367	7704	0.3128	0.0273
	3 Non-Asthmatic	2804	809439	34722	2.8656	0.1229
	Total	3336	914036	36547	3.2359	0.1294
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	216.9688
Design Correction	4.2025
Rao-Scott Chi-Square	51.6286
DF	6
Pr > ChiSq	<.0001
F Value	8.6048
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AM21 by asthmaesc3						
AM21	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Strongly Agree	1 Severe Asthmatic	206	42340	7004	0.1499	0.0248
	2 Standard Asthmatic	2221	376680	15919	1.3335	0.0563
	3 Non-Asthmatic	24238	4457367	55434	15.7802	0.1966
	Total	26665	4876387	60874	17.2636	0.2157
Agree	1 Severe Asthmatic	554	120379	11794	0.4262	0.0418
	2 Standard Asthmatic	6259	1250441	37903	4.4269	0.1342
	3 Non-Asthmatic	72041	16557009	95735	58.6159	0.3366
	Total	78854	17927829	86663	63.4689	0.3046
Disagree	1 Severe Asthmatic	240	54076	7095	0.1914	0.0251
	2 Standard Asthmatic	1480	325011	17288	1.1506	0.0612
	3 Non-Asthmatic	13899	4181652	68905	14.8041	0.2442
	Total	15619	4560740	71168	16.1461	0.2522
Strongly Disagree	1 Severe Asthmatic	95	20463	4180	0.0724	0.0148
	2 Standard Asthmatic	450	89604	9336	0.3172	0.0331
	3 Non-Asthmatic	2838	771610	25947	2.7317	0.0919
	Total	3383	881677	29263	3.1214	0.1037
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	228.5087
Design Correction	4.1701
Rao-Scott Chi-Square	54.7967
DF	6
Pr > ChiSq	<.0001
F Value	9.1328
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

## PROC SURVEYFREQ - WORK.CHISSEVERITY - Socioeconomic Status

## The SURVEYFREQ Procedure

Table of AK28 by asthmaesc3						
AK28	asthmaesc3	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
All of the Time	1 Severe Asthmatic	486	96970	10729	0.3433	0.0380
	2 Standard Asthmatic	4906	936771	30118	3.3164	0.1066
	3 Non-Asthmatic	61021	12884220	85115	45.6133	0.3018
	Total	66413	13917961	83525	49.2730	0.2960
Most of the Time	1 Severe Asthmatic	351	76109	9404	0.2694	0.0333
	2 Standard Asthmatic	4256	837528	28302	2.9651	0.1001
	3 Non-Asthmatic	41437	9754727	82502	34.5341	0.2910
	Total	46044	10668364	81954	37.7686	0.2888
Some of the Time	1 Severe Asthmatic	190	49722	6050	0.1760	0.0214
	2 Standard Asthmatic	1027	227204	14009	0.8044	0.0496
	3 Non-Asthmatic	9011	2880705	55222	10.1984	0.1956
	Total	10228	3157631	55506	11.1788	0.1968
None of the Time	1 Severe Asthmatic	68	14458	3812	0.0512	0.0135
	2 Standard Asthmatic	221	40234	4997	0.1424	0.0177
	3 Non-Asthmatic	1547	447985	25457	1.5860	0.0901
	Total	1836	502678	25889	1.7796	0.0917
Total	1 Severe Asthmatic	1095	237259	16258	0.8400	0.0576
	2 Standard Asthmatic	10410	2041736	43390	7.2282	0.1536
	3 Non-Asthmatic	113016	25967638	49026	91.9318	0.1721
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	277.5316
Design Correction	4.1863
Rao-Scott Chi-Square	66.2960
DF	6
Pr > ChiSq	<.0001
F Value	11.0493
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	