

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Data Summary | |
|------------------------|------------|
| Number of Observations | 125264 |
| Sum of Weights | 28362405.2 |

| Variance Estimation | |
|----------------------|-----------------|
| Method | Jackknife |
| Replicate Weights | CHIS_DATA_FINAL |
| Number of Replicates | 160 |

| DOCTOR EVER TOLD HAVE ASTHMA | | | | | |
|------------------------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | 125264 | 28362405 | 3.55947E-6 | 100.0000 | |

| STILL HAS ASTHMA | | | | | |
|------------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | 125264 | 28362405 | 3.5103E-6 | 100.0000 | |

| ASTHMA EPISODE/ATTACK IN PAST 12 MOS | | | | | |
|--------------------------------------|-----------|--------------------|---------------------|----------|--------------------|
| AB41 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | 5867 | 1146274 | 30144 | 4.0415 | 0.1063 |
| No | 12610 | 2894068 | 57366 | 10.2039 | 0.2023 |
| Total | 125264 | 28362405 | 3.58472E-6 | 100.0000 | |

| CURRENT ASTHMA STATUS | | | | | |
|-----------------------|-----------|--------------------|---------------------|----------|--------------------|
| ASTCUR | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Current Asthma | 11561 | 2287233 | 48692 | 8.0643 | 0.1717 |
| No Current Asthma | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| Total | 125264 | 28362405 | 4.3704E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | | | | | |
|---|-----------|-----------------------|------------------------|----------|-----------------------|
| ASTS | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | 12430 | 2532207 | 48131 | 8.9280 | 0.1697 |
| No | 6047 | 1508135 | 45409 | 5.3174 | 0.1601 |
| Total | 125264 | 28362405 | 3.53466E-6 | 100.0000 | |

| ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | | | | | |
|---|-----------|-----------------------|------------------------|----------|-----------------------|
| ASTYR | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| Yes | 10440 | 2061693 | 45968 | 7.2691 | 0.1621 |
| No | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| Total | 125264 | 28362405 | 4.33642E-6 | 100.0000 | |

| TAKING DAILY MEDICATION TO CONTROL ASTHMA | | | | | |
|---|-----------|-----------------------|------------------------|----------|-----------------------|
| AB18 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | 6362 | 1108241 | 30571 | 3.9074 | 0.1078 |
| No | 12115 | 2932102 | 55626 | 10.3380 | 0.1961 |
| Total | 125264 | 28362405 | 3.44009E-6 | 100.0000 | |

| FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS | | | | | |
|--|-----------|-----------------------|------------------------|----------|-----------------------|
| AB19 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| -1 | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| 1 | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| 2 | 4609 | 987918 | 31201 | 3.4832 | 0.1100 |
| 3 | 2427 | 519509 | 23455 | 1.8317 | 0.0827 |
| 4 | 1599 | 289573 | 16924 | 1.0210 | 0.0597 |
| 5 | 1805 | 264693 | 14569 | 0.9333 | 0.0514 |
| Total | 125264 | 28362405 | 4.33642E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS | | | | | |
|---|-----------|-----------------------|------------------------|----------|-----------------------|
| AH13A | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| Yes | 1105 | 239471 | 16176 | 0.8443 | 0.0570 |
| No | 10456 | 2047763 | 43433 | 7.2200 | 0.1531 |
| Total | 125264 | 28362405 | 4.3704E-6 | 100.0000 | |

| HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | | | | | |
|--|-----------|-----------------------|------------------------|----------|-----------------------|
| AB43 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | 10712 | 2137888 | 44798 | 7.5378 | 0.1579 |
| No | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| Total | 125264 | 28362405 | 3.48642E-6 | 100.0000 | |

| HAVE WRITTEN COPY OF ASTHMA CARE PLAN | | | | | |
|---------------------------------------|-----------|-----------------------|------------------------|----------|-----------------------|
| AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | 114552 | 26224518 | 44798 | 92.4622 | 0.1579 |
| Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| Total | 125264 | 28362405 | 4.40463E-6 | 100.0000 | |

| CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE) | | | | | |
|---|-----------|-----------------------|------------------------|----------|-----------------------|
| AB108_P1 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Proxy Skipped | 743 | 115772 | 6429 | 0.4082 | 0.0227 |
| Inapplicable | 106120 | 24218720 | 63095 | 85.3902 | 0.2225 |
| Very Confident | 14267 | 3175594 | 55173 | 11.1965 | 0.1945 |
| Somewhat Confident | 3408 | 699907 | 28829 | 2.4677 | 0.1016 |
| Not Too Confident / Not at All Confident | 726 | 152412 | 12578 | 0.5374 | 0.0443 |
| Total | 125264 | 28362405 | 3.48642E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Data Summary | |
|------------------------|------------|
| Number of Observations | 125264 |
| Sum of Weights | 28362405.2 |

| Variance Estimation | |
|----------------------|-----------------|
| Method | Jackknife |
| Replicate Weights | CHIS_DATA_FINAL |
| Number of Replicates | 160 |

| Table of AB17 by ASTS | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | ASTS | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 12430 | 2532207 | 48131 | 8.9280 | 0.1697 |
| | No | 6047 | 1508135 | 45409 | 5.3174 | 0.1601 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 12430 | 2532207 | 48131 | 8.9280 | 0.1697 |
| | No | 6047 | 1508135 | 45409 | 5.3174 | 0.1601 |
| | Total | 125264 | 28362405 | 2.87403E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB17 by AB18 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB18 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 6362 | 1108241 | 30571 | 3.9074 | 0.1078 |
| | No | 12115 | 2932102 | 55626 | 10.3380 | 0.1961 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 6362 | 1108241 | 30571 | 3.9074 | 0.1078 |
| | No | 12115 | 2932102 | 55626 | 10.3380 | 0.1961 |
| | Total | 125264 | 28362405 | 2.82521E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB17 by AB19 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB19 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | -1 | 6916 | 1753109 | 47392 | 6.1811 | 0.1671 |
| | 1 | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| | 2 | 4609 | 987918 | 31201 | 3.4832 | 0.1100 |
| | 3 | 2427 | 519509 | 23455 | 1.8317 | 0.0827 |
| | 4 | 1599 | 289573 | 16924 | 1.0210 | 0.0597 |
| | 5 | 1805 | 264693 | 14569 | 0.9333 | 0.0514 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | -1 | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | 1 | 0 | . | . | . | . |
| | 2 | 0 | . | . | . | . |
| | 3 | 0 | . | . | . | . |
| | 4 | 0 | . | . | . | . |
| | 5 | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | -1 | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| | 1 | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| | 2 | 4609 | 987918 | 31201 | 3.4832 | 0.1100 |
| | 3 | 2427 | 519509 | 23455 | 1.8317 | 0.0827 |
| | 4 | 1599 | 289573 | 16924 | 1.0210 | 0.0597 |
| | 5 | 1805 | 264693 | 14569 | 0.9333 | 0.0514 |
| | Total | 125264 | 28362405 | 2.83786E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB17 by AB43 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB43 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 10712 | 2137888 | 44798 | 7.5378 | 0.1579 |
| | No | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 10712 | 2137888 | 44798 | 7.5378 | 0.1579 |
| | No | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| | Total | 125264 | 28362405 | 2.85589E-6 | 100.0000 | |

| Table of AB17 by AB98 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| | Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| | No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | Inapplicable | 114552 | 26224518 | 44798 | 92.4622 | 0.1579 |
| | Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| | No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| | Total | 125264 | 28362405 | 2.81586E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB17 by AB108_P1 | | | | | | |
|---------------------------|--|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB108_P1 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Proxy Skipped | 76 | 12429 | 2699 | 0.0438 | 0.0095 |
| | Inapplicable | 0 | . | . | . | . |
| | Very Confident | 14267 | 3175594 | 55173 | 11.1965 | 0.1945 |
| | Somewhat Confident | 3408 | 699907 | 28829 | 2.4677 | 0.1016 |
| | Not Too Confident / Not at All Confident | 726 | 152412 | 12578 | 0.5374 | 0.0443 |
| | Total | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| No | Proxy Skipped | 667 | 103343 | 5646 | 0.3644 | 0.0199 |
| | Inapplicable | 106120 | 24218720 | 63095 | 85.3902 | 0.2225 |
| | Very Confident | 0 | . | . | . | . |
| | Somewhat Confident | 0 | . | . | . | . |
| | Not Too Confident / Not at All Confident | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Total | Proxy Skipped | 743 | 115772 | 6429 | 0.4082 | 0.0227 |
| | Inapplicable | 106120 | 24218720 | 63095 | 85.3902 | 0.2225 |
| | Very Confident | 14267 | 3175594 | 55173 | 11.1965 | 0.1945 |
| | Somewhat Confident | 3408 | 699907 | 28829 | 2.4677 | 0.1016 |
| | Not Too Confident / Not at All Confident | 726 | 152412 | 12578 | 0.5374 | 0.0443 |
| | Total | 125264 | 28362405 | 2.87068E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB40 by AB17 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB17 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Yes | 0 | . | . | . | . |
| | No | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Yes | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| | No | 0 | . | . | . | . |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Yes | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| | No | 0 | . | . | . | . |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Yes | 18477 | 4040342 | 63612 | 14.2454 | 0.2243 |
| | No | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Total | 125264 | 28362405 | 2.87826E-6 | 100.0000 | |

| Table of AB40 by ASTCUR | | | | | | |
|-------------------------|-------------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | ASTCUR | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Current Asthma | 0 | . | . | . | . |
| | No Current Asthma | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Current Asthma | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| | No Current Asthma | 0 | . | . | . | . |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Current Asthma | 416 | 87899 | 8938 | 0.3099 | 0.0315 |
| | No Current Asthma | 6916 | 1753109 | 47392 | 6.1811 | 0.1671 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Current Asthma | 11561 | 2287233 | 48692 | 8.0643 | 0.1717 |
| | No Current Asthma | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| | Total | 125264 | 28362405 | 2.88252E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB40 by ASTYR | | | | | | |
|------------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | ASTYR | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 10047 | 1978712 | 44336 | 6.9765 | 0.1563 |
| | No | 1098 | 220622 | 14407 | 0.7779 | 0.0508 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Inapplicable | 6916 | 1753109 | 47392 | 6.1811 | 0.1671 |
| | Yes | 393 | 82981 | 8867 | 0.2926 | 0.0313 |
| | No | 23 | 4918 | 1509 | 0.0173 | 0.0053 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Inapplicable | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| | Yes | 10440 | 2061693 | 45968 | 7.2691 | 0.1621 |
| | No | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| | Total | 125264 | 28362405 | 2.82823E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB40 by AB18 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB18 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 6004 | 1050179 | 30814 | 3.7027 | 0.1086 |
| | No | 5141 | 1149155 | 33928 | 4.0517 | 0.1196 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Inapplicable | 0 | . | . | . | . |
| | Yes | 358 | 58062 | 6404 | 0.2047 | 0.0226 |
| | No | 6974 | 1782946 | 48834 | 6.2863 | 0.1722 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 6362 | 1108241 | 30571 | 3.9074 | 0.1078 |
| | No | 12115 | 2932102 | 55626 | 10.3380 | 0.1961 |
| | Total | 125264 | 28362405 | 2.84276E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB40 by AB19 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB19 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | -1 | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | 1 | 0 | . | . | . | . |
| | 2 | 0 | . | . | . | . |
| | 3 | 0 | . | . | . | . |
| | 4 | 0 | . | . | . | . |
| | 5 | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | -1 | 0 | . | . | . | . |
| | 1 | 1098 | 220622 | 14407 | 0.7779 | 0.0508 |
| | 2 | 4329 | 929114 | 30864 | 3.2759 | 0.1088 |
| | 3 | 2366 | 504085 | 22977 | 1.7773 | 0.0810 |
| | 4 | 1576 | 285144 | 16996 | 1.0054 | 0.0599 |
| | 5 | 1776 | 260370 | 14329 | 0.9180 | 0.0505 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | -1 | 6916 | 1753109 | 47392 | 6.1811 | 0.1671 |
| | 1 | 23 | 4918 | 1509 | 0.0173 | 0.0053 |
| | 2 | 280 | 58803 | 7344 | 0.2073 | 0.0259 |
| | 3 | 61 | 15424 | 3839 | 0.0544 | 0.0135 |
| | 4 | 23 | 4430 | 2633 | 0.0156 | 0.0093 |
| | 5 | 29 | 4323 | 1971 | 0.0152 | 0.0069 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | -1 | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| | 1 | 1121 | 225540 | 14523 | 0.7952 | 0.0512 |
| | 2 | 4609 | 987918 | 31201 | 3.4832 | 0.1100 |
| | 3 | 2427 | 519509 | 23455 | 1.8317 | 0.0827 |
| | 4 | 1599 | 289573 | 16924 | 1.0210 | 0.0597 |
| | 5 | 1805 | 264693 | 14569 | 0.9333 | 0.0514 |
| | Total | 125264 | 28362405 | 2.83669E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB40 by AH13A | | | | | | |
|------------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AH13A | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 1060 | 229842 | 15513 | 0.8104 | 0.0547 |
| | No | 10085 | 1969492 | 41609 | 6.9440 | 0.1467 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Inapplicable | 6916 | 1753109 | 47392 | 6.1811 | 0.1671 |
| | Yes | 45 | 9628 | 3003 | 0.0339 | 0.0106 |
| | No | 371 | 78271 | 8603 | 0.2760 | 0.0303 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Inapplicable | 113703 | 26075172 | 48692 | 91.9357 | 0.1717 |
| | Yes | 1105 | 239471 | 16176 | 0.8443 | 0.0570 |
| | No | 10456 | 2047763 | 43433 | 7.2200 | 0.1531 |
| | Total | 125264 | 28362405 | 2.86714E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB40 by AB43 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB43 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 8340 | 1586558 | 37689 | 5.5939 | 0.1329 |
| | No | 2805 | 612776 | 25356 | 2.1605 | 0.0894 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Inapplicable | 0 | . | . | . | . |
| | Yes | 2372 | 551329 | 22481 | 1.9439 | 0.0793 |
| | No | 4960 | 1289679 | 43836 | 4.5471 | 0.1546 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 10712 | 2137888 | 44798 | 7.5378 | 0.1579 |
| | No | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| | Total | 125264 | 28362405 | 2.85091E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB40 by AB98 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 2805 | 612776 | 25356 | 2.1605 | 0.0894 |
| | Yes | 2316 | 438678 | 19244 | 1.5467 | 0.0679 |
| | No | 6024 | 1147881 | 31692 | 4.0472 | 0.1117 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Inapplicable | 4960 | 1289679 | 43836 | 4.5471 | 0.1546 |
| | Yes | 428 | 86389 | 9295 | 0.3046 | 0.0328 |
| | No | 1944 | 464940 | 22411 | 1.6393 | 0.0790 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Inapplicable | 114552 | 26224518 | 44798 | 92.4622 | 0.1579 |
| | Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| | No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| | Total | 125264 | 28362405 | 2.78813E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables

The SURVEYFREQ Procedure

| Table of AB40 by AB108_P1 | | | | | | |
|---------------------------|--|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB108_P1 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Proxy Skipped | 667 | 103343 | 5646 | 0.3644 | 0.0199 |
| | Inapplicable | 106120 | 24218720 | 63095 | 85.3902 | 0.2225 |
| | Very Confident | 0 | . | . | . | . |
| | Somewhat Confident | 0 | . | . | . | . |
| | Not Too Confident / Not at All Confident | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Proxy Skipped | 54 | 8201 | 1938 | 0.0289 | 0.0068 |
| | Inapplicable | 0 | . | . | . | . |
| | Very Confident | 7776 | 1535337 | 38745 | 5.4133 | 0.1366 |
| | Somewhat Confident | 2741 | 549994 | 25194 | 1.9392 | 0.0888 |
| | Not Too Confident / Not at All Confident | 574 | 105803 | 9185 | 0.3730 | 0.0324 |
| | Total | 11145 | 2199334 | 47032 | 7.7544 | 0.1658 |
| No | Proxy Skipped | 22 | 4228 | 1670 | 0.0149 | 0.0059 |
| | Inapplicable | 0 | . | . | . | . |
| | Very Confident | 6491 | 1640257 | 47448 | 5.7832 | 0.1673 |
| | Somewhat Confident | 667 | 149914 | 12834 | 0.5286 | 0.0452 |
| | Not Too Confident / Not at All Confident | 152 | 46609 | 8583 | 0.1643 | 0.0303 |
| | Total | 7332 | 1841008 | 49467 | 6.4910 | 0.1744 |
| Total | Proxy Skipped | 743 | 115772 | 6429 | 0.4082 | 0.0227 |
| | Inapplicable | 106120 | 24218720 | 63095 | 85.3902 | 0.2225 |
| | Very Confident | 14267 | 3175594 | 55173 | 11.1965 | 0.1945 |
| | Somewhat Confident | 3408 | 699907 | 28829 | 2.4677 | 0.1016 |
| | Not Too Confident / Not at All Confident | 726 | 152412 | 12578 | 0.5374 | 0.0443 |
| | Total | 125264 | 28362405 | 2.77737E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Asthma Variables**The SURVEYFREQ Procedure**

| Table of AB43 by AB98 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB43 | AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Inapplicable | Inapplicable | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 106787 | 24322063 | 63612 | 85.7546 | 0.2243 |
| Yes | Inapplicable | 0 | . | . | . | . |
| | Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| | No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| | Total | 10712 | 2137888 | 44798 | 7.5378 | 0.1579 |
| No | Inapplicable | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| | Yes | 0 | . | . | . | . |
| | No | 0 | . | . | . | . |
| | Total | 7765 | 1902455 | 47798 | 6.7077 | 0.1685 |
| Total | Inapplicable | 114552 | 26224518 | 44798 | 92.4622 | 0.1579 |
| | Yes | 2744 | 525067 | 21390 | 1.8513 | 0.0754 |
| | No | 7968 | 1612820 | 39307 | 5.6865 | 0.1386 |
| | Total | 125264 | 28362405 | 2.83849E-6 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Lifetime Asthmatic Variables

The SURVEYFREQ Procedure

| Data Summary | |
|------------------------|------------|
| Number of Observations | 18477 |
| Sum of Weights | 4040342.18 |

| Variance Estimation | |
|----------------------|-----------------|
| Method | Jackknife |
| Replicate Weights | CHIS_DATA_FINAL |
| Number of Replicates | 160 |

| Table of AB17 by AB40 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB40 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 11145 | 2199334 | 47032 | 54.4344 | 0.9051 |
| | No | 7332 | 1841008 | 49467 | 45.5656 | 0.9051 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

| Table of AB17 by ASTS | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | ASTS | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 12430 | 2532207 | 48131 | 62.6731 | 0.8612 |
| | No | 6047 | 1508135 | 45409 | 37.3269 | 0.8612 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

| Table of AB17 by AB18 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB18 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 6362 | 1108241 | 30571 | 27.4294 | 0.6651 |
| | No | 12115 | 2932102 | 55626 | 72.5706 | 0.6651 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Lifetime Asthmatic Variables

The SURVEYFREQ Procedure

| Table of AB17 by AB19 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB19 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | -1 | 6916 | 1753109 | 47392 | 43.3901 | 0.8948 |
| | 1 | 1121 | 225540 | 14523 | 5.5822 | 0.3368 |
| | 2 | 4609 | 987918 | 31201 | 24.4513 | 0.7465 |
| | 3 | 2427 | 519509 | 23455 | 12.8580 | 0.5272 |
| | 4 | 1599 | 289573 | 16924 | 7.1670 | 0.4061 |
| | 5 | 1805 | 264693 | 14569 | 6.5513 | 0.3518 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

| Table of AB17 by AB43 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB43 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 10712 | 2137888 | 44798 | 52.9135 | 0.8380 |
| | No | 7765 | 1902455 | 47798 | 47.0865 | 0.8380 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

| Table of AB17 by AB98 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 7765 | 1902455 | 47798 | 47.0865 | 0.8380 |
| | Yes | 2744 | 525067 | 21390 | 12.9956 | 0.5065 |
| | No | 7968 | 1612820 | 39307 | 39.9179 | 0.7887 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

| Table of AB17 by AB108_P1 | | | | | | |
|---------------------------|--|-----------|--------------------|---------------------|----------|--------------------|
| AB17 | AB108_P1 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Proxy Skipped | 76 | 12429 | 2699 | 0.3076 | 0.0672 |
| | Very Confident | 14267 | 3175594 | 55173 | 78.5972 | 0.6876 |
| | Somewhat Confident | 3408 | 699907 | 28829 | 17.3230 | 0.6513 |
| | Not Too Confident / Not at All Confident | 726 | 152412 | 12578 | 3.7723 | 0.2968 |
| | Total | 18477 | 4040342 | 63612 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Current Asthmatic Variables

The SURVEYFREQ Procedure

| Data Summary | |
|------------------------|------------|
| Number of Observations | 11145 |
| Sum of Weights | 2199334.11 |

| Variance Estimation | |
|----------------------|-----------------|
| Method | Jackknife |
| Replicate Weights | CHIS_DATA_FINAL |
| Number of Replicates | 160 |

| Table of AB40 by ASTYR | | | | | | |
|------------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | ASTYR | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 10047 | 1978712 | 44336 | 89.9687 | 0.6176 |
| | No | 1098 | 220622 | 14407 | 10.0313 | 0.6176 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

| Table of AB40 by AB18 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB18 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 6004 | 1050179 | 30814 | 47.7499 | 1.0108 |
| | No | 5141 | 1149155 | 33928 | 52.2501 | 1.0108 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

| Table of AB40 by AB19 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB19 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | 1 | 1098 | 220622 | 14407 | 10.0313 | 0.6176 |
| | 2 | 4329 | 929114 | 30864 | 42.2453 | 1.0716 |
| | 3 | 2366 | 504085 | 22977 | 22.9199 | 0.9057 |
| | 4 | 1576 | 285144 | 16996 | 12.9650 | 0.7170 |
| | 5 | 1776 | 260370 | 14329 | 11.8386 | 0.6226 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Current Asthmatic Variables

The SURVEYFREQ Procedure

| Table of AB40 by AH13A | | | | | | |
|------------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AH13A | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 1060 | 229842 | 15513 | 10.4505 | 0.6263 |
| | No | 10085 | 1969492 | 41609 | 89.5495 | 0.6263 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

| Table of AB40 by AB43 | | | | | | |
|-----------------------|-------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB43 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Yes | 8340 | 1586558 | 37689 | 72.1381 | 0.9268 |
| | No | 2805 | 612776 | 25356 | 27.8619 | 0.9268 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

| Table of AB40 by AB98 | | | | | | |
|-----------------------|--------------|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB98 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Inapplicable | 2805 | 612776 | 25356 | 27.8619 | 0.9268 |
| | Yes | 2316 | 438678 | 19244 | 19.9459 | 0.7650 |
| | No | 6024 | 1147881 | 31692 | 52.1922 | 1.0234 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |

| Table of AB40 by AB108_P1 | | | | | | |
|---------------------------|--|-----------|--------------------|---------------------|----------|--------------------|
| AB40 | AB108_P1 | Frequency | Weighted Frequency | Std Err of Wgt Freq | Percent | Std Err of Percent |
| Yes | Proxy Skipped | 54 | 8201 | 1938 | 0.3729 | 0.0878 |
| | Very Confident | 7776 | 1535337 | 38745 | 69.8092 | 0.9987 |
| | Somewhat Confident | 2741 | 549994 | 25194 | 25.0073 | 0.9856 |
| | Not Too Confident / Not at All Confident | 574 | 105803 | 9185 | 4.8107 | 0.4073 |
| | Total | 11145 | 2199334 | 47032 | 100.0000 | |