

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Data Summary	
Number of Observations	124521
Sum of Weights	28246633.6

Variance Estimation	
Method	Jackknife
Replicate Weights	CHIS_DATA_FINAL
Number of Replicates	160

Table of POVLL by asthmastatus						
POVLL	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
0-99% FPL	1 Current Asthmatic	2512	527618	22133	1.8679	0.0784
	2 Previous Asthmatic	520	158240	13618	0.5602	0.0482
	3 Non-Asthmatic	15263	4021092	57827	14.2357	0.2049
	Total	18295	4706950	61906	16.6638	0.2194
100-199% FPL	1 Current Asthmatic	2697	514388	23442	1.8211	0.0829
	2 Previous Asthmatic	749	191898	15698	0.6794	0.0556
	3 Non-Asthmatic	19376	4821869	58493	17.0706	0.2074
	Total	22822	5528155	62497	19.5710	0.2214
200-299% FPL	1 Current Asthmatic	1873	410184	20148	1.4522	0.0713
	2 Previous Asthmatic	723	211482	16387	0.7487	0.0580
	3 Non-Asthmatic	14633	3352057	58135	11.8671	0.2059
	Total	17229	3973723	63387	14.0680	0.2243
300% FPL and Above	1 Current Asthmatic	6508	1313699	36879	4.6508	0.1306
	2 Previous Asthmatic	2819	700404	28851	2.4796	0.1021
	3 Non-Asthmatic	56848	12023702	76123	42.5668	0.2691
	Total	66175	14037805	74028	49.6973	0.2612
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status**The SURVEYFREQ Procedure****Table of POVLL by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	253.1265
Design Correction	4.8477
Rao-Scott Chi-Square	52.2154
DF	6
Pr > ChiSq	<.0001
F Value	8.7026
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of FSLEV by asthmastatus						
FSLEV	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable / >=200% FPL	1 Current Asthmatic	8381	1723883	41299	6.1030	0.1461
	2 Previous Asthmatic	3542	911886	34531	3.2283	0.1222
	3 Non-Asthmatic	71481	15375759	83896	54.4340	0.2968
	Total	83404	18011528	68701	63.7652	0.2415
Food Security	1 Current Asthmatic	2622	489495	20882	1.7329	0.0739
	2 Previous Asthmatic	804	210676	14979	0.7458	0.0530
	3 Non-Asthmatic	22172	5192913	69566	18.3842	0.2461
	Total	25598	5893084	73076	20.8630	0.2585
Food Insecurity w/o Hunger	1 Current Asthmatic	1344	289787	14824	1.0259	0.0525
	2 Previous Asthmatic	287	88367	9821	0.3128	0.0348
	3 Non-Asthmatic	8058	2421249	48220	8.5718	0.1711
	Total	9689	2799403	50236	9.9106	0.1783
Food Insecurity w/ Hunger	1 Current Asthmatic	1243	262724	16798	0.9301	0.0594
	2 Previous Asthmatic	178	51095	8541	0.1809	0.0302
	3 Non-Asthmatic	4409	1228800	37438	4.3503	0.1326
	Total	5830	1542618	37862	5.4612	0.1340
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	656.0898
Design Correction	4.8850
Rao-Scott Chi-Square	134.3061
DF	6
Pr > ChiSq	<.0001
F Value	22.3843
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AL6 by asthmastatus						
AL6	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	6056	1238842	35487	4.3858	0.1256
	2 Previous Asthmatic	2654	673708	29292	2.3851	0.1036
	3 Non-Asthmatic	52158	11201295	80506	39.6553	0.2849
	Total	60868	13113845	74586	46.4262	0.2633
Yes	1 Current Asthmatic	1475	208925	10367	0.7396	0.0367
	2 Previous Asthmatic	189	38522	6304	0.1364	0.0223
	3 Non-Asthmatic	5391	803754	19457	2.8455	0.0688
	Total	7055	1051201	21114	3.7215	0.0746
No	1 Current Asthmatic	6059	1318123	33979	4.6665	0.1201
	2 Previous Asthmatic	1968	549794	25528	1.9464	0.0904
	3 Non-Asthmatic	48571	12213672	75140	43.2394	0.2673
	Total	56598	14081588	73054	49.8523	0.2594
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	663.1906
Design Correction	4.1163
Rao-Scott Chi-Square	161.1125
DF	4
Pr > ChiSq	<.0001
F Value	40.2781
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AL22 by asthmastatus						
AL22	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10359	2107539	44370	7.4612	0.1569
	2 Previous Asthmatic	4023	1062209	36502	3.7605	0.1292
	3 Non-Asthmatic	88645	20081357	87805	71.0929	0.3122
	Total	103027	23251104	64420	82.3146	0.2281
Yes	1 Current Asthmatic	1304	200901	10922	0.7112	0.0386
	2 Previous Asthmatic	205	38093	4952	0.1349	0.0175
	3 Non-Asthmatic	4138	702042	21196	2.4854	0.0750
	Total	5647	941037	23489	3.3315	0.0831
No	1 Current Asthmatic	1927	457449	22096	1.6195	0.0782
	2 Previous Asthmatic	583	161722	12548	0.5725	0.0444
	3 Non-Asthmatic	13337	3435321	58668	12.1619	0.2077
	Total	15847	4054493	63438	14.3539	0.2245
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	741.8298
Design Correction	3.6239
Rao-Scott Chi-Square	204.7040
DF	4
Pr > ChiSq	<.0001
F Value	51.1760
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AL18A by asthmastatus						
AL18A	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	10295	2383743	50812	8.4390	0.1797
	2 Previous Asthmatic	4063	1150421	37929	4.0728	0.1342
	3 Non-Asthmatic	80789	20702073	73547	73.2904	0.2620
	Total	95147	24236236	38866	85.8022	0.1367
Yes	1 Current Asthmatic	2565	261493	12697	0.9257	0.0449
	2 Previous Asthmatic	580	75514	7860	0.2673	0.0278
	3 Non-Asthmatic	18769	2137483	31544	7.5672	0.1118
	Total	21914	2474490	31821	8.7603	0.1127
No	1 Current Asthmatic	730	120654	9236	0.4271	0.0327
	2 Previous Asthmatic	168	36089	6081	0.1278	0.0215
	3 Non-Asthmatic	6562	1379164	32408	4.8826	0.1147
	Total	7460	1535907	33074	5.4375	0.1170
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	183.1845
Design Correction	3.7001
Rao-Scott Chi-Square	49.5086
DF	4
Pr > ChiSq	<.0001
F Value	12.3772
Num DF	4
Den DF	640
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AK4 by asthmastatus						
AK4	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Inapplicable	1 Current Asthmatic	7630	1183172	29869	4.1887	0.1056
	2 Previous Asthmatic	2008	361460	17437	1.2797	0.0617
	3 Non-Asthmatic	52643	8506414	62301	30.1148	0.2204
	Total	62281	10051046	70022	35.5832	0.2472
Private Company, Non-Profit Org	1 Current Asthmatic	3348	985355	34781	3.4884	0.1230
	2 Previous Asthmatic	1655	586749	26517	2.0772	0.0938
	3 Non-Asthmatic	31522	10453407	88146	37.0076	0.3133
	Total	36525	12025511	88244	42.5733	0.3131
Government	1 Current Asthmatic	1370	330815	18802	1.1712	0.0666
	2 Previous Asthmatic	520	150079	16183	0.5313	0.0573
	3 Non-Asthmatic	9684	2309112	47297	8.1748	0.1673
	Total	11574	2790005	52233	9.8773	0.1848
Self-Employed	1 Current Asthmatic	1088	228365	13913	0.8085	0.0493
	2 Previous Asthmatic	570	144233	12437	0.5106	0.0440
	3 Non-Asthmatic	11129	2648244	58920	9.3754	0.2085
	Total	12787	3020842	62154	10.6945	0.2200
Family Business or Farm	1 Current Asthmatic	154	38182	6210	0.1352	0.0220
	2 Previous Asthmatic	58	19503	4802	0.0690	0.0170
	3 Non-Asthmatic	1142	301543	17986	1.0675	0.0637
	Total	1354	359229	19358	1.2718	0.0685
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AK4 by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	596.5571
Design Correction	4.7484
Rao-Scott Chi-Square	125.6330
DF	8
Pr > ChiSq	<.0001
F Value	15.7041
Num DF	8
Den DF	1280
Pr > F	<.0001
Sample Size = 124521	

Table of AM36 by asthmastatus						
AM36	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Yes	1 Current Asthmatic	6064	1231607	33481	4.3602	0.1185
	2 Previous Asthmatic	2367	608658	29063	2.1548	0.1028
	3 Non-Asthmatic	45698	9670255	76080	34.2351	0.2703
	Total	54129	11510519	73339	40.7501	0.2603
No	1 Current Asthmatic	7526	1534283	40243	5.4317	0.1423
	2 Previous Asthmatic	2444	653366	26646	2.3131	0.0943
	3 Non-Asthmatic	60422	14548465	73695	51.5051	0.2605
	Total	70392	16736114	73936	59.2499	0.2603
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status**The SURVEYFREQ Procedure****Table of AM36 by asthmastatus**

Rao-Scott Chi-Square Test	
Pearson Chi-Square	230.7911
Design Correction	4.7856
Rao-Scott Chi-Square	48.2266
DF	2
Pr > ChiSq	<.0001
F Value	24.1133
Num DF	2
Den DF	320
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AK23 by asthmastatus						
AK23	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
House	1 Current Asthmatic	9188	1900412	44526	6.7279	0.1575
	2 Previous Asthmatic	3456	896033	37305	3.1722	0.1320
	3 Non-Asthmatic	75395	16834086	81388	59.5968	0.2880
	Total	88039	19630532	62395	69.4969	0.2182
Duplex	1 Current Asthmatic	639	134717	10053	0.4769	0.0356
	2 Previous Asthmatic	227	58212	7374	0.2061	0.0261
	3 Non-Asthmatic	4535	1263249	36695	4.4722	0.1297
	Total	5401	1456177	38553	5.1552	0.1363
Building with 3 or More Units	1 Current Asthmatic	2873	596203	24563	2.1107	0.0869
	2 Previous Asthmatic	921	268500	17968	0.9506	0.0636
	3 Non-Asthmatic	20641	5144487	60580	18.2127	0.2154
	Total	24435	6009190	63239	21.2740	0.2248
Mobile Home	1 Current Asthmatic	890	134558	10125	0.4764	0.0358
	2 Previous Asthmatic	207	39278	6142	0.1391	0.0218
	3 Non-Asthmatic	5549	976899	30570	3.4585	0.1082
	Total	6646	1150735	33902	4.0739	0.1200
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	41.0419
Design Correction	4.4203
Rao-Scott Chi-Square	9.2848
DF	6
Pr > ChiSq	0.1582
F Value	1.5475
Num DF	6
Den DF	960
Pr > F	0.1595
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AK25 by asthmastatus						
AK25	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Not Ascertained	1 Current Asthmatic	38	8783	2439	0.0311	0.0086
	2 Previous Asthmatic	12	2644	1319	0.0094	0.0047
	3 Non-Asthmatic	348	111511	11439	0.3948	0.0405
	Total	398	122937	11688	0.4352	0.0414
Dont Know	1 Current Asthmatic	35	8336	2551	0.0295	0.0090
	2 Previous Asthmatic	8	3953	2089	0.0140	0.0074
	3 Non-Asthmatic	194	59784	9397	0.2117	0.0333
	Total	237	72073	10211	0.2552	0.0362
Refused	1 Current Asthmatic	50	10299	3065	0.0365	0.0109
	2 Previous Asthmatic	23	5380	2069	0.0190	0.0073
	3 Non-Asthmatic	457	116420	13039	0.4122	0.0462
	Total	530	132099	13633	0.4677	0.0483
Own	1 Current Asthmatic	7938	1540616	40134	5.4542	0.1421
	2 Previous Asthmatic	2989	719983	34159	2.5489	0.1208
	3 Non-Asthmatic	67488	13705880	55357	48.5222	0.1960
	Total	78415	15966479	17888	56.5252	0.0597
Rent	1 Current Asthmatic	4956	1072836	31745	3.7981	0.1123
	2 Previous Asthmatic	1577	470515	21530	1.6657	0.0762
	3 Non-Asthmatic	33619	9302917	44874	32.9346	0.1598
	Total	40152	10846268	30542	38.3984	0.1085
Other Arrangement	1 Current Asthmatic	573	125020	11750	0.4426	0.0416
	2 Previous Asthmatic	202	59550	8455	0.2108	0.0299
	3 Non-Asthmatic	4014	922209	27383	3.2648	0.0969
	Total	4789	1106778	30073	3.9183	0.1064
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

The SURVEYFREQ Procedure

Table of AK25 by asthmastatus

Rao-Scott Chi-Square Test	
Pearson Chi-Square	44.7577
Design Correction	4.3433
Rao-Scott Chi-Square	10.3051
DF	10
Pr > ChiSq	0.4141
F Value	1.0305
Num DF	10
Den DF	1600
Pr > F	0.4148
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AM19 by asthmastatus						
AM19	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Strongly Agree	1 Current Asthmatic	3398	622683	23101	2.2044	0.0818
	2 Previous Asthmatic	1287	289748	16462	1.0258	0.0583
	3 Non-Asthmatic	26687	4931041	63846	17.4571	0.2264
	Total	31372	5843472	67842	20.6873	0.2405
Agree	1 Current Asthmatic	7693	1572375	40830	5.5666	0.1444
	2 Previous Asthmatic	2836	751342	34604	2.6599	0.1224
	3 Non-Asthmatic	64502	14880954	103790	52.6822	0.3666
	Total	75031	17204672	97204	60.9088	0.3418
Disagree	1 Current Asthmatic	1878	445314	20020	1.5765	0.0708
	2 Previous Asthmatic	560	182909	14421	0.6475	0.0511
	3 Non-Asthmatic	12344	3656230	69475	12.9439	0.2462
	Total	14782	4284453	70001	15.1680	0.2481
Strongly Disagree	1 Current Asthmatic	621	125517	9014	0.4444	0.0319
	2 Previous Asthmatic	128	38024	6845	0.1346	0.0242
	3 Non-Asthmatic	2587	750495	34554	2.6569	0.1224
	Total	3336	914036	36547	3.2359	0.1294
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	158.7362
Design Correction	4.7285
Rao-Scott Chi-Square	33.5699
DF	6
Pr > ChiSq	<.0001
F Value	5.5950
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AM21 by asthmastatus						
AM21	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
Strongly Agree	1 Current Asthmatic	2836	495364	20411	1.7537	0.0722
	2 Previous Asthmatic	1062	237394	18110	0.8404	0.0641
	3 Non-Asthmatic	22767	4143629	53126	14.6695	0.1884
	Total	26665	4876387	60874	17.2636	0.2157
Agree	1 Current Asthmatic	8067	1656626	43365	5.8649	0.1535
	2 Previous Asthmatic	3018	781963	29815	2.7683	0.1055
	3 Non-Asthmatic	67769	15489240	99491	54.8357	0.3514
	Total	78854	17927829	86663	63.4689	0.3046
Disagree	1 Current Asthmatic	2055	483228	21749	1.7107	0.0769
	2 Previous Asthmatic	620	211194	15895	0.7477	0.0563
	3 Non-Asthmatic	12944	3866318	64671	13.6877	0.2293
	Total	15619	4560740	71168	16.1461	0.2522
Strongly Disagree	1 Current Asthmatic	632	130671	10419	0.4626	0.0369
	2 Previous Asthmatic	111	31473	6149	0.1114	0.0218
	3 Non-Asthmatic	2640	719533	26096	2.5473	0.0924
	Total	3383	881677	29263	3.1214	0.1037
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	174.4222
Design Correction	4.6599
Rao-Scott Chi-Square	37.4307
DF	6
Pr > ChiSq	<.0001
F Value	6.2385
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	

PROC SURVEYFREQ - CHIS.CHIS_DATA_FINAL - Socioeconomic Status

The SURVEYFREQ Procedure

Table of AK28 by asthmastatus						
AK28	asthmastatus	Frequency	Weighted Frequency	Std Err of Wgt Freq	Percent	Std Err of Percent
All of the Time	1 Current Asthmatic	6352	1221701	35158	4.3251	0.1243
	2 Previous Asthmatic	2509	611169	23949	2.1637	0.0847
	3 Non-Asthmatic	57552	12085092	87919	42.7842	0.3125
	Total	66413	13917961	83525	49.2730	0.2960
Most of the Time	1 Current Asthmatic	5479	1135927	31866	4.0215	0.1127
	2 Previous Asthmatic	1862	500121	27959	1.7705	0.0990
	3 Non-Asthmatic	38703	9032317	79497	31.9766	0.2808
	Total	46044	10668364	81954	37.7686	0.2888
Some of the Time	1 Current Asthmatic	1426	338042	17765	1.1967	0.0629
	2 Previous Asthmatic	376	129592	13068	0.4588	0.0463
	3 Non-Asthmatic	8426	2689998	51267	9.5232	0.1816
	Total	10228	3157631	55506	11.1788	0.1968
None of the Time	1 Current Asthmatic	333	70221	7184	0.2486	0.0254
	2 Previous Asthmatic	64	21143	5656	0.0749	0.0200
	3 Non-Asthmatic	1439	411314	23575	1.4562	0.0835
	Total	1836	502678	25889	1.7796	0.0917
Total	1 Current Asthmatic	13590	2765889	51187	9.7919	0.1810
	2 Previous Asthmatic	4811	1262024	41075	4.4679	0.1453
	3 Non-Asthmatic	106120	24218720	63095	85.7402	0.2254
	Total	124521	28246634	6429	100.0000	

Rao-Scott Chi-Square Test	
Pearson Chi-Square	180.6362
Design Correction	4.9134
Rao-Scott Chi-Square	36.7641
DF	6
Pr > ChiSq	<.0001
F Value	6.1273
Num DF	6
Den DF	960
Pr > F	<.0001
Sample Size = 124521	