Guttersnipe (0.3)

Software Requirement Specifications

Table of Contents

| | Proposal | | | 3 |
|----|--|---|---|---|
| 2. | Technical Intro | oduction | 5 | |
| | 2.1. Purpose | | 5 | |
| | 2.2. Scope | | | 5 |
| | 2.3. Acronym | s and Abbreviations | 5 | |
| | 2.4. Summar | y | 5 | |
| 3. | | | | 6 |
| | 3.1. Use Case | | 6 | |
| | | ation Diagrams | | |
| | 3.2.1. | SHAREABLE: READ | | |
| | | ViewShareable | | |
| | 3.2.1.2 | . SearchShareables | | |
| | 3.2.2. | ACCOUNT CONTROL: EXTERNAL | | |
| | 3.2.2.1 | · · | | |
| | - | Register | | |
| | | . RecoverPassword | | |
| | 3.2.3. | ACCOUNT CONTROL: INTERNAL | | |
| | | . EditProfile | | |
| | | . EditSchedule | | |
| | | . RenewMembership | | |
| | | . ChangePassword | | |
| | | . Logout | | |
| | | DeleteAccount | | |
| | 3.2.4. | SHAREABLE: CREATE, UPDATE, DELETE | | |
| | | . AddShareable | | |
| | | e.EditShareable | | |
| | | DeleteShareable | | |
| | 3.2.5. | SHAREABLE: ANNOTATE | | |
| | | . RateShareable | | |
| | | . CommentOnShareable . DeleteComment | | |
| | | COMMUNICATIONS | | |
| | 3.2.6. | . SendMessage | | |
| | - | . Sendmessage . ReadMessage | | |
| | | . DeleteMessage | | |
| | | BlockUser | | |
| 1 | Class Definitions and Diagrams | | | |
| 4. | 4.1. User and | | | |
| | 4.1.1. | User and Subclasses Diagram | | |
| | 4.1.2. | User Definition | | |
| | 4.1.3. | Guttersnipe Definition | | |
| | 4.1.4. | Boss Definition | | |
| | 4.2. Shareable and Parts | | | |
| | 4.2.1. | Shareable and Parts | | |
| | 4.2.2. | Shareable Definition | | |
| | 4.2.3. | Time Definition, | | |
| | 4.2.4. | Thing Defintition | | |
| | 4.3. 3.3.ER Class Diagram | | | |
| 5. | Screenshots from 0.2 release and Future Wireframes | | | |
| | 5.1. Front Page | | | |
| | 5.2. Create Sh | hareable Wizard | | |
| | 5.2.1. | CreateShareable: Start | | |
| | 5.2.2. | CreateShareable: Instructions | | |

```
CreateShareable: Describe
    5.2.3.
               CreateShareable: Classify (I)
    5.2.4.
    5.2.5.
               CreateShareable: Classify(2)
               CreateShareable: Map
    5.2.6.
               CreateShareable: Schedule (1)
   5.2.7.
               CreateShareable: Schedule (2)
   5.2.8.
               CreateShareable: Schedule (3)
    5.2.9.
5.3. SearchShareable
               SearchShareable: ResultList
    5.3.1.
               SearchShareable: ResultCalendar
    5.3.2.
               SearchShareable: ResultMap
    5.3.3.
               SearchShareable: SearchByCategory
    5.3.4.
               SearchShareable: SearchByTag
   5.3.5.
               SearchSharable: SearchByLocation
   5.3.6.
               SearchShareable: SearchByTime
   5.3.7.
5.4. Authentication
    5.4.1.
               SignIn
    5.4.2.
               SignUp
5.5. Documentation
               Mission Page
    5.5.1.
               FAO
    5.5.2.
               Presentation (2013)
    5.5.3.
       5.5.3.1. Start
       5.5.3.2. Objective
       5.5.3.3. Audience
       5.5.3.4. Consultations
       5.5.3.5. Other Sites
       5.5.3.6. Q: Method
       5.5.3.7. A: Method
       5.5.3.8. Example
       5.5.3.9. REprot
       5.5.3.10.
                       Result
                       Research
       5.5.3.11.
                       Fin
       5.5.3.12.
               Administrative
    5.5.4.
       5.5.4.1. Legal
       5.5.4.2. About
       5.5.4.3. Contact
               Kropotkins
    5.5.5.
       5.5.5.1. Kropotkin Quotes
               Screensize
    5.5.6.
       5.5.6.1. Dropdown top menu (1)
       5.5.6.2. Droptown to menu (2)
```

PROPOSAL: GUTTERSNIPE

1. What is the site/app?

Guttersnipe is a web portal and mobile app that caters to anarcho-communist street youth (and adults) who desire to subvert capitalism by sharing resources.

It will enable people to broadcast to each other locations of abandoned properties that can be squatted as well as dumpsters which can be dived for food and other resources.

Eventually, other types of resource sharing will be integrated into this product. A calender will be used to map and schedule Really Really Free Markets and Food Not Bombs meals.

Perhaps ridesharing will also be integrated

Perhaps maps of the train system and good times for hopping

Further development will require a close study of the writings of Kropotkin and Fourier.

2. What need does this meet? or problem does it solve?

This application serves the urgent need to overthrow capitalism by helping people to self-organize outside and beyond the market of commerce.

The ultimate intention is to facilitate the creation of alternate avenues of exchange, freely organized by free individuals.

3. Who is going to go/use to this site/app?

In the current incarnation, it is mostly aimed towards the freegans gutterpunks, who live off of dumpstered food, live in squatted housing, and travel by hopping trains.

As we get a better sense on the needs of the anticapitalist community and possibilities for alternative organizing, we will expand the possibilities for anti-market resource sharing.

4. Why will they go to this site/app?

To find food, clothing, shelter, etc.

5. Why will they keep coming back to your site/app?

See above.

6. How is it different from other similar sites?

There are similar sites of various types, but many of them have certain faults.

There is a site called rideshare.com; there is a site named couchsurfer.com; there is freecycle.com, which allows the sharing of goods.

These are all laudable efforts. Some of these are marred by an underlying desire for profit. But some of them are motivated out of genuine desire to promote Mutual Aid.

The very mission of Guttersnipe.net will be to promote the organization of the lumpenproletariat and to create alternative exchanges outside of capitalism. This mission will enable Guttersnipe.net to be singularly focused on this goal.

It will thus be able to bring together whatever resources necessary for the undermining of capitalism: the various services— such as squatting, dumpster diving, hitchhiking, train hopping, resource sharing, etc — will be coordinated on a singular web portal.

In addition, there are several web portals that are dedicated towards the promotion of anarchocommunist goals..

Such sites are

Freegan.info

- Picture the Homeless
- Squat.net
- Foodsharing (Germany)

Many of our initial design specifications will be taken from the freegan group and Picture the Homeless.

In addition, we intend Guttersnipe to be cross platform, available both via the web and as a mobile app. To my knowledge, there are not yet any apps dedicated with such a task.

7. What steps will a person go through interacting with the site/app?

Most of the various interactions will be handled using forms.

The various services offered by Guttersnipe all boil essentially boil down to two types of transaction:

- 1. information submission;
- 2. information retrieval.

One person posts about an abandoned building or a good dumpster; another person searches for such information.

There may be very many different interfaces for the reporting and retrieval. Some of the data will be entered and retrieved using forms and text inputs; some will be accessed through map interfaces; some will be accessed through calendar interfaces.

In addition, there may be some need for identity management. Some users may choose to register accounts. Others may choose to always have singular, anonymous transactions.

Practical Constraints

Security

We will have to build in a security infrastructure in the project in order to guarantee anonymity of transactions.

Tor will be used to anonymize transactions.

1. Technical Introduction

1.1. Purpose

Guttersnipe promises to be a platform for individuals and groups to freely share resources such as food, shelter, and medicine.

This Document will detail the features of Guttersnipe, and will serve as a guide to developers, and as a legal document and users manual for prospective clients.

1.2. Scope.

1.2.1. Users

1.2.1.1. User

All System users can search the Shareables view a single Shareable, and read the rating and the comments ascribed to it.

1.2.1.2. Vagrant: This class represents all visitors to the site who has not yet signed in as a member.

The Vagrant class inherits all the properties and functionalities of the baseclass User.

All Vagrants may register to become a user, may login as a user, and may retrieve a lost username or password.

1.2.1.3. Guttersnipe: This class represents a user who has registered for an account in the system.

This class inherits all the properties and functionalities of the baseclass User.

In addition, the Guttersnipe can exercise control over its own account. The Gutternsipe may edits its own profile, and edit its own availability schedule. It may renew its membership and change its password. It may logout of its account.

The Guttersnipe may also create a new Shareable, and edit or delete a Shareable that it has created.

The Guttersnipe may rate or comment on a Shareable and may delete a previous comment.

The Guttersnipe may send messages and send the schedules of other Guttersnipes. It may read messages and schedules as well. It may block any other Guttersnipe except for a Boss.

1.2.1.4. Boss: The Boss class represents the administrative users of the System.

Bosses have all the same properties and functionality as the Guttersnipe, but their functionalities are unlimited in scope.

The Boss may edit or delete any Shareable, may delete any User, and may delete any comment.

1.2.2. Business Objects

- 1.2.2.1. Shareable: Each shareable is classified according to its categorization and description, its schedule, and its location.
- 1.3. AcronymsandAbbreviations
 - 1.3.1. V: Vagrant
 - 1.3.2. G: Guttersnipe [User]
 - 1.3.3. B: Boss
 - 1.3.4. SRS: Software Requirements Specification
 - 1.3.5. GUI: Graphical User Interface.
 - 1.3.6. FSM: Finite State Machine.
 - 1.3.7. 1 DB: Database.
 - 1.3.8. 1 ERCD: Entity-Relation Class Diagram.
- 1.4. References
- 2. Appendix A: User Interface Prototypes
 - 2.1. Summary
- 3. The rest of this SRS is organized as follows:


Section 2: Gives the overall description of the Guttersnipe application. It contains the Use-Case diagram and descriptions for Guttersnipe. Section 2 also contains the assumptions and dependencies of the system.

Section 3: Gives specific software requirements and functionalities in the form of Mini Use- Case diagrams along with accompanying Collaboration diagrams, Finite State Machine of the system, and ER Class diagram of the system. This section also contains supplementary software requirements of the systems.

Section 4: GUI Components: The appendix contains user interface prototypes for the system, including many screenshots from the **0.2** release of the application.

2. Overview

2.1 User Case Diagram



i. User (U)

- a. Shareables (Read)
 - a) ReadShareable: Any U may browse a search result.
 - b) SearchShareable: Any U may search for movies using any combination of search vectors (id, title, starts, director, year, etc.)

ii. Vagrant (V)

- a. Account Management (External)
 - a) Login: Any V can login to the system, which transforms V into a G or B.
 - b) Register: Any V may register to become a G
 - c) RecoverPassword:: Any V who has forgotten account username may request that user information will be emailed
 - d) RetrieveUsername: Any V who has forgotten account username may request that user information will be emailed.

iii. Guttersnipe (G)

- a. Account Management (Internal)
 - a) EditProfile: Can edit information on own account.
 - b) EditSchedule: Can edit availability schedule.
 - c) RenewMembership: Can renew the
 - d) Logout: Can log out of own account.
 - e) ChangePassword: Can reset own password from the Account Settings page.
 - f) DeleteAccount: Can delete own account.
- b. Shareables (Create, Update, Delete)

- a) CreateShareable: Can add a Shareable resource.
- b) UpdateShareable: Can update Shareable created by self.
- c) DeleteShareable: Can delete Shareable created by self.

c. Shareables (Annotate)

- a) RateShareable: Can rate any shareable
- b) CommentOnShareable: Can commenton any shareable.
- c) DeleteComment Can delete own comment.

d. Communications

- a) SendMeetup: Can communicate message or receive meetup schedule from any other Guttersnipe.
- b) ReadMessage: Can read message inbox.
- c) SetSchedule: Can set daily, weekly, yearly calendar.
- d) BlockUser: Can block any other user except Boss.

iv. Boss (B)

Boss has same capabilities as Guttersnipe, but they are unrestricted to apply to all system users. The relevant overrides are as follows:

- a. UpdateShareable: Can update Shareable created by any user.
- b. DeleteShareable: Can delete Shareable created by any user.
- c. DeleteComment Can delete Comment written by any user.
- d. DeleteAccount: Can delete the account of any user, except for another Boss. Deleting a user account will also also the Boss to DeleteComments and Shareables added by the User.
- e. BlockUser: Triggers a DeleteAccount option for the blocked user.

2.2 Client / Server Assumptions and Dependencies

- a. Previous release
- i. The previous release (0.2.1.5) of Guttersnipe was a MEAN stack application, utilizing Mongo/Mongoose, Node, Express, and Angular 1.x
- ii. The deployment of a node application requires a server or PAAS that supports a node engine. We find this constraint too restrictive because many servers do not have a node engine, including the servers where we hope to do our initial deployments
- iii. Although Mongo/NoSql is a fine technology, we believe that rapid, optimized database queries can best be done with an SQL database, which will obviate the need for a lot of the "middle-tier" post-processing of results from a database query

b. Current release


- i. Client. The client requires a contemporary browser that supports standard HTML 5, CSS 3, and Javascript. It will use Angular 2.x as a front-end framework.
- ii. The application will be ported to mobile devices initially by taking advantage of libraries like phonegap which allow one to use the device webview to deploy web interfaces. Native Android/ iOS ports may be attempted as well.
- iii. For backend technologies, we sought a technology that could easily be ported to a variety of servers where no superuser access is required. We dislike bulky frameworks, preferring to add components as we need them. To this end, we have chosen the Flask / Python framework.

SPECIFIC REQUIREMENTS

Collaboration Diagrams

3.2.1. SHAREABLE: READ

3.2.1.1. ViewShareable



- 1. GU/RU/AU clicks on the Movies GUI
- 2. Request is sent to the Movies control module for movie=movieID
- 3. A movie object is generated
- 4. Request is sent to the Movies database containing movielD
- MovieObject is initialized with (Name, Year, Genre, Director, Stars, RunningTime, Summary)
- Information about the Movie is returned to Control
- Abstract of Movie (Name, Year, Genre, Director, Stars, RunningTime, Summary) displayed on GUI


Figure A3: View Movie Info

3.2.1.2. SearchShareables

3. Specific Requirements

3.1 Collaboration Diagrams

3.1.1 Shared Collaboration Diagrams



- Guestüser, Registerediker, or Adminüser click on Search GUI.
- 2. Search GUI transfers the information to search manager.
- 3 Search manager passes the information to movie object.
- 4. Movie coject verifies the search by looking into the database.
- 5 Movie Database passes the verified information to user object.
- 6. User object processes the information to search manager.
- 7. The information is published in Search GUI.
- 8. Guestilser Registered User Mistor gets the result for searched information.


Exception

- 5. Search result not found
- 6. Empty database information sent to search manager
- 8. GUT displays "No Results Found"

Figure A1: Search

ACCOUNT CONTROL: EXTERNAL 3, 2, 2,

3.2.2.1. Login



- Guest User fills in account information on the login page
 User info passed to login manager
- 3. Pass login info to user object
- Login object queries user database with login info
 User database passes back query results to user object
- 6. Login manager receives results
- 7. Login manager shows main customer page
- 8. System recognizes end user as Customer
- 9. Login manager shows main admin page
- 10. System recognizes end user as Admin

Exception 1


- 5. DB error sent to Login Object
- 6. Failure sent to Login Manager
- 11. Login manager presents failure message on GUI
- 12, Guest receives error message

Exception 2

7. First time login user present with choose interest page

Figure B2: Login

3.2.2.2. Register



- 1. Guest Over clicks on Register GUT to be registered as a user.
- 2. The information, is then passed to the register object.
- 3. This information is possed to the user object and generates passeons.
- 4. The information is stored in the user catabase,
- 5. Ober detabase send the information to user object.
- 6. The correct informacien passed from the user object is then passed to register object.
- 1. This opens a new Gull and welcomes the new user.
- 8. This tains a Guest ther be a Registered User.


Exceptional Case:

- 1. The visitor enter the information and close Submit.
- 2. The information is passed to Register Object.
- 9. The processed information is wrong so is returned to Register SUI.
- 30. Guest User is specified the information provided is wrong

B1: Register

- 3.2.3. ACCOUNT CONTROL: INTERNAL
- 3.2.3.1. EditProfile
- 3.2.2.3. RecoverPassword
- 3.2.3.2. EditSchedule
- 3.2.3.3. RenewMembership
- 3.2.3.4. ChangePassword


3.2.3.5. Logout



- 1. Registered User/Admin User clicks on the Logout button
- 2. Logout Control processes request, verifies user's desire to logout
- 3. Controller passes logout to user database, ends user's session, completes any pending transactions
- 4. Database returns results to Logout Control
- 5. Logout Control produces Guest page stating "You have now been logged out"
- 6 End User is now considered to be a Guest

Figure C8: Logout

3.2.3.6. DeleteAccount



- 1. Admin-user views complaints interface to see recent complaints
- 2. Admin-user clicks 'send warning' to user
- 3. Warning system accesses super-user object's 'warn user' method
- 4. The AU object sends an update to the complaints database
- 5. The complaint data (username, date, comment) is sent to the AU object
- 6. The complaint information is sent back to warning system
- 7. The complaint is removed from 'recent complaints'
- 8. The warning system sends query to increase the user's 'warnings' counter by one
- 9. A warning message (with date and comment) is sent to username
- 10. The Registered User receives warning message when he/she views their account page


Figure D3: Warn User

3.2.4. SHAREABLE: CREATE, UPDATE, DELETE

- 3.2.4.1. AddShareable
- 3.2.4.2. EditShareable
- 3.2.4.3. DeleteShareable

3. 2. 5. SHAREABLE: ANNOTATE

3.2.5.1. RateShareable



Figure


- Registered User clicks on movie rating interface
- 2. Rating Interface submits UserID, MovieID, and Rating to Rating Control
- 3. Rating Control checks User DB to check User's ratings permissions
- User DB returns RU's permissions
- 5. Ratings Control sends success or failure message back to Ratings GUI
- 6 Ratings Control updates Registered User Database to record Rating Behavior
- 7. Ratings Control updates Movie Database with new rating

Exceptions:

- RU presses submit button without selecting a rating
- 2. RU does not have permissions to rate movie

Figure C2: Rate

3.2.5.2. CommentOnShareable



- 1. RU visits the comment interface of a movie page
- 2. RU submits comment to be processed by the comment manager
- The Comment Manager accesses RegisterUser object to processes the comment with a timestamp.
- 4. The data is inserted to Comments Database.
- 5. The comment information is sent back to the RegisteredUser object
- 6. The comment information is passed back to the comment manager
- The Comment Manager updates the Comment Interface with new comment(s)

Exception 1:


- 2. Blank comment is submitted
- 7. The comment manger displays an error message to the GUI

Exception 2:

- 2. A comment that exceeds the character limit is submitted
- 7. The comment manager displays an error message to the GUI

Figure C3: Comment

3.2.5.3. DeleteComment



- 1. Admin User selects comments for deletion from Flagged Comments Panel
- 2. GUI sends deletion request to Comments Control
- 3. Comments to be deleted are sent to Database
- 4. Comments are sent to comments database
- Database returns remaining Flagged Comments from Database
- 6. The remaining flagged comments are sent to comments control
- 7. The remaining Flagged Comments are displayed on the GUI


D1: Erase Comment

3.2.6. COMMUNICATIONS

3.2.6.1. SendMessage

3.2.6.3. DeleteMessage


3.2.6.2. ReadMessage



- 1. Registered User visits 'movies bought' interface
- 2. RU clicks on a movie to watch
- 3. Movie processor creates instance of movie object
- 4. Movie object retrieves data on specific movie
- 5. Movie data is sent back to movie object
- 6. Movie data is sent back to movie processor
- 7. Movie Processor redirects data and user's location to movie player GUI
- 8. Movie Player Interface waits for RU to click play

C1: Watch Movie

3.2.6.4. BlockUser




- Admin-user views complaints Interface to see recent complaints
- 2. Admin-user clicks 'send warning' to user
- 3. Warning system accesses super-user object's 'warn user' method
- 4. The AU object sends an update to the complaints database
- 5. The complaint data (username, date, comment) is sent to the AU object
- 6. The complaint information is sent back to warning system
- 7. The complaint is removed from 'recent complaints'
- 8. The warning system sends query to increase the user's 'warnings' counter by one
- 9. A warning message (with date and comment) is sent to username
- 10. The Registered User receives warning message when he/she views their account page

Figure D3: Warn User

Class D&D (diagrams && definitions)

User Class (A) Diagram



User Class (abstract)

- * Methods:
- ++ViewShareable()
- ++SearchShareable()

Vagrant (extends the User Class)

- * Methods:
- ++Login()
- ++Register()
- ++RecoverPassword(

Guttersnipe (extends the User Class)

- *Attributes:
- ++gProfile: ProfileInfo
- ++gSchedule: iCalendar VEVENT
- ++gExpiration: Date
- * Methods:
- ++EditProfile()
- ++EditSchedule()
- ++RenewMembership()
- ++ChangePassword()
- ++DeleteAccount()
- ++AddShareable()
- ++EditShareable()
- ++DeleteShareabl()
- ++RateShareable()
- ++CommentOnShareable()
- ++DeleteCominent()
- ++SendMeetupMessage()
- ++ReadMessage()
- ++DeleteMessage()
- ++BlockUser()


```
Boss
* Methods:
++EditShareable(): «override»
++DeleteAccount(): «override»
 ++DeleteShareable(): «override>
 ++DeleteComment (): «override»
 ++BlockUser(): «override»
++DeleteAccount(): «override»
Attributes:
*** private $userID;
*** private $username;
*** private $accountType; *** private $userEmail;
Functions:
*** public function login($userID, $userPassword)
// This allows a guest user to log in to the system and become a registered user or admin
user
*** public function register()
// This allows a guest user to become a registered user
*** public function complainComment($commentID)
// This allows a guest user to send a complaint about a comment identified by
commentID
RegisteredUser Class
ÿ(extends the User Class)
Attributes:
*** private $userID;
*** private $username; *** private $userEmail;
Functions:
*** public function getID()
// This returns the id of the registered user
*** public function getUsername()
// This returns the username of the registered user
*** public function getEmail()
// This returns the email address of the registered user
*** public function complainComment($commentID)
// This allows a registered user to send a complaint about a comment identified by
```

commentID

- *** public function login(\$userID, \$userPassword)
- // This allows a registered user to send a complaint about a comment identified by commentID
- *** public function rateMovie(\$userID, \$movieID, \$rating)
- // This allows a registered user to give a rating to a movie.
- *** public function submitComment(\$userID, \$movieID, \$commentText)
- // This allows a registered user to post a comment to the movie page identified by movieID

Shareable Class

(A) Diagram



```
Shareable Class
*Attributes:
 ++sThing: Thing
 ++sSpace: Space
 ++sTime: Time
Time Class
*Attributes:
++calendar_VEVENT
 ++notes: String
Thing Class
*Attributes:
++Type: ENUM
 ++ Subtypes: String []
 ++ DescriptionHow: String
 ++DescriptionWhat: String-
 ++ Tags: StringArray []
Space Class
*Attributes:
++Longditude: Double
 ++Latitude: Double
 ++Canonical Address: String
 ++Alternate Names: String[]
 ++Notes: String
Functions:
*** function ___construct($movieID) // Constructor for the Movie class
*** public function playMovie($userID, $movieID)
// Verifies that user has purchased the movie, plays movie in
movieLocation
*** public function browse()
// Displays all information about movie
*** public function getMovieId() // Returns movie id
*** public function getMovieName() // Returns movie name
```

```
*** public function getMovieYear() // Returns movie year

*** public function getMovieSummary() // Returns movie summary

*** public function getMovieGenre() // Returns movie genre

*** public function getMovieDirector() // Returns movie director

*** public function getMovieStars() // Returns movie stars

*** public function getMovieRuntime() // Returns movie runtime

*** public function getMovieImageLocation() // Returns file location of movie poster

*** public function getMovieLocation() // Returns location of movie file

*** public function watchMovie() // plays the movie
```

*** public function getPrice() // Returns movie price

Movie Class

```
Functions:
```

```
*** function ___construct($movieID) // Constructor for the Movie class
*** public function playMovie($userID, $movieID)
// Verifies that user has purchased the movie, plays movie in movieLocation
*** public function browse()
// Displays all information about movie
*** public function getMovieId() // Returns movie id
*** public function getMovieName() // Returns movie name
*** public function getMovieYear() // Returns movie year
*** public function getMovieSummary() // Returns movie summary
*** public function getMovieGenre() // Returns movie genre
*** public function getMovieDirector() // Returns movie director
*** public function getMovieStars() // Returns movie stars
*** public function getMovieRuntime() // Returns movie runtime
*** public function getMovieImageLocation() // Returns file location of movie
poster
*** public function getMovieLocation() // Returns location of movie file
*** public function watchMovie() // plays the movie
*** public function getPrice() // Returns movie price
```

Cart Class

Functions:

```
*** public function getAmountItems()
// Returns the length of $checkoutCart
```

```
*** public int getCurrentTotal()
// Returns the current total price of items in the cart
*** public function removeFromCart($movie) // Removes a movie from the
checkout cart
*** public int checkout($userID, $allMovieIDs)
// Executes purchase of all movies by the user.
Comment Class
ÿAttributes:
private $commentID; private $commentText; private $userName; private
$timestamp;
Functions:
*** function __construct($commentID, $commentText, $userName,
$timestamp) // Constructor for the Comment class
*** public int getCommentID() ***
// Returns the ID of the comment
*** public function getCommentText() // Gets the text of the comment
*** public function getUserName()
// Gets the name of the commenter
*** public function getTimestamp() // Gets the date of the commenter
ScheduleCart Class
Attributes:
*** private $totalPrice;
*** private $checkoutCart = array();
Functions:
*** public function getAmountItems()
// Returns the length of $checkoutCart
*** public int getCurrentTotal()
// Returns the current total price of items in the cart
*** public function removeFromCart($movie) // Removes a movie from the
checkout cart
*** public int getCurrentTotal($userID, $allMovieIDs) // Executes purchase of
all movies by the user.
```

Rating Class

```
Attributes:
*** private $movieID; *** private $average; *** private $oneStars; ***
private $twoStars; *** private $threeStars; *** private $fourStars; *** private
$fiveStars:
Functions:
*** function construct($movieID) // Constructor for the Rating class
*** public function getAverage () // Returns the average rating
*** public int getOnes()
// Returns the number of one star ratings
*** public int getTwos()
// Returns the number of two star ratings
*** public int getThrees()
// Returns the number of three star ratings
*** public int getFours()
// Returns the number of four star ratings
*** public int getFives()
// Returns the number of five star ratings
U,
GU, RU, AU, Movie, Cart
* Create new Object Classes
Player,
Comment,
Session?
All Database Returns Need Object Wrapper
* Create new Logic Classes
SearchManager, BrowseManager, MovieViewManager, LoginManager,
RegisterManager, MovieRatingsInterface, MovieProcessor, CommentManager,
CartManager, CheckoutManager, PasswordControl, LogoutControl,
CommentControl, FlaggedCommentsManager, WarningSystem, DeleteManager
```


```
Figure: Complaints.php
Figure:
Figure: register.php
Figure: firstLogin.php
Figure: ViewMovieInfo.php
Figure: browse.php
* Add functionality to current Classes
U.
GU, RU, AU, Movie, Cart
* Create new Object Classes
Player,
Comment,
Session?
All Database Returns Need Object Wrapper
* Create new Logic Classes
SearchManager, BrowseManager, MovieViewManager, LoginManager,
RegisterManager, MovieRatingsInterface, MovieProcessor, CommentManager,
CartManager, CheckoutManager, PasswordControl, LogoutControl, CommentControl,
FlaggedCommentsManager, WarningSystem, DeleteManager
Create new GUI Classes
SearchGUI,
BrowseGUI, ViewMovieGUI, LoginGUI, MainCustomerPage, MainAdminPage,
RegisterGUI, RegistrationSuccessGUI, MoviesBought, MoviePlayerInterface,
CommentGUI, ViewCartGUI,
CartGUI, CheckoutGUI, ConfirmationGUI, ResetPasswordGUI, GuestPage,
FlaggedCommentsGUI, ComplaintInterface, ComplaintsInterface, DeleteUserGUI
Create Database Tables
MOVIES.
R USERS, RATINGS, PURCHASES, COMMENTS, COMPLAINTS
```

```
Create new GUI Classes
SearchGUI,
BrowseGUI, ViewMovieGUI, LoginGUI, MainCustomerPage, MainAdminPage,
RegisterGUI, RegistrationSuccessGUI, MoviesBought, MoviePlayerInterface,
CommentGUI, ViewCartGUI,
CartGUI, CheckoutGUI, ConfirmationGUI, ResetPasswordGUI, GuestPage,
FlaggedCommentsGUI, ComplaintInterface, ComplaintsInterface,
DeleteUserGUI
Create Database Tables
MOVIES,
R_USERS, RATINGS, PURCHASES, COMMENTS, COMPLAINTS
Create Screen Shots
SearchGUI,
BrowseGUI, ViewMovieGUI, LoginGUI, MainCustomerPage, MainAdminPage,
RegisterGUI, RegistrationSuccessGUI, MoviesBought, MoviePlayerInterface,
CommentGUI, ViewCartGUI,
CartGUI, CheckoutGUI, ConfirmationGUI, ResetPasswordGUI, GuestPage,
FlaggedCommentsGUI, ComplaintInterface, ComplaintsInterface,
DeleteUserGUI
```

GUI COMPONENTS

1. Screenshots from 0.2 release and Future Wireframes

1.1. Front Page




1.2. Create Shareable Wizard


1.2.1. CreateShareable: Start




1.2.2. CreateShareable: Instructions




1.2.3. CreateShareable: Describe



1.2.4. CreateShareable: Classify (I)



1.2.5. CreateShareable: Classify(2)




1.2.6. CreateShareable: Map


1.2.7. CreateShareable: Schedule (1)



1.2.8. CreateShareable: Schedule (2)




1.2.9. CreateShareable: Schedule (3)




1.3. SearchShareable

1.3.2. SearchShareable: ResultCalendar



1.3. SearchShareable

1.3.1. SearchShareable: ResultList



1.3.3. SearchShareable: ResultMap



1.3.4. SearchShareable: SearchByCategory




- 1.3.5. SearchShareable: SearchByTag
- 1.3.6. SearchSharable: SearchByLocation
- 1.3.7. SearchShareable: SearchByTime




1.4. Authentication

1.4.1. SignIn




1.4.2. SignIn Mobile







1.4.3 SignIn GUI



1.4.4 SignUp




1.4.5 RecoverPassword



1.5. Documentation

1.5.1. Mission Page



1.5.2. FAQ

ROPOSAL: GUTTERSNIPE FAQ


60

1.5.3. Presentation (2013)

1.5.3.01. Start



1.5.3.02. Title Page



1.5.3.03. Objective

Presentation: 2013

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Research 6 Fin

Objective

- To exerthinw capitalism by helping to establish mediums of exchange outside of the capitalist mark-eplace
- 'Over a hillion human beings live in absolute poverty suffering from chronic malnutrition and other ills, while we
 have much more than an adequate material basis for a good life for all.' John Clark. The Imagastile
 Community Realizing Communitation Anamham.

REV NEXT

1.5.3.04. Audience



1.5.3.05. Consultations

Presentation: 2013

1 Start 2 Objective 3 Audience <u>4 Consultations</u> 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fin

Consulting Organizations

- Freedan MYC:
 - Freegans are people who employ alternative strategies for living based on limited participation in the conventional engineity and minimal consumption of resources
 - Dumpoter Dive Directors
- . Pirture the Homeless
 - A prassrbots organization founded and led by homeless peoble
 - Extensive list of vacant properties.

DODGE MEYT


1.5.3.06. Other Sites



1.5.3.07. Q: Method



1.5.3.08. A: Method




1.5.3.09. Example from 1999 W.A.S.T.E squat, want squat



1.5.3.10. Report (1999 GUI)



1.5.3.11. Result (1999 GUI)



1.5.3.12. Research (1999 GUI)



1.5.3.13. Fin




1.5.4. Administrative

1.5.4.1. Legal

| Through your usage of Guttersnipe, you agree to not put yourself or any other person in legal jeopardy. | |
|---|--|
| | |
| | |
| You are fiee to use Guttershipe as you wish | |
| | |
| | |
| All Wrongs Righted All Rites Reversed | |

1.5.4.2. About




1.5.4.3. Contact




1.5.5. Kropotkins

1.5.5.1. Kropotkin Quotes



1.5.6. Screensize

1.5.6.1. **Dropdown top menu (1)**



1.5.6.2. Droptown to menu (2)

