## Guttersnipe (0.3)

## Software Requirement Specifications

- Users
  User: This is the base class for all users of the system. All users of the System can search through all the movies, browse each movie, read comments and complain about imppropriate comments.

  User: This is the base class for all users of the system. All users of the System can search through all the movies, browse each movie, read comments and complain about imppropriate comments.

  12.12. Genet User: The Guest User class inherits all the functionality of User. In addition, the Guest User has the capacity to register to become a user, to login as a user, and to retrieve a lost username. Registrated User is an abstract base class that inherit all the functionality of User. In addition, the Admin User can crass comments, warn users, annowing recent a pushword, and logout from the system. Business Objects

  12.2.1. Movie: Each movie is categorized according to its genre, director, actors, and date.

  12.2.3. 1.2.2.4. 1.2.2.5. Introduction
  1.1. Purpose
  First Row Movies (FRW) promises to be the premiere community for purchasing and sharing movies over the web.
  This Document will detail the features of First Row Movies, and will serve as a guide to developers and as a legal document for prospective clients.
  1.2. Scope: unhithinhimitahi
  1.2.1. Users

### 1.3.

- 1.4.
- 1.5.

- By keeping track of each user's history of movie purchases and by comparing the user's interests with other users with similar interests, First Row Movies will be able to recommend new purchases to customers.

  1.3.1 FRM: First Row Movies
  1.3.2 User
  1.3.3 GU: Guest User
  1.3.3 GU: Guest User
  1.3.4 RU: Registered User
  1.3.5 AU: Admin User
  1.3.6 SRS: Software Requirements Specification
  1.3.7 GUI: Graphical User Interface.
  1.3.8 FSM: Finite State Machine.
  1.3.9 1 DB: Database.
  1.3.9 1 DB: Database.
  1.3.9 1 DB: Database.
  1.3.9 1 DB: Database.
  1.3.10 1 ERCD: Entity-Relation Class Diagram.
  References
  Appendix A: User Interface Prototypes
  Summary
  The rest of this SRS is organized as follows:
  1.5.1. Section 2: Gives the overall description of FRW. It contains the Use-Case diagram and descriptions for FRW. Section 2 also contains the assumptions and dependencies of the system.
  1.5.2. Section 2: Gives the overall description of the system, and ER Class diagram of the system.
  1.5.3. UI Components: The appendix contains superlementary software requirements of the system.

### PROPOSAL: GUTTERSNIPE

### 1. What is the site/app?

Guttersnipe is a web portal and mobile app that caters to anarcho-communist street youth (and adults) who desire to subvert capitalism by sharing resources.

It will enable people to broadcast to each other locations of abandoned properties that can be squatted as well as dumpsters which can be dived for food and other resources.

Eventually, other types of resource sharing will be integrated into this product. A calender will be used to map and schedule Really Really Free Markets and Food Not Bombs meals.

Perhaps ridesharing will also be integrated

Perhaps maps of the train system and good times for hopping

Further development will require a close study of the writings of Kropotkin and Fourier.

### 2. What need does this meet? or problem does it solve?

This application serves the urgent need to overthrow capitalism by helping people to self-organize outside and beyond the market of commerce.

The ultimate intention is to facilitate the creation of alternate avenues of exchange, freely organized by free individuals.

### 3. Who is going to go/use to this site/app?

In the current incarnation, it is mostly aimed towards the freegans gutterpunks, who live off of dumpstered food, live in squatted housing, and travel by hopping trains.

As we get a better sense on the needs of the anticapitalist community and possibilities for alternative organizing, we will expand the possibilities for anti-market resource sharing.

### 4. Why will they go to this site/app?

To find food, clothing, shelter, etc.

### 5. Why will they keep coming back to your site/app?

See above.

### 6. How is it different from other similar sites?

There are similar sites of various types, but many of them have certain faults.

There is a site called rideshare.com; there is a site named couchsurfer.com; there is freecycle.com, which allows the sharing of goods.

These are all laudable efforts. Some of these are marred by an underlying desire for profit. But some of them are motivated out of genuine desire to promote Mutual Aid.

The very mission of Guttersnipe.net will be to promote the organization of the lumpenproletariat and to create alternative exchanges outside of capitalism. This mission will enable Guttersnipe.net to be singularly focused on this goal.

It will thus be able to bring together whatever resources necessary for the undermining of capitalism: the various services— such as squatting, dumpster diving, hitchhiking, train hopping, resource sharing, etc — will be coordinated on a singular web portal.

In addition, there are several web portals that are dedicated towards the promotion of anarchocommunist goals..

Such sites are

Freegan.info

- Picture the Homeless
- Squat.net
- Foodsharing (Germany)

Many of our initial design specifications will be taken from the freegan group and Picture the Homeless.

In addition, we intend Guttersnipe to be cross platform, available both via the web and as a mobile app. To my knowledge, there are not yet any apps dedicated with such a task.

### 7. What steps will a person go through interacting with the site/app?

Most of the various interactions will be handled using forms.

The various services offered by Guttersnipe all boil essentially boil down to two types of transaction:

- 1. information submission;
- 2. information retrieval.

One person posts about an abandoned building or a good dumpster; another person searches for such information.

There may be very many different interfaces for the reporting and retrieval. Some of the data will be entered and retrieved using forms and text inputs; some will be accessed through map interfaces; some will be accessed through calendar interfaces.

In addition, there may be some need for identity management. Some users may choose to register accounts. Others may choose to always have singular, anonymous transactions.

**Practical Constraints** 


### Security

We will have to build in a security infrastructure in the project in order to guarantee anonymity of transactions.

Tor will be used to anonymize transactions.

### 2. Overview

### 2.1 User Case Diagram



### 2.2 Use Case Descriptions

### User (U) ViewShareable: Any U may browse a search result. SearchShareable: Any U may search for movies using any combination of search vectors (id, title, starts, director, year, etc.) Vagrant (V) Login: Any V can login to the system, which transforms V into a G or B. Register: Any V may register to become a G. Retrieve Username: Any G who has forgotten username may request (as V) that user information will be emailed. **Guttersnipe** (G) Logout: Any G (G or B) may log out of own account. Reset Password: Any G (G or B) may reset own password from the Account Settings page. AddShareable: Can add a Shareable resource. EditShareable: Can edit own Shareable. Delete Shareable: Can delete own Shareable. RateShareable: Can rate any shareable CommentOnShareable: Can commenton any shareable. Send Meetup: Can communicate message or receive meetup schedule from any other Guttersnipe. Read Message: Can read message inbox. Set Schedule: Can set daily, weekly, yearly calendar. BlockUser: Can block any other user except Boss. DeleteUser: Can delete own account. DeleteComment Can delete own comment.

### Boss (B)

Boss has same capabilities as Guttersnipe, but they are unrestricted to apply to all system users.

### 2.2 Assumptions and Dependencies

- a. The client can run on any contemporary web browser that supports standard HTML, CSS 2.0, JavaScript, and PHP 5.0. It should run well on any contemporary web browser, including the latest versions of Internet Explorer, Firefox, Chrome, Safari, and Opera..
- b. The server must run a PHP 5.0 processing daemon and a MySQL database. Any LAMP/WAMP setup should suffice, as will any other server (IIS, etc) with PHP and mySQL modules installed.

## SPECIFIC REQUIREMENTS

## **Collaboration Diagrams**

## **LOGIN**

## REGISTER

## SEARCH SHAREABLE

## VIEW SHAREABLE

## ADD SHAREABLE

## DELETE SHAREABLE

## RATE SHAREABLE

### COMMENT ON SHAREABLE

## SEND MEETUP MESSAGE

## **READ MESSAGE**

## **BLOCK USER**

## DELETE USER

## DELETE COMMENT

## LOGOUT

## CLASS DEFINITIONS

## **USER CLASS DEFINITIONS**

```
Guest User Class
(extends the User Class)
Attributes:
*** private $userID;
*** private $username;
*** private $accountType; *** private $userEmail;
Functions:
*** public function login($userID, $userPassword)
// This allows a guest user to log in to the system and become a registered user or admin
*** public function register()
// This allows a guest user to become a registered user
*** public function complainComment($commentID)
// This allows a guest user to send a complaint about a comment identified by
commentID
RegisteredUser Class
(extends the User Class)
Attributes:
*** private $userID;
*** private $username; *** private $userEmail;
Functions:
*** public function getID()
// This returns the id of the registered user
*** public function getUsername()
// This returns the username of the registered user
*** public function getEmail()
// This returns the email address of the registered user
*** public function complainComment($commentID)
// This allows a registered user to send a complaint about a comment identified by
commentID
*** public function login($userID, $userPassword)
// This allows a registered user to send a complaint about a comment identified by
commentID
*** public function rateMovie($userID, $movieID, $rating)
```

```
// This allows a registered user to give a rating to a movie.

*** public function submitComment($userID, $movieID, $commentText)

// This allows a registered user to post a comment to the movie page identified by movieID
```

# BUSINESS OJECT CLASS DEFINITIONS

```
Movie Class
Attributes:
*** private $movieID;
*** private $movieName;
*** private $movieYear;
*** private $movieSummary;
*** private $movieGenre;
*** private $movieDirector;
*** private $movieStars;
*** private $movieRuntime;
*** private $movieImageLocation; *** private $movieLocation;
*** private $movieRating;
*** private $moviePrice;
Functions:
*** function construct($movieID) // Constructor for the Movie class
*** public function playMovie($userID, $movieID)
// Verifies that user has purchased the movie, plays movie in
movieLocation
*** public function browse()
// Displays all information about movie
*** public function getMovieId() // Returns movie id
*** public function getMovieName() // Returns movie name
*** public function getMovieYear() // Returns movie year
*** public function getMovieSummary() // Returns movie summary
*** public function getMovieGenre() // Returns movie genre
*** public function getMovieDirector() // Returns movie director
*** public function getMovieStars() // Returns movie stars
*** public function getMovieRuntime() // Returns movie runtime
*** public function getMovieImageLocation() // Returns file location of movie poster
*** public function getMovieLocation() // Returns location of movie file
*** public function watchMovie() // plays the movie
*** public function getPrice() // Returns movie price
Movie Class
Attributes:
*** private $movieID;
```

```
*** private $movieName;
*** private $movieYear;
*** private $movieSummary;
*** private $movieGenre;
*** private $movieDirector:
*** private $movieStars;
*** private $movieRuntime;
*** private $movieImageLocation; *** private $movieLocation;
*** private $movieRating;
*** private $moviePrice:
Functions:
*** function construct($movieID) // Constructor for the Movie class
*** public function playMovie($userID, $movieID)
// Verifies that user has purchased the movie, plays movie in movieLocation
*** public function browse()
// Displays all information about movie
*** public function getMovieId() // Returns movie id
*** public function getMovieName() // Returns movie name
*** public function getMovieYear() // Returns movie year
*** public function getMovieSummary() // Returns movie summary
*** public function getMovieGenre() // Returns movie genre
*** public function getMovieDirector() // Returns movie director
*** public function getMovieStars() // Returns movie stars
*** public function getMovieRuntime() // Returns movie runtime
*** public function getMovieImageLocation() // Returns file location of movie poster
*** public function getMovieLocation() // Returns location of movie file
*** public function watchMovie() // plays the movie
*** public function getPrice() // Returns movie price
Cart Class
Attributes:
*** private $totalPrice;
*** private $checkoutCart = array();
Functions:
*** public function getAmountItems()
// Returns the length of $checkoutCart
```

```
*** public int getCurrentTotal()
// Returns the current total price of items in the cart
*** public function removeFromCart($movie) // Removes a movie from the checkout
cart
*** public int checkout($userID, $allMovieIDs)
// Executes purchase of all movies by the user.
Comment Class
Attributes:
private $commentID; private $commentText; private $userName; private $timestamp;
Functions:
*** function construct($commentID, $commentText, $userName, $timestamp) //
Constructor for the Comment class
*** public int getCommentID() ***
// Returns the ID of the comment
*** public function getCommentText() // Gets the text of the comment
*** public function getUserName()
// Gets the name of the commenter
*** public function getTimestamp() // Gets the date of the commenter
Complaint Class
Attributes:
*** private $complaintID; *** private $commentID; *** private $reason;
Functions:
*** function construct($complaintID, $commentID, $reason) // Constructor for the
Complaint class
*** public function getComplaintID() // Returns the complaint ID
*** public int getCommentID()
// Returns the ID of the comment being flagged
*** public function getReason()
```

### Cart Class

// Gets the reason for the complaint

```
Attributes:
*** private $totalPrice;
*** private $checkoutCart = array();
Functions:
*** public function getAmountItems()
// Returns the length of $checkoutCart
*** public int getCurrentTotal()
// Returns the current total price of items in the cart
*** public function removeFromCart($movie) // Removes a movie from the checkout
*** public int getCurrentTotal($userID, $allMovieIDs) // Executes purchase of all
movies by the user.
Rating Class
Attributes:
*** private $movieID; *** private $average; *** private $oneStars; *** private
$twoStars; *** private $threeStars; *** private $fourStars; *** private $fiveStars;
Functions:
*** function construct($movieID) // Constructor for the Rating class
*** public function getAverage () // Returns the average rating
*** public int getOnes()
// Returns the number of one star ratings
*** public int getTwos()
// Returns the number of two star ratings
*** public int getThrees()
// Returns the number of three star ratings
*** public int getFours()
// Returns the number of four star ratings
*** public int getFives()
// Returns the number of five star ratings
```

```
Figure: Complaints.php
Figure:
Figure: register.php
Figure: firstLogin.php
Figure: ViewMovieInfo.php
Figure: browse.php
* Add functionality to current Classes
U.
GU, RU, AU, Movie, Cart
* Create new Object Classes
Player,
Comment,
Session?
All Database Returns Need Object Wrapper
* Create new Logic Classes
SearchManager, BrowseManager, MovieViewManager, LoginManager,
RegisterManager, MovieRatingsInterface, MovieProcessor, CommentManager,
CartManager, CheckoutManager, PasswordControl, LogoutControl, CommentControl,
FlaggedCommentsManager, WarningSystem, DeleteManager
Create new GUI Classes
SearchGUI,
BrowseGUI, ViewMovieGUI, LoginGUI, MainCustomerPage, MainAdminPage,
RegisterGUI, RegistrationSuccessGUI, MoviesBought, MoviePlayerInterface,
CommentGUI, ViewCartGUI,
CartGUI, CheckoutGUI, ConfirmationGUI, ResetPasswordGUI, GuestPage,
FlaggedCommentsGUI, ComplaintInterface, ComplaintsInterface, DeleteUserGUI
Create Database Tables
MOVIES.
R USERS, RATINGS, PURCHASES, COMMENTS, COMPLAINTS
```


```
Create Screen Shots
(
SearchGUI,
BrowseGUI, ViewMovieGUI, LoginGUI, MainCustomerPage, MainAdminPage,
RegisterGUI, RegistrationSuccessGUI, MoviesBought, MoviePlayerInterface,
CommentGUI, ViewCartGUI,
CartGUI, CheckoutGUI, ConfirmationGUI, ResetPasswordGUI, GuestPage,
FlaggedCommentsGUI, ComplaintInterface, ComplaintsInterface, DeleteUserGUI)
```

### **GUI COMPONENTS**

(v. 0.2.1.5)

angular 1.x

bootstrap 3



create rssource

### Create New Resource

Through your usage of Guttersnipe, you agree to not put yourself or any other person in legal jeopardy.


Negate


his are from to one Catherinian as year with:

Consent


# Create New Resource Resource - Thing + Place + Time Example: Free meal in Prospect Park every Wednesday from 4PM to 9PM To report a Resource on Guttersnipe, please do the following: 1. Describe Resource 2. Map Place 3. Schedule Time 4. Confirm Resource Report


# Describe Itecative Short explanation You must provide a headline. Summary Resource Description You must provide a summary. Method of Accesss How do I acquire resource? Notes Additional Notes Confirm Description






Address of Resource :	
Find Address	



















	r 2016					today < >	
fun	Minn	Tory	West	The	(Fri)	Set	
	La Siagel Delight Perelandra	La Bagel Delight			æ		
	La Bagel Delighit Peretandra	La Bagel Delight	-1	9	10	10	
	La Bagel Delight Perelandra	La Bagel Delight	Del	15	High	117	
	La Bagel Delight Perelandra	La Brgel Delight	21	32	200	24	
	La Bagel Delight Perelandra	La Bagel Delight	)	#h	(90)		
	La Bagel Delight Perelandra	La Bagel Delight					



### **AUTHENTICA-**










First Name  Last Name  Emili  Email  Username  Username	First Name	
Last Name  Email  Email  Username  Username	First Name	
Email  Email  Username  Username	Last Name	
Email Username Username	Last Name	
Username Username		
Username	Email	
and Assemble of the Assemble o		
	Username	
Password	Password	



## Restore your password Etter your million as realine Username Submit



Transfer State of the Control of the

By what means could a city in a state of revolution be supplied with food? We shall answer this question, but it is obvious that the means resorted to will depend on the character of the Revolution in the provinces, and in neighbouring countries. If the entire nation, or, better still, it all Europe should accomplish the Secial Revolution simultaneously, and start with thorough going Communism, our procedure would be simplified, but if only a few communities in Europe make the obsempt, other means will have to be chosen. The singularismoss will dictate the measures.

The Conquest of Bread by Pyotr Alexewitch Kropotkin

Perm Clarke



### PROPOSAL: GUTTERSNIPE FAQ

### What is the site/app?

- Contracting to a visit part of and provide age that names to be adversarial about posts and adversarial vide deems to a deep facilities by a local part of an extension.
- At Will consider program to become on each other because of afficient and programms that one has appeared as visit on disregulator visites come his about the fixed and other resources.
- Constable, offer dynam of macross abunda will be integrated this this present. A remodel will be used to suggested principle flexiby flexiby flexib blockets and flexible thinks are
- Participal Principalities (All Mart Sale Strategistud)
- Professor thought of the hours protects and glood three his frequency
- Posttor development tell require a final study of the tellings of Respellin and Founds

### What need does this meet? or problem does it solve?

- This application narrows the regard search to constitute explosions by highlappings to selfmental explosion and formation assessed of comments.
- The universe bisomine is to facilities the country of attenues a contact of archaige, fourly properties to line solidities.

### 1. Who is going to gorose to this sate-tapp?

- In the current transmitting I is accordly alread transmits the transport garding-color, who has all of present and forced that is increasing transmitted transmitted transmitted transmitted.
- As we get a factor masse to the number of the authoritative informatily and presentation for the second distriction, and will extend the transitions for authoritative incomes absolute.

### 4. Why will they go to this alterapp?

or the Short Street, continue planting were

### Why will they keep conting back to your site/app?

- Carlottera

### How is it different from other similar sites?


- a. There are picturally all of wellow typics, but many of their horse purcet faults.
- Third is a site called distance costs, there is a site issued construction cost; there is forecasts costs (state alreas the absence of costs).
- If how you all hashable efforts. Come of them, are resemble by an accompagations for posts.
   Did power of these are restricted and of possing them to provide Material Add.
- The entry making of Continuous and self his to provide the requestion of the horsespectation and to come attended another participal patients of engineers. This extension of makin Conference and to be placed by Comment on this page.
- If WE thin the other to Select Engeline Whitemark transforms recovering the the contembers of engels the content of the content of the content of engels they despect of the public transforms that the frequency recovers absolute, select will be consultatived the autopated with partial.
- In addition, there are record with portain that are definited because the promotion of any Comments of the
- · Buch alime
- The second second second
  - THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NA
  - The state of the s
  - Photogrammy (Charmony)

### Niches

- Many of the field design aposthesisms will be labeled from the frances group and Photos
- In addition, we broad Continuous to be come platform, condition belonged the soil and an appropriate part of the part of the

### What steps will a person up though interacting with the stielength

- and the second of the section between the case (see the based of terms)
- The vertice services offered by Collectings of that secondary had stools to two types of temperature.
- To be the second second second second
- Considerate points about an absorbered halffling on a great stampancy building present asserting the sent of sections.
- These stay his visy every affected distributes the observables and antispet. Scene of the distribute will be established and entire the service and that depute, science will be increased. Starting through sealing interfaces.



1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fin

Start

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fin



### Mitchell Verter







oadrunner [at] waste [dot] org



ארעקסאנרער בערכטאן

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Research 6 Fin

### Objective

- To overthrow capitalism by helping to establish mediums of exchange outside of the capitalist marketplace.
- 'Civer a fullion human beings live in absolute poverty suffering from chronic malnutifion and other ills, while we have much more than an adequate material basis for a good life for all " John Clady. The Impossible Community Realizing Communitation Anarchism.

DREW NEXT

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fm

### Audience

- People who can not afford to or who choose not to participate in the capitalist marketplace
  - The Victimese Majority
  - Poor
  - Dislocater
  - Immigrants
  - Street people
  - Homeless
  - Traveler punks
  - Contingent/Precarious workers
  - Lumpenproletaria

PREV NEXT

1 Start 2 Objective 3 Audience <u>4 Consultations</u> 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6
Result 6 Research 6 Fin.

### Consulting Organizations

- Freedan MYC:
  - Firegans are people who employ alternative strategies for living based on limited participation in the conventional enginerry and minimal consumption of resources
  - Dumpister Dive Directory
- Diction the Homeless
  - A presuports organization founded and leid by homeless people
  - Extensive list of vacant properties

PREV NEXT

1 Start 2 Objective 3 Audience 4 Consultations <u>5 Other Sites\_6</u> Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fin

### Other Web Sites

- Other Websites
  Squat.net
  Foodsharing (Germany)

PREV NEXT


1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 8 Q:Method 6 A:Method 8 Example 6 Report 6 Result 6 Research 6 Fin

### Question of Method How do you get to Camegie Hall? PREV NEXT

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Result 6 Research 6 Fin

### Answer of Method

### Answer: Geologation



1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method <u>6 Example</u> 6 Report 6 Result 6 Research 6 Fin

### Example PREV NEXT

1 Start 2 Objective 3 Audience 4 Concultations 6 Other Sites 6 @!Method 6 A:Method 6 Example <u>6 Report</u> 8
Recurt 8 Recearch 6 Fin

### Submit a property report

Seame tribing to the interest intermedial arms a consideration and

Est examble, is lesson an 1319 Paik Chest in Sign Pairaluss, California, 321 Est (1994 in 11315 under Humbar, Ipsa. In Paira under Nume, choose Thesit under Buffik, files in S2 150 under S16 Gads.

number to an address. He as we maying to this out-deferming the are race, and exacts in morning exacts as well more.

Then deposite what you have boost under Report

### Street Address:

Mumber	Line	buttis	
		Alley •	

### Zin Code

Zip Done

### Report

Plance describe what you move found out about this property.

### Disclaimen

Ensemble had know who might be using this correct, as the Lazaur reconstruct that score aroung height and generally information or debuting one a place on trouble use your governance.

Daniel Rosell

W. S. S. T.E. special leavest countries to pre-

Final count (countle)


Local of maps

Send demodified's broaders as this section.

PRIOR REST

### Fresentation, Zura

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6 Research 6 Fin



# Find vacant properties

Use the following form to research a vacant property and its neighborhood

For example, to research 1815 Polit Street in San Francisco, California, 64109, type in "1815" under Number, type in "Polit" under Name, phaose "Street" under Suffix, type in 194100" under Zip Code.

You must fill out all fields. If you are having difficulty determining the sig code, you should my looking at some swell maps.

Then describe what you have found under Report

# Street Address:

Number	Name	Suffix	
		Alley	÷

# Zip Code:

Zin Code

Are you having problems determining the address? Maybe you should try looking at some Swell Mays.



Record

W.A.S.T.E. squat, want squar main gage

Report a vacant property.

Look at maps

fearl Kropotkin's thoughts on this project

PREV MEXT

1 Start 2 Objective 3 Audience 4 Consultations 5 Other Sites 6 Q:Method 6 A:Method 6 Example 6 Report 6. Result 6 Research 6 Fin

# or Joe Strummer



# Mitchell Verter





adrunner [at] waste [dot] org



Through your usage of Guttersnipe, you agree to not put yourself or any other person in legal jeopardy.
You are free to use Guitersnipe as you wish
All Wrongs Righted All Rites Reversed



## Consultanta

- THE RESERVE OF THE PERSON NAMED IN
- Thirthan The Minimum
- The Principles of the

### Jam Makters

- 10 Mars
- . . .
- A SHOP SHADO
- The second second
- . \_\_\_\_
- C State State
- Determine Streetween
- A Marie Carlo

### and the same

- Co. Harrison
- Management





By what means could a city in a state of revolution be supplied with food? We shall answer this question, but it is obvious that the means resorted to will depend on the character of the Revolution in the provinces, and in neighbouring bounties. If the entire nation, or better still, if all Europe should eccomplish the Social Revolution simultaneously, and start with thorough-going Communism, our procedure would be simplified, but if only a few communities in Europe make the attempt, other means will have to be chosen. The choumstances will dictate the means.

The Conquest of Bread by Pyotr Alexelvitch Kropotkin

filler Charles



# Guttersnipe



Create Resource

Find Resource

FAQ

Docs

L@W



# Find Resource FAQ Docs