curl -X POST http://127.0.0.1:8000/event/new -H "accept: application/json" -H "Content-Type: application/json" -H "Authorization: Bearer eyJhbGciOiJIUzIINiIsI nR5cCI6IkpXVCJ9.eyJ1c2VyIjoicmVhZGVyQHBhY2t0LmNvbSIsImV4cGlyZXMiOjE2NzI3MzUxODEuO DU3ODkzNX0.WHplNITDaRH5HRfDXIslD5mSGbQaFtZWWNX6MGaBYoY" -d "{\"title\": \"FastAPI Book Launch\",\"image\": \"https://linktomyimage.com/image.png\",\"description\": \"We will be discussing the contents of the FastAPI book in this event.Ensure to come with your own copy to win gifts!\",\"tags\": [\"python\", \"fastapi\",\"book\",\"launch\"],\"location\": \"Google Meet\"}"

요청에 Authorization: Bearer 헤더가 포함되어 있다. 이 헤더를 통해 해당 요청이 허가된 처리임을 애플리케이션이 알 수 있다. 실행 결과는 다음과 같다.

```
{
    "message": "Event created successfully."
}
```

인증 헤더와 유효한 토큰 없이 이벤트를 생성하려고 하면 HTTP 401 Unauthorized 오류가 반환 된다.

```
$ curl -X 'POST' \
   'http://127.0.0.1:8000/event/new' \
   -H 'accept: application/json' \
   -H 'Content-Type: application/json' \
   -d '{
    "title": "FastAPI Book Launch CLI",
    "image": "https://linktomyimage.com/image.png",
    "description": "We will be discussing the contents of the FastAPI book in this event.Ensure to come with your own copy to win gifts!",
    "tags": ["python","fastapi","book","launch"],
    "location": "Google Meet"
}'
```

반환되는 메시지는 다음과 같다.

```
{
   "detail": "Not authenticated"
}
```