

```

Router>en
Router#config t
Router#config terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#host
Router(config)#hostname ABIR
ABIR(config)#
ABIR(config)#int f0/0
ABIR(config-if)#ip add 192.168.1.1 255.255.255.0
ABIR(config-if)#no sh
ABIR(config-if)#no shutdown
ABIR(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
ABIR(config-if)#
ABIR(config-if)#int f1/0
ABIR(config-if)#ip add 192.168.2.1 255.255.255.0
ABIR(config-if)#no sh
ABIR(config-if)#
%LINK-5-CHANGED: Interface FastEthernet1/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet1/0, changed state to up
ABIR(config-if)#do sh ip int br

```

Interface	IP-Address	OK?	Method	Status	Protocol
FastEthernet0/0	192.168.1.1	YES	manual	up	up
FastEthernet1/0	192.168.2.1	YES	manual	up	up
Serial2/0	unassigned	YES	unset	administratively down	down
Serial3/0	unassigned	YES	unset	administratively down	down
FastEthernet4/0	unassigned	YES	unset	administratively down	down
FastEthernet5/0	unassigned	YES	unset	administratively down	down

```

ABIR(config-if)#ex
ABIR(config-if)#exit
ABIR(config)#ip dhcp ex
ABIR(config)#ip dhcp excluded-address 192.168.1.1
ABIR(config)#ip dhcp ex
ABIR(config)#ip dhcp excluded-address 192.168.2.1
ABIR(config)#
ABIR(config)#
ABIR(config)#ip dhcp po
ABIR(config)#ip dhcp pool one
ABIR(dhcp-config)#net
ABIR(dhcp-config)#network 192.168.1.0 255.255.255.0

```

```
ABIR(dhcp-config)#de
ABIR(dhcp-config)#default-router 192.168.1.1
ABIR(dhcp-config)#dns-ser
ABIR(dhcp-config)#dns-server 8.8.8.8
```

```
ABIR(dhcp-config)#
ABIR(dhcp-config)#exit
ABIR(config)#
ABIR(config)#ip dhcp po
ABIR(config)#ip dhcp pool two
ABIR(dhcp-config)#net
ABIR(dhcp-config)#network 192.168.2.0 255.255.255.0
ABIR(dhcp-config)#de
ABIR(dhcp-config)#default-router 192.168.2.1
ABIR(dhcp-config)#dns-ser
ABIR(dhcp-config)#dns-server 8.8.8.8
```

Check device ip dhcp setting