

Cucumber Report

Nov 20, 2024, 10:55:54 AM

Start : Nov 20, 10:46:00.752 AM

End : Nov 20, 10:55:43.744 AM

Duration : 9 m 42.992 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 9
SKIPPED - 0

PASSED - 23
FAILED - 9
SKIPPED - 26




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	9 m 42.992 s	10	1	9	0	58	23	9	26

#	Feature Name	Scenario Name
1	<u>Login</u>	<u>User should be able to login with valid credentials</u>
2		<u>User should not be able to login with invalid credentials</u>
3		<u>User should not be able to login with invalid credentials</u>
4		<u>User should not be able to login with invalid credentials</u>
5		<u>User should not be able to login with invalid credentials</u>
6		<u>User should not be able to login with invalid credentials</u>
7		<u>User should not be able to login without username</u>
8		<u>User should not be able to login with an invalid username</u>
9		<u>User should not be able to login without password</u>





#	Feature Name	T	P	F	S	Duration
1	Login	10	1	9	0	9 m 42.992 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>User should be able to login with valid credentials</u>	6	0	1	5	6 m 42.523 s
2		<u>User should not be able to login with invalid credentials</u>	7	0	1	6	6 m 14.753 s
3		<u>User should not be able to login with invalid credentials</u>	7	0	1	6	9 m 42.862 s
4		<u>User should not be able to login with invalid credentials</u>	7	5	1	1	9 m 41.469 s
5		<u>User should not be able to login with invalid credentials</u>	7	5	1	1	8 m 42.024 s
6		<u>User should not be able to login with invalid credentials</u>	7	5	1	1	9 m 40.832 s
7		<u>User should not be able to login without username</u>	4	0	1	3	6 m 46.259 s
8		<u>User should not be able to login with an invalid username</u>	4	3	1	0	8 m 43.831 s
9		<u>User should not be able to login with invalid password</u>	5	5	0	0	9 m 29.919 s
10		<u>User should not be able to login without password</u>	4	0	1	3	6 m 30.658 s

Login


FAILED	DURATION - 9 m 42.992 s	Scenarios Total - 10 Pass - 1 Fail - 9 Skip - 0		Steps Total - 58 Pass - 23 Fail - 9 Skip - 26	
/ 10:46:00.752 AM // 10:55:43.744 AM /					

User should be able to login with valid credentials



FAILED	DURATION - 6 m 42.523 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:46:00.787 AM // 10:52:43.310 AM /				
Login				

#	Step / Hook Details	Status	Duration
1	<p>Given User should be on the login screen</p> <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [130b47e704a38990a47ab416f88dab87, get {url=https://automationexercise.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.70, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51770}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51770/devtoo..., se.cdpVersion: 131.0.6778.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 130b47e704a38990a47ab416f88dab87 at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:418) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</pre>	FAILED	3 m 23.448 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at ?.User should be on the login screen(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/ SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:4) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1886) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2021) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:401) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enters a valid username and password	SKIPPED	0.003 s
3	And User clicks on the login button	SKIPPED	0.005 s
4	Then User should see the logout button	SKIPPED	0.120 s
5	And User should navigate to the inventory page	SKIPPED	0.016 s
6	But User should not be on the login page	SKIPPED	0.004 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	1 m 34.496 s
	<u>User should be able to login with valid credentials</u>		
			

User should not be able to login with invalid credentials



<div>FAILED</div> <div>DURATION - 6 m 14.753 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 10:46:00.852 AM // 10:52:15.605 AM /				
Login				

#	Step / Hook Details	Status	Duration
1	<p>Given User should be on the login screen</p> <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e45ac147ec3edb636f44deaeaa0db6a7, get {url=https://automationexercise.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.70, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51760}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51760/devtoo..., se:cdpVersion: 131.0.6778.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e45ac147ec3edb636f44deaeaa0db6a7 at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:418) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at ?.User should be on the login screen(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/ SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:4) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1886) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2021) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:401) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</pre>	FAILED	3 m 30.409 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) * Not displayable characters are replaced by '?'. </pre>		
2	When User enter "" on the username filed	SKIPPED	0.016 s
3	And User enter "nalop30291@chysi" on the password field	SKIPPED	0.009 s
4	And User clicks on the login button	SKIPPED	0.008 s
5	Then User should see "" error message	SKIPPED	0.004 s
6	Then User should see "Please fill in this field." validation message for username	SKIPPED	0.007 s
7	And User should see "" validation message for password	SKIPPED	0.015 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	1 m 6.808 s
	<u>U_s_e_r_s_h_o_u_l_d_n_o_t_b_e_a_b_l_e_t_o_l_o_g_i_n_w_i_t_h_i_n_v_a_l_i_d_c_r_e_d_e_n_t_i_a_l_s</u>		
			


User should not be able to login with invalid credentials

FAILED DURATION - 9 m 42.862 s / 10:46:00.882 AM // 10:55:43.744 AM / Login		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
---	---	--	--



#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [876b9441584d6e5ffa851d1f14d68804, clickElement {id=f.1E86F651FA9D9758F2E34DDF0CA80036.d. C46F59C937323E68D394236A29F12D20.e.24}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.70, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\dell\AppData\Local...}, fedcm:accounts:</pre>	FAILED	7 m 38.517 s

#	Step / Hook Details	Status	Duration
	<p>true, goog:chromeOptions: {debuggerAddress: localhost:51757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51757/devtoo..., se:cdpVersion: 131.0.6778.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (876b9441584d6e5ffa851d1f14d68804)] -> xpath: //a[normalize-space()='Signup / Login']] Session ID: 876b9441584d6e5ffa851d1f14d68804</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:418)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)</p> <p>at pages.BasePage.clickElement(BasePage.java:22)</p> <p>at pages.LoginPage.navigateToLoginPage(LoginPage.java:17)</p> <p>at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14)</p> <p>at ?.User should be on the login screen(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:4)</p> <p>Caused by: java.util.concurrent.TimeoutException</p> <p>at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1886)</p> <p>at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2021)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:401)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)</p> <p>at pages.BasePage.clickElement(BasePage.java:22)</p> <p>at pages.LoginPage.navigateToLoginPage(LoginPage.java:17)</p> <p>at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) * Not displayable characters are replaced by '?'.		
2	When User enter "nalop30291@chysi" on the username filed	SKIPPED	0.014 s
3	And User enter "" on the password field	SKIPPED	0.002 s
4	And User clicks on the login button	SKIPPED	0.003 s
5	Then User should see "" error message	SKIPPED	0.001 s
6	Then User should see "" validation message for username	SKIPPED	0.002 s
7	And User should see "Please fill in this field." validation message for password	SKIPPED	0.003 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	37.750 s
	<u>User should not be able to login with invalid credentials</u>		

#	Step / Hook Details	Status	Duration
			



User should not be able to login with invalid credentials

<div>FAILED</div> <div>DURATION - 9 m 41.469 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:46:00.889 AM // 10:55:42.358 AM /				
Login				

#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	PASSED	4 m 57.268 s
2	When User enter "nalop30291@chysi1" on the username filed	PASSED	1 m 2.561 s
3	And User enter "nalop30291@chysi" on the password field	PASSED	30.853 s
4	And User clicks on the login button	PASSED	53.838 s
5	Then User should see "Your email or password is incorrect!" error message	PASSED	16.837 s
6	Then User should see "" validation message for username	FAILED	3.239 s
	<pre>java.lang.AssertionError: expected [] but found [Please fill out this field.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at step_definitions.DefinitionFeatureStep.userShouldSeeValidationMessageForUsername(DefinitionFeatureStep.java:78) at ?.User should see "" validation message for username(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:40) * Not displayable characters are replaced by '?'. </pre>		
7	And User should see "" validation message for password	SKIPPED	0.002 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	30.082 s

#	Step / Hook Details	Status	Duration
	<u>User should not be able to login with invalid credentials</u> 		



User should not be able to login with invalid credentials

<div>FAILED</div> <div>DURATION - 8 m 42.024 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:46:00.900 AM // 10:54:42.924 AM /				
Login				


#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	PASSED	5 m 8.266 s
2	When User enter "" on the username filed	PASSED	34.995 s
3	And User enter "" on the password field	PASSED	5.330 s
4	And User clicks on the login button	PASSED	13.764 s
5	Then User should see "" error message	PASSED	16.009 s
6	Then User should see "Please fill in this field." validation message for username <pre>java.lang.AssertionError: expected [Please fill in this field.] but found [Please fill out this field.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at step_definitions.DefinitionFeatureStep.userShouldSeeValidationMessageForUsername(DefinitionFeatureStep.java:78) at ?.User should see "Please fill in this field." validation message for username(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:40) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.366 s
7	And User should see "" validation message for password	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	46.997 s
	<u>U_s_e_r_s_h_o_u_l_d_n_o_t_b_e_a_b_l_e_t_o_l_o_g_i_n_w_i_t_h_i_n_v_a_l_i_d_c_r_e_d_e_n_t_i_a_l_s</u>		
			



User should not be able to login with invalid credentials

FAILED	DURATION - 9 m 40.832 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:46:00.926 AM // 10:55:41.758 AM /				
Login				

#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	PASSED	6 m 50.106 s
2	When User enter "nalop30291@chysi" on the username filed	PASSED	34.661 s
3	And User enter "shobu222" on the password field	PASSED	8.792 s
4	And User clicks on the login button	PASSED	3.479 s
5	Then User should see "Your email or password is incorrect!" error message	PASSED	15.899 s
6	Then User should see "" validation message for username	FAILED	2.204 s
	<pre> java.lang.AssertionError: expected [] but found [Please fill out this field.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at step_definitions.DefinitionFeatureStep.userShouldSeeValidationMessageForUsername(DefinitionFeatureStep.java:78) at ?.User should see "" validation message for username(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:40) * Not displayable characters are replaced by '?'. </pre>		


#	Step / Hook Details	Status	Duration
7	And User should see "" validation message for password	SKIPPED	0.002 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	19.025 s
	<u>User should not be able to login with invalid credentials</u>		
			

User should not be able to login without username



FAILED	DURATION - 6 m 46.259 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:46:00.858 AM // 10:52:47.117 AM /				
Login				


#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	FAILED	3 m 22.162 s
	<p>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9f1c1fbc64600a899ae4bc4951b81e3, get {url=https://automationexercise.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.70, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51756}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51756/devtoo..., se:cdpVersion: 131.0.6778.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f9f1c1fbc64600a899ae4bc4951b81e3</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:418) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at ?.User should be on the login screen(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/ SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:4) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1886) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2021) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:401) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.BasePage.loadWebPage(BasePage.java:42) at pages.HomePage.loadHomePage(HomePage.java:14) at pages.LoginPage.navigateToLoginPage(LoginPage.java:16) at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enter "nalop30291@chysi" on the password field	SKIPPED	0.033 s
3	And User clicks on the login button	SKIPPED	0.008 s
4	Then User should see "Please fill out this field." validation message for username	SKIPPED	0.001 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	1 m 38.305 s
	<u>User should not be able to login without username</u>		
			

User should not be able to login with an invalid username

<div><div>FAILED</div><div>DURATION - 8 m 43.831 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:46:00.870 AM // 10:54:44.701 AM /				
Login				



#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	PASSED	5 m 38.961 s
2	When User enter "nalop30291@chysir.com1" on the username filed	PASSED	20.429 s
3	And User clicks on the login button	PASSED	16.842 s
4	Then User should see "Your email or password is incorrect!" validation message java.lang.AssertionError: expected [Your email or password is incorrect!] but found [Please fill out this field.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at step_definitions.DefinitionFeatureStep.userShouldSeeValidationMessage(DefinitionFeatureStep.java:73) at ?.User should see "Your email or password is incorrect!" validation message(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:22) * Not displayable characters are replaced by '?'.	FAILED	12.397 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	48.685 s
	<u>User should not be able to login with an invalid username</u>		
			

User should not be able to login with invalid password

<div>PASSED</div>	<div>DURATION - 9 m 29.919 s</div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 10:46:00.895 AM // 10:55:30.814 AM /</div>			
<div>Login</div>			

#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen	PASSED	5 m 4.890 s
2	When User enter valid "nalop30291@chysir.com" on the user name field	PASSED	54.496 s
3	And User enter "nalop30291@chysi" on the password field	PASSED	18.600 s
4	And User clicks on the login button	PASSED	1 m 6.630 s
5	Then User should see "Your email or password is incorrect!" error message	PASSED	7.037 s

User should not be able to login without password

FAILED	DURATION - 6 m 30.658 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:46:00.917 AM // 10:52:31.575 AM /				
Login				

#	Step / Hook Details	Status	Duration
1	Given User should be on the login screen org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fabd6af1a1a7ca5208d24f2fff88380b, get {url=https://automationexercise.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.70, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51767}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51767/devtoo..., se:cdpVersion: 131.0.6778.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:	FAILED	3 m 39.183 s

#	Step / Hook Details	Status	Duration
	<p>fabd6af1a1a7ca5208d24f2fff88380b</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:418)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)</p> <p>at pages.BasePage.loadWebPage(BasePage.java:42)</p> <p>at pages.HomePage.loadHomePage(HomePage.java:14)</p> <p>at pages.LoginPage.navigateToLoginPage(LoginPage.java:16)</p> <p>at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14)</p> <p>at ?.User should be on the login screen(file:///D:/SQA/java-with-selenium-automation-official/WebAndCucumberProject/SeleniumWithCucumberLearning/src/test/java/feature/Login.feature:4)</p> <p>Caused by: java.util.concurrent.TimeoutException</p> <p>at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1886)</p> <p>at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2021)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:401)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)</p> <p>at pages.BasePage.loadWebPage(BasePage.java:42)</p> <p>at pages.HomePage.loadHomePage(HomePage.java:14)</p> <p>at pages.LoginPage.navigateToLoginPage(LoginPage.java:16)</p> <p>at step_definitions.DefinitionFeatureStep.userShouldBeOnTheLoginScreen(DefinitionFeatureStep.java:14)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enter "shobuj@yopmail.com" on the username filed	SKIPPED	0.002 s
3	And User clicks on the login button	SKIPPED	0.002 s
4	Then User should see "Please fill out this field." validation message for password	SKIPPED	0.016 s
	AFTER - step_definitions.Hooks.close(io.cucumber.java.Scenario)	PASSED	1 m 22.767 s
	<u>U_s_e_r_s_h_o_u_l_d_n_o_t_b_e_a_b_l_e_t_o_l_o_g_i_n_w_i_t_h_o_u_t_p_a_s_s_w_o_r_d</u>		
	