
EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File Folder

Upload)ownloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

3D Nodes (Cube View)

2D Nodes (List View)

Communication Matrix

Show detailed MPI communication patterns:

P2P - Send arrows

P2P - Recv arrows

Collective arrows

Runtime Options

Screenshot

time: 0 s MPI functions: MPI_Allgatherv (ring),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File | Folder

Upload /home/ubuntu/Downloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 1 s MPI functions: MPI_Allgatherv (ring),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File | Folder

Upload | Downloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 2 s MPI functions: MPI_Allgatherv (ring),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File | Folder

Upload /ownloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 3 s MPI functions:

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File | Folder

Upload /home/ubuntu/Downloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 4 s MPI functions:

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File Folder

Upload)ownloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 5 s MPI functions: MPI_Gatherv (),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File Folder

Upload)ownloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

3D Nodes (Cube View)

2D Nodes (List View)

Communication Matrix

Show detailed MPI communication patterns:

P2P - Send arrows

P2P - Recv arrows

Collective arrows

Runtime Options

Screenshot

time: 6 s MPI functions: MPI_Gatherv (),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File Folder

Upload)ownloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 7 s MPI functions: MPI_Gatherv (),

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08


EduMPI

Settings Help Non-Visualization

EduMPI-Run ID: 3891

3D Cluster Overview: Send/Recv Ratio per Process

serial comput./idle | mainly send | same send/recv | mainly recv



MPI Application

Select MPI Application

Select a .c file or a folder containing your program

.c File | Folder

Upload /home/ubuntu/Downloads/matmul.c

name of the MPI program:

matmul .c

Number of Processes: 400

Start MPI-Program

Cancel MPI-Program

Views

Select representation view:

- [x] 3D Nodes (Cube View)
- [ ] 2D Nodes (List View)
- [ ] Communication Matrix

Show detailed MPI communication patterns:

- P2P - Send arrows
- P2P - Recv arrows
- Collective arrows

Runtime Options

Screenshot

time: 8 s MPI functions:

13:49:18 13:49:23 13:49:28 13:49:33 13:49:38 13:49:43 13:49:48 13:49:53 13:49:58 13:50:03 13:50:08 13:50:13 13:50:18 13:50:23 13:50:28 13:50:33 13:50:38 13:50:43 13:50:48 13:50:53 13:50:58 13:51:03 13:51:08