




nextwork.org

Host a Website on Amazon S3



Mohammed Dawoud Mota





Introducing Today's Project!

In this project, I will demonstrate how to host a website using Amazon S3. I'm doing this project to gain hands-on experience in AWS by learning how S3 can be used to store information needed for websites.

Tools and concepts

Services I used was Amazon S3. Key concepts I learnt include static website hosting, ACLs, and bucket versioning.

Project reflection

This project took me around 30 minutes to complete. Overall this was a greate way to get hands on experience with S3 buckets.




How I Set Up an S3 Bucket

Creating an S3 bucket took me 5 to 10 minutes to create.

The Region I picked for my S3 bucket was us-east-1, also called N.Virginia. The reason I picked this Region was because it is the closest region to my current location.

S3 bucket names are globally unique! This means that no buckets can have the same name across all accounts and regions.






Upload Website Files to S3

index.html and image assets

I uploaded two files to my S3 bucket - they were an index.html file and a folder that holds many more files.

Both files are necessary for this project, as the index.html is the main page of the website, and the folder holds the other details that make the website come alive and be functional.





Static Website Hosting on S3

Website hosting means storing a website's files on a server that is connected to the internet so that people can access the website.

To enable website hosting with my S3 bucket, I clicked on the bucket properties and clicked Enable for Static website hosting. Also wrote index.html for the index document.

An ACL is a set of rules that decides who can get access to a resource. For this project, I have enabled ACLs.

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting
☐ Disable
☒ Enable

Hosting type
☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)
☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

Index document
Specify the home or default page of the website.

Error document - optional
This is returned when an error occurs.



Bucket Endpoints

Once the static website is enabled, S3 produces a bucket endpoint URL, which is:
<http://nextwork-website-project-mdmota.s3-website-us-east-1.amazonaws.com/>

When I first visited the bucket endpoint URL, I saw a 403 Forbidden Error. The reason for this error was that the HTML file and images are private, so we need to set the permission of the object in the bucket to public.

403 Forbidden

- Code: AccessDenied
- Message: Access Denied
- RequestId: 8D67F31RTQ9BV7GX
- HostId: i8JJNk9uMgH2VAlEUY2aLzccVQyFNli7A/XAk+tiUk8W/jy+oo0tqibCpyw90GYkUmps+JfRY7I=



Success!

To resolve this 403 Forbidden error, I went back to the bucket, selected all the objects in the bucket, went to the action drop down and clicked on Make public using ACL.

