Comandi Linux - Davide Manca

```
nuclear11@Lasciamo:GitScuola$ git clone https://github.com/md-stefano/esercitazione-4e-25.git
Cloning into 'esercitazione-4e-25'...
remote: Enumerating objects: 50, done.
remote: Counting objects: 100% (50/50), done.
remote: Compressing objects: 100% (37/37), done.
remote: Total 50 (delta 18), reused 30 (delta 9), pack-reused 0 (from 0)
Receiving objects: 100% (50/50), 736.34 KiB | 4.94 MiB/s, done.
Resolving deltas: 100% (18/18), done.
nuclear11@Lasciamo:GitScuola$ cd esercitazione-4e-25/
nuclear11@Lasciamo:esercitazione-4e-25$ ls
Cristiano-Pinna.pdf  claudia-liverani.pdf  cristiano-pinna.txt    nicola-ghisu.txt
README.md            claudia-liverani.txt  francesco-cirilli.txt  studente-prova.txt
nuclear11@Lasciamo:esercitazione-4e-25$ git checkout -b Manca-Davide-branch
Switched to a new branch 'Manca-Davide-branch'
nuclear11@Lasciamo:esercitazione-4e-25$ git branch
* Manca-Davide-branch
  main
nuclear11@Lasciamo:esercitazione-4e-25$ git status
On branch Manca-Davide-branch
nothing to commit, working tree clean
nuclear11@Lasciamo:esercitazione-4e-25$ touch davide-manca.txt
nuclear11@Lasciamo:esercitazione-4e-25$ git status
On branch Manca-Davide-branch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        davide-manca.txt

nothing added to commit but untracked files present (use "git add" to track)
nuclear11@Lasciamo:esercitazione-4e-25$ git add .
nuclear11@Lasciamo:esercitazione-4e-25$ ls
Cristiano-Pinna.pdf  claudia-liverani.pdf  cristiano-pinna.txt  francesco-cirilli.txt  studente-prova.txt
README.md            claudia-liverani.txt  davide-manca.txt     nicola-ghisu.txt
nuclear11@Lasciamo:esercitazione-4e-25$ git status
On branch Manca-Davide-branch
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   davide-manca.txt
```

```
nuclear11@Lasciamo:esercitazione-4e-25$ git checkout main
A       davide-manca.txt
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
nuclear11@Lasciamo:esercitazione-4e-25$ git pull origin main
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 7 (delta 3), reused 5 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (7/7), 34.55 KiB | 333.00 KiB/s, done.
From https://github.com/md-stefano/esercitazione-4e-25
 * branch            main       -> FETCH_HEAD
   2bed42d..20c5d7e  main       -> origin/main
Updating 2bed42d..20c5d7e
Fast-forward
 andrea-largiu.pdf | Bin 0 -> 40215 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 andrea-largiu.pdf
nuclear11@Lasciamo:esercitazione-4e-25$ git checkout Manca-Davide-branch
A       davide-manca.txt
Switched to branch 'Manca-Davide-branch'
nuclear11@Lasciamo:esercitazione-4e-25$ git rebase main
error: cannot rebase: Your index contains uncommitted changes.
error: Please commit or stash them.
nuclear11@Lasciamo:esercitazione-4e-25$ git status
On branch Manca-Davide-branch
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   davide-manca.txt
```

```
nuclear11@Lasciamo:esercitazione-4e-25$ git push -u origin Manca-Davide-branch
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 1.20 KiB | 68.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'Manca-Davide-branch' on GitHub by visiting:
remote:      https://github.com/md-stefano/esercitazione-4e-25/pull/new/Manca-Davide-branch
remote:
To github.com:md-stefano/esercitazione-4e-25.git
 * [new branch]      Manca-Davide-branch -> Manca-Davide-branch
branch 'Manca-Davide-branch' set up to track 'origin/Manca-Davide-branch'.
nuclear11@Lasciamo:esercitazione-4e-25$
```