

Relazione TPSIT - Inserimento di un file su GIT Hub

```
anna@penguin:~$ cd file linux
-bash: cd: too many arguments
anna@penguin:~$ dir
agenziaJson contatti.json GIT Minecraft.jar NetBeansProjects prog Programmazione pt
anna@penguin:~$ cd git
-bash: cd: git: No such file or directory
anna@penguin:~$ cd GIT
anna@penguin:~/GIT$ dir
Prova
anna@penguin:~/GIT$ cd Prova
anna@penguin:~/GIT/Prova$ dir
esercitazione-5F-25 prova.txt README.md
anna@penguin:~/GIT/Prova$ cd esercitazione-5F-25
anna@penguin:~/GIT/Prova/esercitazione-5F-25$ git remote add origin https://github.com/md-stefano/esercitazione-5F-25
error: remote origin already exists.
anna@penguin:~/GIT/Prova/esercitazione-5F-25$ git pull origin main
remote: Enumerating objects: 30, done.
remote: Counting objects: 100% (30/30), done.
remote: Compressing objects: 100% (20/20), done.
remote: Total 28 (delta 9), reused 17 (delta 6), pack-reused 0 (from 0)
Unpacking objects: 100% (28/28), 1.07 MiB | 467.00 KiB/s, done.
From https://github.com/md-stefano/esercitazione-5F-25
 * branch            main          -> FETCH_HEAD
    8155593..7a8a94b  main          -> origin/main
Updating 8155593..7a8a94b
Fast-forward
 Esercitazione collaborativa GIT.pdf          | Bin 0 -> 685442 bytes
 Esercitazione collaborativa GIT_MicheleCancedda.pdf | Bin 0 -> 685442 bytes
 EsercitazioneTassaraRoberto.pdf              | Bin 0 -> 71488 bytes
 es1_linda_carta.pdf                          | Bin 0 -> 160199 bytes
 micheleCancedda.txt                          | 1 +
 sammarcosahara.pdf                           | Bin 0 -> 305658 bytes
6 files changed, 1 insertion(+)
create mode 100644 Esercitazione collaborativa GIT.pdf
create mode 100644 Esercitazione collaborativa GIT_MicheleCancedda.pdf
create mode 100644 EsercitazioneTassaraRoberto.pdf
create mode 100644 es1_linda_carta.pdf
create mode 100644 micheleCancedda.txt
create mode 100644 sammarcosahara.pdf
anna@penguin:~/GIT/Prova/esercitazione-5F-25$
```