

Operator Related Problems

(Total 15 questions)

SL	Problem statement		Difficulty levels
1.	<div><div>-14 % 3 = -2</div><div>-14 % -3 = -2</div></div> <div>numbers X and Y as inputs, then calculate and print the values of multiplication, division (quotient and reminder).</div>		*
		Sample output	
	5 10	Addition: 15 Subtraction: -5 Multiplication: 50 Quotient : 0 Reminder: 5	
	-5 10.5	Addition: 5.5 Subtraction: -15.5 Multiplication: -52.5 Quotient: 0 Reminder: -48	
2.	Program that will calculate the circumference of a circle having radius r . <div>Area, A = 2 * Pi * r</div>		*
	Sample input (r)	Sample output	
	5	Area: 31.4	
	10.5	Area: 65.94	
3.	Program that will take two numbers (a , b) as inputs and compute the value of the equation - (Without using math.h) <div>X = (3.31 * a² + 2.01 * b³) / (7.16 * b² + 2.01 * a³)</div>		*
	Sample input (a, b)	Sample output	
	5 10.5	X = 2.315475	
	100 -250	X = -12.766287	

4.	Program that will increment and decrement a number X by 1 inside the <i>printf</i> function. (Use ++ and -- operators)	**
----	---	----

++ and -- operators)

Sample input(X)	Sample output
5	X++ : 5 ++X : 6 X- : 5 --X : 4
-5	X++ : -5 ++X : -4 X- : -5 --X : -6

5. Program that will increment and decrement a number X by Y. (Use += and -= operators)

*

Sample input(X,Y)	Sample output
5 10	Incremented Value: 10 Decrement Value: -5
-5 5	Incremented Value: 0 Decrement Value: -10

6. Program that will multiply and divide a number X by Y. (Use *= and /= operators)

*

Sample input(X,Y)	Sample output
56 10	Multiplication: 560 Division: 5
-56 -10	Multiplication: 560 Division: 5

7. Program that will declare and initialize an integer and a floating point number. Then it will perform floating to integer and integer to floating conversions using
(a) Assignment operation
(b) Type casting

**

Sample input	Sample output
-150 123.125	Assignment: 123.125000 assigned to an int produces 123 Assignment: -150 assigned to a float produces -150.000000 Type Casting: (float) -150 produces -150.000000 Type Casting: (int) 123.125 produces -123

8. Program that will take two numbers as inputs and print the maximum value. (Using conditional operator - ?)

**

Sample input (x, y)	Sample output
20 100	Max: 100
50 50	Max: 50

	50 -20	Max: 50					
9.	<p>Program that will evaluate the following equations -</p> $X = a - b / 3 + c * 2 - 1$ $Y = a - (b / (3 + c) * 2) - 1$ $Z = a - ((b / 3) + c * 2) - 1$		*				
	<table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>9 12 3</td><td>X = 10 Y = 4 Z = -1</td></tr></table>	Sample input (a, b, c)	Sample output	9 12 3	X = 10 Y = 4 Z = -1		
Sample input (a, b, c)	Sample output						
9 12 3	X = 10 Y = 4 Z = -1						
10.	<p>Program that will take a, b & c as inputs and decide if the statements are True (1) of False (0)</p> <p>a) b) c)</p>		**				
	<table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>10 -10 0</td><td>a) 1 b) 0 c) 1</td></tr></table>	Sample input (a, b, c)	Sample output	10 -10 0	a) 1 b) 0 c) 1		
Sample input (a, b, c)	Sample output						
10 -10 0	a) 1 b) 0 c) 1						
11.	<p>Program that will take a, b & c as inputs and decide if the statements are True (1) of False (0)</p> <p>1) 2) 3)</p>		***				
	<table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>10 -10 0</td><td>1) 0 2) 1 3) 1</td></tr></table>	Sample input (a, b, c)	Sample output	10 -10 0	1) 0 2) 1 3) 1		
Sample input (a, b, c)	Sample output						
10 -10 0	1) 0 2) 1 3) 1						

12.	<p>Program that will take calculate the roots of a quadratic equation ($a.x^2 + b.x + c = 0$) from the formula, (here, dot (.) stands for multiplication) -</p> <table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>2 4 -16</td><td>2.00 -4.00</td></tr><tr><td>1 2 3</td><td>Imaginary</td></tr></table>	Sample input (a, b, c)	Sample output	2 4 -16	2.00 -4.00	1 2 3	Imaginary	***
Sample input (a, b, c)	Sample output							
2 4 -16	2.00 -4.00							
1 2 3	Imaginary							
13.	Program that will evaluate the equation	***						

13.

Program that will evaluate the equation

$$y = \frac{1}{x} \left(1 + \frac{1}{x} + \frac{1}{x^2} + \frac{1}{x^3} + \frac{1}{x^4} + \frac{1}{x^5} + \frac{1}{x^6} + \frac{1}{x^7} + \frac{1}{x^8} + \frac{1}{x^9} + \frac{1}{x^{10}} \right)$$

; where $1 \leq x \leq 180$ [No checking needed]

Sample input (x)	Sample output
30	1.810066
120	0.778151
180	3.954243

14.

Program that will take a floating point number **X** as input and evaluate **A,B,C** where-
A = Value when **X** is rounded up to the nearest integer
B = Value when **X** is rounded down to the nearest integer
C = Absolute value of **X**

Sample input(X)	Sample output
10.6	A = 11, B = 10, C = 10.6
-77.9	A = 78, B = 77, C = 77.9

15.

Program to find size of int, float, double and char of the system.

Sample input	Sample output
	Size of int in byte(s) = 4 Size of float in byte(s) = 4 Size of double in byte(s) = 8 Size of char in byte(s) = 1