# Configure and inspect offerwall completions


By: **Arknox**

Email: info@arknox.in

Contact: +91-8787388949

The table shows provider-confirmed completions. Opening an offer and receiving its completion callback are different events. This page has no offer-creation or payout-settings form.

Screen / location: Admin → Offerwall




*Actual source preview - local demo data - live values may differ*

**1.** User search / ID

**2.** Completion date filters

**3.** Provider transactions

## Step by step

**1.** Filter Offerwall by name/email/Login ID or User ID.

**2.** Choose From/To completion dates; To must not precede From.

**3.** Read User, Offer, Provider / transaction, Status, Completed at, and Received at. Use Clear to remove filters.

**4.** Configure OFFERWALL_ENABLED, OFFERWALL_SDK_KEY, OFFERWALL_PLACEMENT, callback secret/mode, and the provider callback at /api/offerwall/callback/unity in server configuration.

## Field definitions and change impact

| Field / Feature | Definition and source | Effect of changes |
|---|---|---|
| OFFERWALL_ENABLED | False by default; server configuration. | Controls launch API availability. |
| SDK_KEY / PLACEMENT | Provider settings; default placement #WebOfferwall. | Used to generate the Unity rewards launch link. |
| CALLBACK_SECRET / MODE | hmac_sha256 by default; verified by the server controller. | Only verified callbacks create completion records. |
| Transaction | Unique by provider and hashed transaction key. | Duplicate callbacks do not add another completion; the same transaction is not accepted for another user. |
| Completed / Received | Provider completion time and server receipt time. | Used for reporting/filtering, separately from app-open time. |

**Current implementation limit**
Current OfferwallService records completions. It does not automatically credit a wallet, create payouts, or increase quiz score/XP. Ad mediation settings are separate.

## Verification after saving

Test an actual provider completion callback. Opening the offerwall is not completion evidence. The local capture is empty because provider credentials are unavailable.

## Technical sources

Server paths are inside Quiz Application Admin; lib paths are inside Quiz Application.

config/offerwall.php

app/Http/Controllers/Api/OfferwallController.php

app/Services/OfferwallService.php

lib/services/offerwall_service.dart

# Conclusion Section

Use this guide to configure Quizs, verify the actual app behavior, and keep administrator content, server configuration, and native app changes in their correct places.

## Administrator access

Open your own backend domain followed by /admin/login. Use the credentials created for that deployment. Accounts, passwords, and URLs from unrelated reference projects do not apply to Quizs.

## Release verification

Complete a category, quiz, question, attempt, result, target/profile, notification, and attendance test. Confirm native integrations separately on the intended device and provider account.

## Contact for support

Email: info@arknox.in
Support Center: +91-8787388949

Arknox