Find every customization point

By: **Arknox**

Email: info@arknox.in

Contact: +91-8787388949

Identify the source before changing any text, number, chart, or image. Use this map to choose the correct form, server configuration, or app file and understand rollout behavior.

Screen / location: Admin settings / Server config / Flutter source

Step by step

1. Find the item in the table.

2. Save admin content through its form. Change server configuration/environment and refresh configuration caches when required.

3. For Flutter code/assets, modify source, rebuild, and distribute the app update.

4. Verify a real user flow and the related report.

Field definitions and change impact

Field / Feature	Definition and source	Effect of changes
Category title / image / color	Admin → Categories.	Next content fetch; no new app binary.
Quiz title / duration / difficulty	Admin → Quizzes → Edit.	Metadata on the next quiz load.
Questions / answers / translations	Admin → Questions Bank → Edit.	Next fetch; submitted scores are not automatically recalculated.
Notification content / audience / navigation	Admin → Push Notifications → New.	New inbox records and an FCM send attempt.
Daily goal	Settings → General; individual overrides in Users → Edit.	New daily rows; existing history is fixed.
Attendance	Admin → Attendance.	Selected date's status and attendance statistics.
Dashboard numbers / chart series	Computed from attempts, users, questions, and daily progress.	Change the actual underlying activity/content; chart labels are code.
OTP / email branding	SMTP settings; resources/views/emails/*.blade.php.	Server-rendered mail; app strings remain separate.
Online heartbeat / timeout	config/quiz.php; lib/services/activity_service.dart.	Activity timing and online estimate; no admin numeric control.
XP economy / levels / result thresholds	config/quiz.php; LevelService / ProgressionService / PerformanceMessageService.	Server formulas, not admin sliders.
Global / quiz ranking	RankingService.php / QuizRankingService.php.	Separate formulas; manual user score alone does not control both.
API base domain	lib/services/api_client.dart → ApiClient.baseUrl.	New mobile build; verify https://your-domain/api and public storage URLs.
Logo / splash / app name / fonts	Flutter assets, pubspec.yaml, and platform files.	New app build; backend public/logo.png is separate.
Language / interface copy	lib/l10n/app_strings.dart and screens.	New app build; question translations are admin content.
Ads	lib/services/iron_source_service.dart and native SDK settings.	New build and valid provider units; separate from offerwall records.
Privacy / Terms / Delete account	Server LegalController and resources/views/legal.	Server pages; also verify app policy copy, links, and domain.

Field / Feature	Definition and source	Effect of changes
App update behavior	lib/services/app_update_service.dart.	Android Play in-app updates; no administrator version toggle.

Verification after saving

Choose the correct source so unrelated records are not edited. Distinguish a backend save from a native binary release throughout rollout.

Technical sources

Server paths are inside Quiz Application Admin; lib paths are inside Quiz Application.

config/quiz.php

lib/services/api_client.dart

lib/services/iron_source_service.dart

lib/l10n/app_strings.dart

Conclusion Section

Use this guide to configure Quizs, verify the actual app behavior, and keep administrator content, server configuration, and native app changes in their correct places.

Administrator access

Open your own backend domain followed by /admin/login. Use the credentials created for that deployment. Accounts, passwords, and URLs from unrelated reference projects do not apply to Quizs.

Release verification

Complete a category, quiz, question, attempt, result, target/profile, notification, and attendance test. Confirm native integrations separately on the intended device and provider account.

Contact for support

Email: info@arknox.in
Support Center: +91-8787388949

Arknox