Configure email and OTP delivery


By: **Arknox**

Email: info@arknox.in

Contact: +91-8787388949

SMTP transports verification OTPs, account details, and daily-target mail. Send Test and Save Changes are separate actions.

Screen / location: Settings → Email Configuration



Actual source preview - local demo data - live values may differ

1. SMTP host and port

2. Sender identity

3. Test recipient and save

Step by step

1. Get Host, Port, Username, and Password from your SMTP provider. Enter From Address and From Name.

2. Enter a recipient in Send a test email to and click Send Test. This tests the current form values without saving them.

3. After a successful test, click Save Changes. Stored passwords are not shown; leaving Password blank retains the existing password.

4. Run the queue worker or configured cron queue runner for queued mail. Test OTP/account flows separately end to end.

Field definitions and change impact

Field / Feature	Definition and source	Effect of changes
SMTP Host / Port	Required host; integer port from 1-65535.	Selects the mail transport endpoint.
Username / Password	SMTP credentials; password required for initial configuration.	Provider authentication. Keep credentials in private server configuration.
From Address / Name	Valid sender email and display name.	Identity shown to recipients.
Test recipient	Valid email; used by Send Test only.	Sends a live email without saving settings.

Current implementation limit
Email settings do not configure phone push. A successful SMTP test does not guarantee queued emails will run when the worker is stopped.

Data and behavior in detail

Complete the email form and check the result

1. Enter the SMTP host, port, username, sender address/name, and applicable scheme values for your provider.

2. Enter a password when adding or replacing credentials. A blank password retains the existing password.

3. Save and read the validation or result message. The form writes the corresponding backend environment values and clears configuration cache.

4. Refresh cached production configuration and restart long-running workers where applicable. Verify a real application email with an account you control before using Reset Password for another learner.

Verification after saving

Check inbox/spam for the test, then check OTP/account delivery and queue processing.

Technical sources

Server paths are inside Quiz Application Admin; lib paths are inside Quiz Application.

app/Http/Controllers/Admin/EmailSettingsController.php

config/mail.php

app/Http/Controllers/CronController.php

Conclusion Section

Use this guide to configure Quizs, verify the actual app behavior, and keep administrator content, server configuration, and native app changes in their correct places.

Administrator access

Open your own backend domain followed by /admin/login. Use the credentials created for that deployment. Accounts, passwords, and URLs from unrelated reference projects do not apply to Quizs.

Release verification

Complete a category, quiz, question, attempt, result, target/profile, notification, and attendance test. Confirm native integrations separately on the intended device and provider account.

Contact for support

Email: info@arknox.in
Support Center: +91-8787388949

Arknox