Test Series No.

04

NEET Success Kit [2026-27]

DURATION: 195 Minutes | **M. MARKS: 720**


DATE: 10/06/2026

ANSWER KEY

1.	(3)	46.	(1)	91.	(3)	136.	(2)
2.	(4)	47.	(1)	92.	(2)	137.	(3)
3.	(1)	48.	(4)	93.	(2)	138.	(2)
4.	(2)	49.	(2)	94.	(2)	139.	(3)
5.	(2)	50.	(3)	95.	(3)	140.	(4)
6.	(4)	51.	(1)	96.	(1)	141.	(3)
7.	(1)	52.	(3)	97.	(2)	142.	(1)
8.	(3)	53.	(1)	98.	(2)	143.	(2)
9.	(2)	54.	(4)	99.	(4)	144.	(1)
10.	(1)	55.	(3)	100.	(1)	145.	(3)
11.	(4)	56.	(3)	101.	(3)	146.	(4)
12.	(4)	57.	(1)	102.	(4)	147.	(3)
13.	(2)	58.	(4)	103.	(2)	148.	(4)
14.	(2)	59.	(2)	104.	(3)	149.	(3)
15.	(4)	60.	(2)	105.	(2)	150.	(3)
16.	(4)	61.	(3)	106.	(1)	151.	(4)
17.	(2)	62.	(3)	107.	(3)	152.	(4)
18.	(1)	63.	(2)	108.	(2)	153.	(2)
19.	(1)	64.	(2)	109.	(3)	154.	(3)
20.	(1)	65.	(4)	110.	(3)	155.	(2)
21.	(3)	66.	(3)	111.	(2)	156.	(2)
22.	(2)	67.	(1)	112.	(1)	157.	(2)
23.	(4)	68.	(3)	113.	(1)	158.	(4)
24.	(4)	69.	(1)	114.	(4)	159.	(4)
25.	(1)	70.	(1)	115.	(3)	160.	(1)
26.	(1)	71.	(3)	116.	(4)	161.	(4)
27.	(2)	72.	(4)	117.	(3)	162.	(4)
28.	(3)	73.	(2)	118.	(1)	163.	(4)
29.	(1)	74.	(3)	119.	(2)	164.	(1)
30.	(4)	75.	(3)	120.	(1)	165.	(1)
31.	(2)	76.	(3)	121.	(3)	166.	(2)
32.	(2)	77.	(2)	122.	(3)	167.	(3)
33.	(3)	78.	(2)	123.	(3)	168.	(1)
34.	(2)	79.	(3)	124.	(2)	169.	(2)
35.	(3)	80.	(2)	125.	(2)	170.	(4)
36.	(3)	81.	(1)	126.	(4)	171.	(4)
37.	(3)	82.	(2)	127.	(2)	172.	(1)
38.	(4)	83.	(1)	128.	(1)	173.	(1)
39.	(1)	84.	(2)	129.	(3)	174.	(1)
40.	(3)	85.	(2)	130.	(3)	175.	(1)
41.	(1)	86.	(2)	131.	(3)	176.	(3)
42.	(1)	87.	(4)	132.	(3)	177.	(3)
43.	(2)	88.	(3)	133.	(2)	178.	(1)
44.	(4)	89.	(1)	134.	(4)	179.	(1)
45.	(3)	90.	(2)	135.	(2)	180.	(3)

[Contd...

1. **(3)**



(NCERT Ed. 2025-26, 11th, Page No. 213)

2. **(4)**

$$R = R_0(A)^{\frac{1}{3}}$$

$$\frac{R_1}{R_2} = \frac{R_0(27)^{\frac{1}{3}}}{R_0(8)^{\frac{1}{3}}} = \frac{3}{2}$$

(NCERT Ed. 2025-26, 12th, Page No. 309)

3. **(1)**

Distance travelled in 3rd second

$$S_3 = u + \frac{a}{2}(2n-1)$$

$$a = \frac{10}{20} = \frac{1}{2} \text{ m/s}^2$$

$$S_3 = \left(\frac{1}{2}\right)\left(\frac{1}{2}\right)(6-1) = \frac{5}{4}\text{m}$$

Work done $= 10 \times \frac{5}{4} = \frac{50}{4}$ J = 12.5 J

(NCERT Ed. 2025-26, 11th, Page No. 20)

4. **(2)**

Pressure from piston

$$= \frac{mg}{A}$$

Equivalent pressure head

$$= \frac{mg}{(\rho A)}$$

Using Bernoulli principle,

$$v = \sqrt{2\left(gh + \frac{mg}{(\rho A)}\right)}$$

(NCERT Ed. 2025-26, 11th, Page No. 189)

5. **(2)**

$$F = \frac{1}{4\pi\varepsilon_0}\frac{q^2}{r^2}$$

$$\therefore\ \varepsilon_0 = \frac{q^2}{4\pi F r^2}$$


$$F = \frac{Gm^2}{r^2}$$

$$\therefore\ G = \frac{Fr^2}{m^2}$$

$$\therefore\ [\varepsilon_0 G] = \left[\frac{q^2}{4\pi F r^2} \times \frac{Fr^2}{m^2}\right] = \left[\frac{q^2}{m^2}\right] = [M^{-2}A^2T^2]$$

(NCERT Ed. 2025-26, 11th, Page No. 132)

6. **(4)**



As 45° > Critical angle, ray suffer TIR at surface AC and BC.

(NCERT Ed. 2025-26, 12th, Page No. 231)

7. **(1)**

$$x_{COM} = \frac{2M(0) + M(2R) + M(4R)}{4M}$$

$$= \frac{6MR}{4M} = 1.5R$$


(NCERT Ed. 2025-26, 11th, Page No. 96)

8. **(3)**

$$B = \frac{\mu_0 I}{2\pi R} = \frac{2\times10^{-7}\times12}{3} = 8\times10^{-7}\text{ T}$$

(NCERT Ed. 2025-26, 12th, Page No. 118)

9. **(2)**



From A to B → slope is negative and constant,
∴ acceleration is negative and constant.
From B to C → Slope is positive and constant,
∴ acceleration is positive and constant.

(NCERT Ed. 2025-26, 11th, Page No. 16)

[Contd...

10. (1)

Energy lost as heat $= \frac{1}{2}$ × work done by battery

$= \frac{1}{2}CV^2 = \frac{1}{2} \times 4 \times (10)^2$

= 200 μJ

(NCERT Ed. 2025-26, 12th, Page No. 74)

11. (4)

$a = \left(\frac{m_1 - m_2}{m_1 + m_2}\right) g$

$\frac{5}{4} = \left(\frac{m_1 - m_2}{m_1 + m_2}\right) \times 10$

$m_1 + m_2 = 8(m_1 - m_2)$

$9m_2 = 7m_1$

$\frac{m_1}{m_2} = \frac{9}{7}$

(NCERT Ed. 2025-26, 11th, Page No. 65)

12. (4)

$\phi = \vec{E}.\vec{s} = \left(\frac{3}{5} \times 10^3 \hat{i} + \frac{6}{5} \times 10^3 \hat{j}\right).(0.2\hat{j})$

$= \frac{1.2}{5} \times 10^3 = 240\ \text{Nm}^2/\text{C}$

(NCERT Ed. 2025-26, 12th, Page No. 22)

13. (2)

According to conservation of energy,

$\frac{1}{2}mv^2 + \frac{1}{2}mv^2 = \frac{1}{2}kx^2$

$\Rightarrow 2 \times \frac{1}{2}mv^2 = \frac{1}{2}kx^2$

$\Rightarrow x^2 = \frac{2mv^2}{k}$

$x^2 = \frac{2 \times 0.250}{2} = 0.250$

$x = \frac{1}{2}$ m

(NCERT Ed. 2025-26, 11th, Page No. 81)

14. (2)

If v_0 is threshold frequency, then work function is equal to hv_0 and photosensitivity of a metal is high if its work function is small.

(NCERT Ed. 2025-26, 12th, Page No. 282)


15. (4)

In isothermal expansion in a Carnot cycle heat is added to the system. The temperature of the source and the sink are to be substituted in kelvin while calculating the efficiency.

Both statements are incorrect.

(NCERT Ed. 2025-26, 11th, Page No. 238)

7. (4)



$Y = \overline{A + \overline{B}}$

$Y = \overline{A} \cdot B$

17. (2)

$|\varepsilon| = \frac{Ldi}{dt}$

$8 = \frac{L(4-2)}{0.02}$

$L = 0.08$ H

(NCERT Ed. 2025-26, 12th, Page No. 168)


18. (1)

$\Delta M = \frac{E}{c^2} = \frac{18 \times 10^8}{(3 \times 10^8)^2} = 2 \times 10^{-8}\ \text{kg}$

$\Delta M = 20\mu g$

(NCERT Ed. 2025-26, 12th, Page No. 311)

19. (1)



$R_{eq} = \frac{6R}{4} + R = \frac{5R}{2}$

(NCERT Ed. 2025-26, 12th, Page No. 99)

20. (1)

$\mu = \frac{v_d}{E} = \frac{2 \times 10^{-4}}{\frac{20}{10 \times 10^{-2}}} = 10^{-6}\ \text{m}^2\ \text{V}^{-1}\ \text{s}^{-1}$

(NCERT Ed. 2025-26, 12th, Page No. 88)

21. (3)

$v_{rms} = \sqrt{\frac{3RT}{M_0}}$

When temperature is doubled, $T' = 2T$ and when molecule is dissociated, $M' = \frac{M_0}{2}$

$v'_{rms} = \sqrt{\frac{3R(2T)}{\left(\frac{M_0}{2}\right)}} = 2\sqrt{\frac{3RT}{M_0}} = 2v_{rms}$

(NCERT Ed. 2025-26, 11th, Page No. 250)

[Contd...

22. (2)

$$\lambda = \frac{h}{\sqrt{2mK}} = \frac{6.6\times10^{-34}}{\sqrt{2\times10^{-30}\times3.2\times10^{-17}}}$$

$\lambda = 8.25 \times 10^{-11}$ m

(NCERT Ed. 2025-26, 12th, Page No. 285)

23. (4)

$$R = H_{max}$$

$$\frac{u^2\sin2(90°-\theta)}{g} = \frac{u^2\sin^2(90°-\theta)}{2g}$$

$$\sin2\theta = \frac{\cos^2\theta}{2}$$

$$\theta = \cot^{-1}(4)$$

(NCERT Ed. 2025-26, 11th, Page No. 45)

24. (4)

$$I_d = C\times\frac{dV}{dt}$$

$$2\times10^{-5} = C\times10$$

$$C = 2\times10^{-6}\text{ F} = 2\mu\text{F}$$

(NCERT Ed. 2025-26, 12th, Page No. 203)

25. (1)

$x = 5\sin(2t)$

$3 = 5\sin(2t)$

$$\cos(2t) = \frac{4}{5}$$

$$v = 5\times2\cos(2t)$$

$$v = 5\times2\times\frac{4}{5} = 8\text{ cm/s}$$

(NCERT Ed. 2025-26, 11th, Page No. 272)

26. (1)

For balance condition,

$$\frac{R_{eq}}{1} = \frac{40}{60}$$

$$R_{eq} = \frac{2}{3}\Omega$$

$$\frac{3X}{3+X} = \frac{2}{3}$$

$9X = 6 + 2X$

$7X = 6$

$$X = \frac{6}{7}\Omega$$

(NCERT Ed. 2025-26, 12th, Page No. 101)

27. (2)

$$\rho = \frac{4.2}{2(1+1.8\times10^{-5}\Delta t)}$$

$$\rho = \frac{2.1}{1+1.8\times10^{-5}\Delta t}$$

$$\rho = \frac{\rho_0}{1+\gamma\Delta t}$$

$\gamma = 1.8\times10^{-5}$ /°C

(NCERT Ed. 2025-26, 11th, Page No. 221)

28. (3)

$$\vec{P}_f = \vec{P}_i$$

$$m(3\hat{i}+2\hat{j}) + m(-\hat{i}-4\hat{j}) + m\vec{v} = 0$$

$$\therefore\ \vec{v} = -2\hat{i}+2\hat{j}$$

(NCERT Ed. 2025-26, 11th, Page No. 100)

29. (1)

Bar magnet is pulled away, magnetic flux through loop will decrease with decreasing rate, so induced emf in loop decrease with time.

(NCERT Ed. 2025-26, 12th, Page No. 155)

30. (4)

$$\frac{\mu_r}{\chi} = \frac{1+\chi}{\chi} = \frac{1}{\chi}+1$$

or, $$\frac{\mu_r}{\chi} = \frac{\mu_r}{\mu_r-1}$$


(NCERT Ed. 2025-26, 12th, Page No. 150)

31. (2)

When a satellite in shifted from farther orbit to a nearer orbit, its gravitational potential energy decreases and kinetic energy increases.

(NCERT Ed. 2025-26, 11th, Page No. 138)

32. (2)



(NCERT Ed. 2025-26, 12th, Page No. 197)

33. (3)

$$T = 2\pi\sqrt{\frac{l}{g}}$$

$$T \propto \frac{1}{\sqrt{g}}$$

Time period on surface of moon = T_M

$$\frac{T_E}{T_M} = \sqrt{\frac{g_M}{g_E}} = \sqrt{\frac{1}{6}}$$

$$T_E = \frac{T_M}{\sqrt{6}} = \frac{2}{\sqrt{6}}\text{ s}$$

(NCERT Ed. 2025-26, 11th, Page No. 271)

[Contd...

34. (2)

$\vec{\tau} = \vec{M} \times \vec{B}$

$= (10\hat{i}) \times (2\hat{i} + 3\hat{j}) = 30\hat{k}$ Nm

(NCERT Ed. 2025-26, 12th, Page No. 150)

35. (3)

$PV = nRT$

$\frac{V}{T} = \frac{nR}{P}$

Slope of $V - T$ graph $= \frac{nR}{P} =$ constant

Hence pressure is constant.

(NCERT Ed. 2025-26, 11th, Page No. 235)

36. (3)

$n_1\lambda_1 = n_2\lambda_2$

$\Rightarrow 60 \times 6000 = n_2 \times 4000 \Rightarrow n = 90$

(NCERT Ed. 2025-26, 12th, Page No. 266)

37. (3)

Using symmetry, coordinates of COM

$= \frac{4R}{3\pi}, \frac{4R}{3\pi}$

(NCERT Ed. 2025-26, 11th, Page No. 97)

38. (4)

$E = -13.6\frac{Z^2}{n^2}$ eV

$E_1 = \frac{-13.6(3)^2}{(1)^2} = -122.4$ eV

Ionization energy of the electron = 122.4 eV

(NCERT Ed. 2025-26, 12th, Page No. 303)

39. (1)

5th overtone is 6th harmonic which has 6 antinodes.

(NCERT Ed. 2025-26, 11th, Page No. 291)

40. (3)

$\frac{1}{8}\frac{\mu_0 i}{2r} = \frac{\mu_0 i r^2}{2(r^2 + X^2)^{3/2}}$

$\Rightarrow (r^2 + X^2)^{3/2} = 8r^3$

$\Rightarrow (r^2 + X^2) = (8r^3)^{2/3}$

$\Rightarrow r^2 + X^2 = 4r^2$

$\Rightarrow 3r^2 = X^2$

$\Rightarrow X = r\sqrt{3}$

(NCERT Ed. 2025-26, 12th, Page No. 116)

41. (1)

R_H (Rydberg constant) = m^{-1}

h (Planck's constant) = Js = kg m^2 s^{-1}

Magnetic field energy density

$(\mu_B) = \frac{\text{Energy}}{\text{Volume}} = \frac{\text{kg m}^2\text{ s}^{-2}}{\text{m}^3} = \text{kgm}^{-1}\text{ s}^{-2}$

$F = \eta A\frac{dv}{dx}$

$\eta = \frac{Fdx}{A\,dv} = \frac{\text{kg ms}^{-2}\,.\,\text{m}}{\text{m}^2\,.\,\text{ms}^{-1}}$

= $\text{kgm}^{-1}\text{ s}^{-1}$

(NCERT Ed. 2025-26, 11th, Page No. 10)

42. (1)

Apparent depth of vessel

$= \frac{H}{\mu_1} + \frac{H}{\mu_2}$

(NCERT Ed. 2025-26, 12th, Page No. 229)

43. (2)

$y = 10\sin\pi(0.01 \times x - 2.00t)$

$v = \frac{\omega}{k}$

$v = \frac{2}{0.01}$

v = 200 cm/s

(NCERT Ed. 2025-26, 11th, Page No. 284)

44. (4)

Potential due to induced charge at the centre of the shell is zero, because all induced charges is equidistance from centre and net induced charge is zero.

(NCERT Ed. 2025-26, 12th, Page No. 52)

45. (3)

Steel is elastic and can withstand high loads. This property enables steel to be used as structure in concrete works in buildings and bridges.

(NCERT Ed. 2025-26, 11th, Page No. 171)

[Contd...

46. (1)

Half-filled subshells are especially stable because they have symmetrical distribution, maximum exchange energy and relatively lower repulsion. Presence of paired electrons in the same orbital does not increase this stability, so statement D is incorrect.

(NCERT Ed. 2025-26, 11th, Page No. 65)

47. (1)

$$E = nh\nu = \frac{nhc}{\lambda}$$

$$1 = \frac{n \times 6.63 \times 10^{-34} \times 3 \times 10^{8}}{6630 \times 10^{-12}}$$

$$n = \frac{10^{17}}{3} = 3.33 \times 10^{16}$$

(NEW NCERT 11th Part-I Page No. 41)

48. (4)

Crystal field theory does not satisfactorily explain the full origin of spectrochemical series, so A is false. VBT cannot describe kinetic stability quantitatively, so B is true. $[Ni(CN)_4]^{2-}$ is square planar dsp^2, and cis-$[CoCl_2(en)_2]^+$ is optically active, so D is false.


(NCERT Ed. 2025-26, 12th, Page No. 120)

49. (2)

The boiling points of isomeric haloalkanes decrease with increase in branching.

(NEW NCERT 12th Part-II Page No. 168)

50. (3)



(NCERT Ed. 2025-26, 12th, Page No. 217)

51. (1)

Addition of two moles of bromine indicates a triple bond, and white precipitate with ammoniacal silver nitrate confirms a terminal alkyne. Therefore the compound must be pent-1-yne.

(NCERT Ed. 2025-26, 11th, Page No. 301)

52. (3)

As the number of gaseous particle increases, entropy increases.

$$N_2O_4(g) \rightarrow 2NO_2(g),\ \Delta n_g = 2 - 1 = 1$$

(NEW NCERT 11th Part-I Page No. 159)

53. (1)

$$Ag_2CO_3 \rightleftharpoons \underset{2S}{2Ag^+} + \underset{S}{CO_3^{2-}}$$

$$K_{sp} = (2S)^2(S)$$

$$8 \times 10^{-12} = 4S^3$$

$$S^3 = 2 \times 10^{-12}$$

$$S = (2)^{1/3} \times 10^{-4}\ M$$

(NEW NCERT 11th Part-I Page No. 204)

54. (4)

- B_2: • BO = 1 (1σ bond)
  - • Unpaired e^- = 2 (paramagnetic)
  - • 6 electrons in BMO
- C_2: • BO = 2 (zero σ bond and 2π bonds)
  - • Unpaired e^- = 0 (diamagnetic)
  - • 8 electrons in BMO
- N_2: • BO = 3 (1σ bond and 2π bonds)
  - • Unpaired e^- = 0 (diamagnetic)
  - • 10 electrons in BMO
- Li_2: • BO = 1
  - • Unpaired e^- = 0 (diamagnetic)
  - • 4 electrons in BMO

(NEW NCERT 11th Part-I Page No. 130)

55. (3)

Tl_2O_3 is basic in nature.

(OLD NCERT 11th Part-I Page No. 319, 324)

56. (3)

Isocyanide test (carbylamine reaction) is used as a test for primary amines.

$$R-NH_2 + CHCl_3 + 3KOH \xrightarrow{\Delta} R-NC + 3KCl + 3H_2O$$

(NEW NCERT 12th Part-II Page No. 271)

57. (1)

- The linkage between two monosaccharide is known as glycosidic linkage.
- Amide linkage between carboxylic acid group and amine group of protein is called peptide linkage.
- Disulphide linkage present in 2° and 3° structures of proteins which helps in the stablise the structure of proteins.
- Nucleotides are joined together by phosphodiester linkage between 5′ and 3′ carbon atoms of the pentose sugar.

(NCERT Ed. 2025-26, 12th, Page No. 293)

58. (4)

Nitric oxide contains an odd electron but does not dimerise readily under ordinary conditions, unlike NO_2. The other statements are correct, so the incorrect statement is that NO can dimerise easily.

(NCERT Ed. 2022-23, 12th, Page No. 179)

[Contd...

59. (2)

$$6Fe^{2+} + Cr_2O_7^{2-} + 14H^+ \rightarrow 6Fe^{3+} + 2Cr^{3+} + 7H_2O$$

(NEW NCERT 11th Part-II Page No. 248)

60. (2)

$$\underset{\text{2-Methylprop-1-ene}}{CH_3-\overset{CH_3}{\overset{|}{C}}=CH_2} \xrightarrow[\text{(ii) } Zn/H_2O]{\text{(i) } O_3} \underset{\text{Acetone}}{CH_3COCH_3} + \underset{\text{Methanal}}{HCHO}$$

(NEW NCERT 11th Part-II Page No. 313)

61. (3)

Benzene has uniform C–C bond distances of 139 pm.

(NEW NCERT 11th Part-II Page No. 275)

62. (3)

- More the –I effect, more will be stability of anion.
- –I effect: $-NO_2 > -CN > -F > -H$

(NEW NCERT 11th Part-II Page No. 274)

63. (2)

$$Na + C + N + S \rightarrow \underset{\text{Sodium thiocyanate}}{NaSCN}$$

(NEW NCERT 11th Part-II Page No. 285)

64. (2)

Relative lowering of vapour pressure is a colligative property but vapour pressure is not a colligative property.

(NEW NCERT 12th Part-I Page No. 15, 9)

65. (4)

$$\Lambda_m^0(CH_3COOH) = \Lambda_m^0(CH_3COONa) + \Lambda_m^0(HCl) - \Lambda_m^0(NaCl)$$

$$= z + y - x \text{ S cm}^2 \text{ mol}^{-1}$$

(NEW NCERT 12th Part-I Page No. 50)

66. (3)

From the previous calculation,

$E^\circ_{Sn^{4+}/Sn^{2+}} = +0.160$ V

This is the reduction potential for:

$Sn^{4+} + 2e^- \rightarrow Sn^{2+}$

Therefore, the oxidation potential for:

$Sn^{2+} \rightarrow Sn^{4+} + 2e^-$

is the negative of this value:

$E^\circ_{oxidation} = -0.160$ V

(NCERT Ed. 2025-26, 12th, Page No. 63)

67. (1)

- Actinoid contraction is greater from element to element than lanthanoid contraction because the 5f electrons are more effectively shielded from nuclear charge. In other words the 5f electrons themselves provide poor shielding from element to element in the series.
- In actinoids, last election enters in 5f subshell.

(NEW NCERT 12th Part-I Page No. 112)

68. (3)

Ligand field strength:

$Cl^- < HO^- < NH_3 < en$

(NEW NCERT 12th Part-I Page No. 132)

69. (1)

Pyrosulphuric acid (oleum): $H_2S_2O_7$

(OLD NCERT 12th Part-I Page No. 189)

70. (1)

$\Delta H = \Delta U + \Delta(PV)$

$= \Delta U + (P_2V_2 - P_1V_1)$

$= 50 + (3 \times 6 - 2 \times 4) = 60$ L atm.

(NEW NCERT 11th Part-I Page No. 143)

71. (3)

Molality of a solution does not change with temperature since mass remains unaffected with temperature.

(NEW NCERT 11th Part-I Page No. 24)

72. (4)

For g orbital, $\ell = 4$

For n^{th} shell, $0 \le \ell \le n-1$

(NEW NCERT 11th Part-I Page No. 70)

73. (2)

Atomic radii decrease across a period. Cations are smaller than their parent atoms. Among isoelectronic species, the one with the larger positive nuclear charge will have a smaller radius. Hence, the largest species is Mg, the smallest one is Al^{3+}.

(NEW NCERT 11th Part-I Page No. 87)

74. (3)

Orbitals formed by sideways overlap of $2p_x$ or $2p_y$ are π orbitals, whose electron density lies above and below the bond axis rather than being symmetrical around the bond axis, so statement (3) is incorrect.

(NCERT Ed. 2025-26, 11th, Page No. 127)

75. (3)

$\Delta n_g = (1+1) - (1) = 1$

$K_p = K_c(RT)^{\Delta n_g} = K_c(RT) \quad \therefore \frac{K_p}{K_c} = RT$

(NEW NCERT 11th Part-I Page No. 178)

[Contd...

76. (3)

Lesser the reduction potential, more will be the reducing power.

(NEW NCERT 11th Part-II Page No. 251)

77. (2)

Due to absence of vacant orbitals on carbon, CCl_4 is not hydrolysed by water.

(OLD NCERT 11th Part-I Page No. 317, 324)

78. (2)

$$CH_3COOH \xrightarrow{NaOH} \underset{(A)}{CH_3COONa} \xrightarrow{\text{Kolbe's electrolysis}}$$

$$\underset{(B)}{CH_3-CH_3} \xrightarrow[h\nu]{Cl_2} CH_3CH_2Cl \xrightarrow[\Delta]{\text{alc.KOH}} CH_2=CH_2$$

$\underset{(C)}{}$

(NEW NCERT 11th Part-I Page No. 301, 303, 310)

79. (3)

The osmotic pressure associated with the fluid inside the blood cell is equivalent to that of 0.9% (mass/volume) NaCl solution.

(NEW NCERT 12th Part-I Page No. 22)

80. (2)

$$Al^{3+} + 3e^- \rightarrow Al$$

$$w = ZIt = \frac{\left(\frac{27}{3}\right)}{96500} \times 9.65 \times 100 = 0.09\ g$$

(NEW NCERT 12th Part-I Page No. 51)

81. (1)

$$t_{1/2} \propto (a)^{1-n}$$

$$2t_{1/2} \propto (2a)^{1-n}$$

$$\therefore \frac{1}{2} = \left(\frac{1}{2}\right)^{1-n} \qquad \therefore 1 = 1 - n$$

$$n = 0$$

(NEW NCERT 12th Part-I Page No. 71)

82. (2)

Noble gases are monoatomic and interact only through weak London dispersion forces, so very little energy is needed to separate their atoms. Hence they have very low boiling points and both statements are true.


(NCERT Ed. 2022-23, 12th, Page No. 209)

83. (1)

- Oxidation of SO_2 into SO_3: V_2O_5 catalyst
- Manufacture of polythene: $TiCl_4 + Al(CH_3)_3$ (Ziegler catalyst)
- Wacker process: $PdCl_2$ catalyst
- Haber process: Iron catalyst

(NEW NCERT 12th Part-I Page No. 114)

84. (2)




$Co_2(CO)_8$

(NEW NCERT 12th Part-I Page No. 135)

85. (2)

Free radical substitution reaction:



More reactive benzylic H is replaced by Br.

(NEW NCERT 12th Part-II Page No. 167)


86. (2)

The commercial alcohol is made unfit for drinking by mixing in it some copper sulphate (to give it a colour) and pyridine.

(NEW NCERT 12th Part-II Page No. 214)

87. (4)


Cannizzaro reaction:



(NCERT Ed. 2025-26, 12th, Page No. 246)

88. (3)

Coupling reaction:



(Orange dye)
p-hydroxyazobenzene

(NEW NCERT 12th Part-II Page No. 276)

89. (1)

- Fibrous protein: Myosin
- Essential amino acid: Histidine
- Hormone: Glucagon
- Vitamin B_2: Riboflavin

(NEW NCERT 12th Part-II Page No. 291, 292, 296, 300)

90. (2)

Ozonolysis splits the double bond into carbonyl compounds. Formation of methanal shows one end was terminal CH_2, and the other fragment becoming 2-methylpropanal identifies the alkene as 3-methylbut-1-ene.

(NCERT Ed. 2025-26, 11th, Page No. 308)

[Contd...

91. (3)

The European Federation of Biotechnology (EFB) has given a definition of biotechnology that encompasses both traditional view and modern molecular biotechnology.

CDRI developed the female oral non-steroidal contraceptive pill called 'Saheli'. NACO is related with AIDS.

(NCERT Ed. 2025-26, 12th, Page No. 163)

92. (2)

The process by which seedless fruits are produced is known as parthenocarpy.

Apomixis: Mode of reproduction which does not involve formation of zygote through gametic fusion.

(NCERT Ed. 2025-26, 12th, Page No. 21)

93. (2)

In the roots of flowering plants, the primary xylem arrangement is exarch, meaning the protoxylem lies towards the periphery, and the metaxylem is oriented towards the centre (or pith).


(NCERT Ed. 2025-26, 11th, Page No. 87)

94. (2)

- Some commonly found Chlorophyceae or green algae are: *Chlamydomonas, Volvox, Ulothrix, Spirogyra* and *Chara*.
- The common forms of Phaeophyceae or brown algae are *Ectocarpus, Dictyota, Laminaria, Sargassum* and *Fucus*
- The common forms of Rhodophyceae or red algae are *Polysiphonia*, *Porphyra*, *Gracilaria* and *Gelidium*.

(NCERT Ed. 2025-26, 11th, Page No. 27)

95. (3)



Meiosis-II occurs in secondary oocyte (in fallopian tube).

(NCERT Ed. 2025-26, 12th, Page No. 32)

96. (1)

Inability to produce children or conceive even after two years of unprotected sexual cohabitation is called infertility

(NCERT Ed. 2025-26, 12th, Page No. 49)

97. (2)

The detritus food chain begins with the dead organic matter.

(NCERT Ed. 2025-26, 12th, Page No. 210)

98. (2)

PS II is found in grana.It is associated with splitting of water and involved in only non-cyclic photophosphorylation

(NCERT Ed. 2025-26, 11th, Page No. 140)

99. (4)

Contrasting Traits Studied by Mendel in Pea

S. No.	Characters	Contrasting Traits
1.	Stem height	Tall/dwarf
2.	Flower colour	Violet/white
3.	Flower position	Axial/terminal
4.	Pod shape	Inflated/constricted
5.	Pod colour	Green/yellow
6.	Seed shape	Round/wrinkled
7.	Seed colour	Yellow/green

(NCERT Ed. 2025-26, 12th, Page No. 54)

100. (1)

The region of the stem where leaves are born are called nodes.

(NCERT Ed. 2025-26, 11th, Page No. 59)

101. (3)

(R) is vital capacity

(Q) is tidal volume

(P) is residual volume Residual volume prevents the lungs from collapsing by keeping the alveoli open.

(NCERT Ed. 2025-26, 11th, Page No. 187)

102. (4)

Plague – *Yersinia pestis*

Pneumonia – *Haemophilus influenzae*

Elephantiasis – *Wuchereria malayi*

Syphilis – *Treponema pallidum*

(NCERT Ed. 2025-26, 12th, Page No. 131)

[Contd...

103. (2)

In the cockroach, *Periplaneta americana*: Malpighian tubules are the main excretory organs. Fat bodies, nephrocytes, and uricose glands act as accessory excretory structures and help in excretion and storage of nitrogenous wastes.

(NCERT Ed. 2020-21, 11th, Page No. 114)

104. (3)

Biocontrol refers to the use of biological methods for controlling plant diseases and pests.

(NCERT Ed. 2025-26, 12th, Page No. 158)

105. (2)

Parturition is induced by a complex neuroendocrine mechanism. Oxytocin acts on myometrium of uterus and causes stronger uterine contractions, which in turn stimulates further secretion of oxytocin.

(NCERT Ed. 2025-26, 12th, Page No. 38)

106. (1)

Glucosamine is a chemically modified sugar (an amino sugar).

It is derived from glucose.

One hydroxyl group (–OH) is replaced by an amino group ($–NH_2$).

Therefore, it is called an amino sugar.

(NCERT Ed. 2025-26, 11th, Page No. 111)

107. (3)

In order to force bacteria to take up the plasmid, the bacterial cells must first be made 'competent' to take up DNA. This is done by treating them with a specific concentration of a divalent cation, such as calcium, which increases the efficiency with which DNA enters the bacterium through pores in its cell wall.

DNA is negatively charged.

(NCERT Ed. 2025-26, 12th, Page No. 170)

108. (2)

The first movements of the foetus and appearance of hair on the head are usually observed during the fifth month of the pregnancy. By the end of about 24 weeks, the body is covered with fine hair, eye lids seperate, and eyelashes are formed.

(NCERT Ed. 2025-26, 12th, Page No. 38)

109. (3)

Neutrophils	Phagocytic leucocytes that constitute 60–65% of total WBCs
Lymphocytes	Are of two major types – 'B' and 'T' forms
Monocytes	Phagocytic agranulocytes that constitute only 6–8% of total WBCs
Erythrocytes	Non-nucleated formed elements that contain respiratory pigment

(NCERT Ed. 2025-26, 11th, Page No. 194)

110. (3)

GM plants have been useful in increasing crop yields, reduce post-harvest losses and also reduced reliance on chemical pesticides.

(NCERT Ed. 2025-26, 12th, Page No. 179)

111. (2)

Muscular tissue plays an active role in all the movements of the body. They contract in response to stimulation, then relax and return to their uncontracted state in a coordinated fashion.

(NCERT Ed. 2020-21, 11th, Page No. 104)

112. (1)

Pigments	Carotenoids, Anthocyanins, *etc.*
Alkaloids	Morphine, Codeine, *etc.*
Terpenoides	Monoterpenes, Diterpenes *etc.*
Essential oils	Lemon grass oil, *etc.*
Toxins	Abrin, Ricin
Lectins	Concanavalin A
Drugs	Vinblastin, curcumin, *etc*.
Polymeric substances	Rubber, gums, cellulose

(NCERT Ed. 2025-26, 11th, Page No. 108)

113. (1)

The afferent nerve fibres transmit impulses from tissues/organs to the CNS and the efferent fibres transmit regulatory impulses from the CNS to the concerned peripheral tissues/organs.

(NCERT Ed. 2025-26, 11th, Page No. 231)

[Contd...

114. (4)

The members of sub-phylum Vertebrata possess notochord during the embryonic period. The notochord is replaced by a cartilaginous or bony vertebral column in the adult. Thus, all vertebrates are chordates but all chordates are not vertebrates.

(NCERT Ed. 2025-26, 11th, Page No. 46)

115. (3)

In dicot leaf, mesophyll, which possesses chloroplasts and carry out photosynthesis, is made up of parenchyma. It has two types of cells – the palisade parenchyma and the spongy parenchyma. Vascular system includes vascular bundles, which can be seen in the veins and the midrib. The size of the vascular bundles are dependent on the size of the veins.

(NCERT Ed. 2025-26, 11th, Page No. 77)

116. (4)

Fimbriae - Attachment to rocks or host cell.

(NCERT Ed. 2025-26, 11th, Page No. 91)

117. (3)

Polygenic inheritance	Skin colour in humans
Sex-linked recessive trait	Colour blindness
Inborn error of metabolism	Phenylketonuria
Additional copy of 21st chromosome	Down's syndrome

(NCERT Ed. 2025-26, 12th, Page No. 75)

118. (1)

Aldosterone helps in maintenance of electrolytes, body fluid volume, osmotic pressure and blood pressure. Glucocorticoids, particularly cortisol, produces anti-inflammatory reactions and suppresses the immune response.

(NCERT Ed. 2025-26, 11th, Page No. 245)

119. (2)

Using a prism T.W. Engelmann split light into its spectral components and then illuminated a green alga, *Cladophora,* placed in a suspension of aerobic bacteria.

(NCERT Ed. 2025-26, 11th, Page No. 135)

120. (1)

In a true fruit, only the ovary of the flower develops into the fruit. The ovary contains the ovules, which, after fertilisation, become seeds within the fruit. Other parts of the flower like the calyx, thalamus, or other floral whorls do not contribute to the development of the true fruit.

(NCERT Ed. 2025-26, 12th, Page No. 20)

121. (3)

The testes are situated outside the abdominal cavity within a pouch called scrotum. The scrotum helps in maintaining the low temperature of the testes [2-2.5°C lower than the normal internal body temperature] necessary for spermatogenesis.

(NCERT Ed. 2025-26, 12th, Page No. 27)

122. (3)

During his pioneering and extensive explorations in the wilderness of South American jungles, the great German naturalist and geographer Alexander von Humboldt observed that within a region species richness increased with increasingexplored area, but only up to a limit.

(NCERT Ed. 2025-26, 12th, Page No. 220)

123. (3)

- The process of copying genetic information from one strand of the DNA into RNA is termed as transcription.
- The promoter and terminator flank the structural gene in a transcription unit.

(NCERT Ed. 2025-26, 12th, Page No. 92)

124. (2)

The essential chemical components of many coenzymes are vitamins, *e.g.*, coenzyme nicotinamide adenine dinucleotide (NAD) and NADP contain the vitamin niacin. Co-enzymes are organic compounds but their association with the apoenzyme is only transient, usually occurring during the course of catalysis.

(NCERT Ed. 2025-26, 11th, Page No. 118)

[Contd...

125. (2)

Cancer patients are given with substances called biological response modifiers such as α-interferons which activates their immune system and helps in destroying the tumor.

(NCERT Ed. 2025-26, 12th, Page No. 142)

126. (4)

In humans, the excretory system consists of a pair of kidneys, one pair of ureters, a urinary bladder and a urethra. Kidneys are situated close to the dorsal inner wall of abdomen. Inner to the medulla is a broad funnel shaped space with projections towards medullary pyramids, these projections are called renal calyces.

(NCERT Ed. 2025-26, 11th, Page No. 206)

127. (2)

During mid-1960s, three independent researches reported the purification and chemical characterisation of three different kinds of inhibitors: inhibitor-B, abscission II and dormin. Later all the three were proved to be chemically identical. It was named abscisic acid (ABA).

(NCERT Ed. 2025-26, 11th, Page No. 175)

128. (1)

Coenzyme A is required for the oxidative decarboxylation and the Krebs' cycle.

(NCERT Ed. 2025-26, 11th, Page No. 158)

129. (3)

If there is only one PMC in a microsporangium then the total number of male gametes produced by it is eight.

1 PMC = 4 pollen grain

$4 \times 2 = 8$ male gametes

(NCERT Ed. 2025-26, 12th, Page No. 7)

130. (3)

Primary treatment of sewage basically involves the physical removal of large and small particles, through filtration and sedimentation.

(NCERT Ed. 2025-26, 12th, Page No. 154)

131. (3)

Bacillus thuringiensis forms protein crystals during a particular phase of their growth. These crystals contain a toxic insecticidal protein. The Bt toxin protein exists as an inactive protoxin but once an insect ingest the inactive toxin, it is converted into its active form due to the alkaline pH of the insect gut.

(NCERT Ed. 2025-26, 12th, Page No. 179)

132. (3)

Vena cava pour blood into sinus venosus which joins the right atrium of frog. The ventricle opens into a sac-like structure called conus arteriosus.

(NCERT Ed. 2025-26, 11th, Page No. 82)

133. (2)

Petri Dish	Antiserum Present	Observation	Inference
P	Anti-A	Coagulation	A antigen present
Q	Anti-B	No coagulation	B antigen absent
R	Anti-Rh	Coagulation	Rh antigen present

Determine ABO blood group

- Agglutination with Anti-A ⇒ Blood has A antigen.
- No agglutination with Anti-B ⇒ Blood lacks B antigen.

Therefore, ABO blood group = A.

Determine Rh factor

- Agglutination with Anti-Rh ⇒ Rh antigen present.
- Hence, blood group is Rh positive (+).

(NCERT Ed. 2025-26, 11th, Page No. 195)

134. (4)

The rate of biomass production is expressed in terms of g m^{-2} yr^{-1}.

(NCERT Ed. 2025-26, 12th, Page No. 207)

135. (2)

Ovules in angiosperms may be either one or many in each ovary.

(NCERT Ed. 2025-26, 12th, Page No. 9)

[Contd...

136. (2)

Restriction endonucleases are enzymes that cut DNA molecules at specific recognition sequences. Since they degrade nucleic acids, they belong to the class nucleases.

Restriction endonucleases cut the phosphodiester bonds in the sugar-phosphate backbone of DNA.

The phosphodiester bond links:

- The phosphate group of one nucleotide
- To the sugar of the adjacent nucleotide

(NCERT Ed. 2025-26, 12th, Page No. 166)

137. (3)

Pea shows zygomorphic symmetry.

(NCERT Ed. 2025-26, 11th, Page No. 62)

138. (2)

Cyclosporin A	*Trichoderma polysporum*
Statin	*Monascus purpureus*
Streptokinase	*Streptococcus*
Butyric acid	*Clostridium butylicum*

(NCERT Ed. 2025-26, 12th, Page No. 153)

139. (3)

Francois Jacob and Jacque Monod	*lac* operon
Alec Jeffreys	DNA fingerprinting
Frederick Griffith	Transforming principle
James Watson and Francis Crick	Proposed double helical structure for DNA

(NCERT Ed. 2025-26, 12th, Page No. 100)

140. (4)

Transgenic animals are produced:-

To study how gene are regulated and how they affect the normal functions of body and its development. To study the diseases. To test vaccine safety and chemical safety. To obtain useful biological product.

(NCERT Ed. 2025-26, 12th, Page No. 183)

141. (3)

Pachytene	Crossing over and recombination
Diakinesis	Terminalisation of chiasmata
Leptotene	Gradual visibility of chromosomes under light microscope
Zygotene	Chromosome synapsis


(NCERT Ed. 2025-26, 11th, Page No. 126)

142. (1)

Cerebrum	Centre for intelligence, memory and voluntary actions
Cerebellum	Maintenance of posture and balance
Medulla Oblongata	Regulation of respiration and cardiovascular reflexes
Hypothalamus	Regulation of body temperature and hunger

(NCERT Ed. 2025-26, 11th, Page No. 236)

143. (2)



(NCERT Ed. 2025-26, 11th, Page No. 20)

144. (1)

Herbivores and plants	Predation
Mycorrhiza	Mutualism
Flamingoes and fishes	Competition
Orchid and mango tree	Commensalism

(NCERT Ed. 2025-26, 12th, Page No. 201)

145. (3)

The human liver fluke (a trematode parasite) depends on two intermediate hosts (a snail and a fish) to complete its life cycle.

(NCERT Ed. 2025-26, 12th, Page No. 200)

146. (4)

*Eco*RI produces sticky ends. It cuts the strand of DNA a little away from the centre of the palindrome site, but between the same two bases on the opposite strands, its recognition sequence is 5′ GAATTC 3′.

(NCERT Ed. 2025-26, 12th, Page No. 166)

147. (3)

Cancer cells divide continuously and escape normal growth regulation. Benign tumors remain localized. Metastasis and invasion are characteristics of malignant tumors, not benign tumors.

Examples of carcinogens:


- Chemicals: Tobacco smoke
- Radiations: UV rays, X-rays
- Viruses: HPV, EBV, HBV

Mutations in proto-oncogenes and tumor suppressor genes can lead to cancer.

(NCERT Ed. 2025-26, 12th, Page No. 141)

[Contd...

148. (4)



Z-line- Elastic fibre in the centre of each I-Band.

(NCERT Ed. 2025-26, 11th, Page No. 220)

149. (3)

A typical bacterial cell does not contain cilia.

(NCERT Ed. 2025-26, 11th, Page No. 91)

150. (3)

Acoelomate	Platyhelminthes
Pseudocoelomate	Aschelminthes
Coelomate	Annelida
Cellular aggregates	Porifera

(NCERT Ed. 2025-26, 11th, Page No. 39)

151. (4)

In *Porphyra* (red algae), the food is stored as floridean starch which is very similar to amylopectin and glycogen in structure.

(NCERT Ed. 2025-26, 11th, Page No. 27)

152. (4)

Pituitary gland is located in a bony cavity called sella tursica and is attached to hypothalamus by a stalk.

- Pineal gland - Dorsal side of forebrain
- Thymus gland - Ventral side of aorta
- Adrenal gland - Above each kidney.

(NCERT Ed. 2025-26, 11th, Page No. 241)

153. (2)

Primary productivity depends on the plant species inhabiting a particular area. It also depends on a variety of environmental factors, availability of nutrients and photosynthetic capacity of plants. Therefore, it varies in different types of ecosystems.

(NCERT Ed. 2025-26, 12th, Page No. 207)

154. (3)

Golgi apparatus	Form glycoproteins and glycolipids
Nucleolus	Ribosomal RNA
Cilia and flagella	Responsible for cell movement
Contractile vacuole	Microtubules

(NCERT Ed. 2025-26, 11th, Page No. 96)

155. (2)

- In binomial nomenclature, first word represents the genus and second component denotes the specific epithet.
- Both genus and specific epithet are printed in italics.
- Specific epithet first word starts with small letter.
- Genus is written before the specific epithet.
- Name of the author appears after the specific epithet

(NCERT Ed. 2025-26, 11th, Page No. 4)

156. (2)

A chain of 10 glucose molecules is a carbohydrate. Glucose molecules are linked by glycosidic bonds, not peptide bonds.

Peptide bonds are formed only between amino acids in proteins.

(NCERT Ed. 2025-26, 11th, Page No. 109)

157. (2)

Multiload-375 is a copper releasing IUD.

(NCERT Ed. 2025-26, 12th, Page No. 44)

158. (4)

Adult human haemoglobin consists of 4 subunits. Two of these are identical to each other. Hence, two subunits are of α type and two subunits are of β type together constitute the human haemoglobin (Hb). The tertiary structure represents the three-dimensional folding of a polypeptide.

This folding creates specific active sites and binding regions.

Loss of tertiary structure (denaturation) often leads to loss of biological activity

(NCERT Ed. 2025-26, 11th, Page No. 112)

159. (4)

The digestive system in the members of the phylum Platyhelminthes has only a single opening to the outside of the body that serves as both mouth and anus.

(NCERT Ed. 2025-26, 11th, Page No. 38)

160. (1)

Pituitary gland	Master gland controlling other endocrine glands
Thyroxine	Regulates basal metabolic rate
Adrenal medulla	Releases adrenaline during emergency
Pancreas	Regulates blood glucose level

(NCERT Ed. 2025-26, 11th, Page No. 243)

[Contd...

161. (4)

Popping of rivets- Causing a species to become extinct.

(NCERT Ed. 2025-26, 12th, Page No. 221)

162. (4)

Both PCT and DCT are responsible for secretion of H^+ and NH_3 into filtrate to maintain ionic balance and pH of the body fluids. Collecting duct also participate in maintaining pH and ionic balance of body fluids by secreting H^+ and NH_3 in body fluids but it is not a part of renal tubule.

(NCERT Ed. 2025-26, 11th, Page No. 209)

163. (4)

Sterilization does not affect body's ability to produce hormones and gametes. It inhibits meeting of gametes by blocking their transport and thereby prevent conception.

(NCERT Ed. 2025-26, 12th, Page No. 46)

164. (1)

Glycerol would enter the pathway after being converted to 3-phosphoglyceraldehyde (PGAL).

(NCERT Ed. 2025-26, 11th, Page No. 162)

165. (1)

Translation refers to the process of polymerisation of amino acids to form a polypeptide. The order and sequence of amino acids are defined by the sequence of bases in the mRNA.

(NCERT Ed. 2025-26, 12th, Page No. 98)

166. (2)

Based on observations made during a sea voyage in a sail ship called HMS Beagle round the world, Charles Darwin concluded that existing living forms share similarities to varying degrees not only among themselves but also with life forms that existed millions of years ago. Ernst Heckel gave embryological support for evolution which was disapproved by Karl Ernst von Baer. Lamarck gave the theory of use and disuse of organs.

(NCERT Ed. 2025-26, 12th, Page No. 112)

167. (3)

Cartilaginous rings also provide strength to ducts inside the lungs.

The incomplete cartilaginous rings are present upto initial bronchioles.

(NCERT Ed. 2025-26, 11th, Page No. 184)

168. (1)

In a monocot seed, the plumule and radicle are enclosed in sheaths which are called coleoptile and coleorhiza respectively.

(NCERT Ed. 2025-26, 11th, Page No. 67)

169. (2)

Laccifer is an arthropod and exhibits bilateral symmetry.

(NCERT Ed. 2025-26, 11th, Page No. 44)

170. (4)

Typhoid is also known as enteric fever.

It is caused by the bacterium *Salmonella typhi*.

Ringworm is caused by fungi.

Since the DNA is enclosed within the membranes, we have to break the cell open to release DNA along with other macromolecules such as RNA, proteins, polysaccharides and also lipids.

This can be achieved by treating the bacterial cells/plant or animal tissue with enzymes such as lysozyme (bacteria), cellulase (plant cells) and chitinase (fungus).

DNase cannot be used for DNA isolation because it is an enzyme that degrades DNA by breaking it down into smaller pieces.

(NCERT Ed. 2025-26, 12th, Page No. 171)

171. (4)

- Gibberellins also promotes boltingm (internode elongation just prior to flowering) in beet, cabbages and many plants with rosette habit.
- Abscisic acid(ABA) plays an important role in seed development, maturation and dormancy.
- Ethylene is used to initiate flowering pineapples. It also induces flowering in mango.

(NCERT Ed. 2025-26, 11th, Page No. 177)

172. (1)

Each lung is enclosed and protected by a double-layered serous membrane called the pleural membrane. Between these membranes there is small space called pleural cavity. The pleural fluid present in pleural cavity reduces friction between these two membranes.

The mediastinal surface of each lung consists a region through which bronchi, pulmonary blood vessels enter.

(NCERT Ed. 2025-26, 11th, Page No. 184)

173. (1)

Telophase II in meiosis ends with the formation of tetrad of cells i.e., four haploid daughter cells.

(NCERT Ed. 2025-26, 11th, Page No. 128)

[Contd...

174. (1)

Loss of biodiversity can occur due to over-exploitation of natural resources When alien species are introduced unintentionally or deliberately for whatever purpose, some of them turn invasive, and cause decline or extinction of indigenous species.

The recent illegal introduction of the African catfish *Clarias gariepinus* for aquaculture purposes is posing a threat to the indigenous catfishes in our rivers.

(NCERT Ed. 2025-26, 12th, Page No. 223)

175. (1)

In C_4 plants mesophyll cells lack RuBisCO enzyme while PEPcase is present. The bundle sheath cells are rich in an enzyme Ribulose bisphosphate carboxylase-oxygenase (RuBisCO), but lack PEPcase.

(NCERT Ed. 2025-26, 11th, Page No. 147)

176. (3)

The major pigments found in brown algae are chlorophyll *a*, *c* and fucoxanthin.

(NCERT Ed. 2025-26, 11th, Page No. 26)

177. (3)

Colletotrichum – Fungi

(NCERT Ed. 2025-26, 11th, Page No. 18)

178. (1)

Epidermis is usually single layered.

(NCERT Ed. 2025-26, 11th, Page No. 73)

179. (1)

Lion belongs to Felidae family.

(NCERT Ed. 2025-26, 11th, Page No. 6)

180. (3)

Evolution of herbicide resistant weeds, pesticide resistant pests and antibiotic resistant bacteria are examples of natural selection and anthropogenic action but new breeds of dogs produced by intensive breeding programmes is an example of anthropogenic action and artificial selection but not an example of natural selection.

(NCERT Ed. 2025-26, 12th, Page No. 115)

■■■