


(iii) if...elif...else statement:Syntax:

```

if (Test Cond 1):
    ... Block of stmts 1
elif (Test Cond 2):
    ... Block of stmts 2
elif (Test Cond 3):
    ... Block of stmts 3
    ...
elif (Test Cond-n):
    ... Block of stmts-n
else:
    ... Else Block of stmts
    other stmts in program
  
```

Flow Chart

⇒ if the Test Cond-1 is True then pvm executes Block of stmts-I and other stmts.

⇒ if the Test Cond-1 is false and if Test Cond-2 is True then pvm executes Block of stmts-II and other stmts

⇒ This process will be repeated until all test conditions evaluated and all the test conditions are false pvm executes else block of stmts and other stmts in program.

⇒ writing else block is optional.

program for accepting any digit and print its name

```

n = int(input("Enter a digit:"))
if (n == 0):
    print("{0} is zero".format(n))
elif (n == 1):
    print("{0} is one".format(n))
elif (n == 2):
    print("{0} is two".format(n))
  
```

```

elif (n==3):
    print("{} is three".format(n))
elif (n==4):
    print("{} is four".format(n))
elif (n==5):
    print("{} is five".format(n))
elif (n==6):
    print("{} is six".format(n))
elif (n==7):
    print("{} is seven".format(n))
elif (n==8):
    print("{} is eight".format(n))
elif (n==9):
    print("{} is nine".format(n))
⑦ elif (n in [-1, -2, -3, -4, -5, -6, -7, -8, -9]):
    print("{} is -ve digit".format(n))
⑧ elif (n not in [-1, -2, -3, -4, -5, -6, -7, -8, -9] and not in
        [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]):
    print("{} is Number".format(n))
print("program execution completed")

```

⇒ Simple in if se नीक चलता है।
 ⑦ और ⑧ line # वल if is same, यही रहेगा जो भी का जोसा है

Digit

```

d = {0: "zero", 1: "one", 2: "two", 3: "three", 4: "four", 5: "five",
      6: "six", 7: "seven", 8: "eight", 9: "nine"}

```

```

digit = int(input("Enter a digit: "))

```

```

res = d.get(digit)

```

```

if (res != None):

```

```

    print("{} is {}".format(digit, res))

```

```

else:

```

```

    print("{} is a number".format(digit))

```

```

d = {0: "zero", 1: "one", 2: "two", 3: "three", 4: "four", 5: "five",
     6: "six", 7: "seven", 8: "eight", 9: "nine"}

digit = int(input("Enter a digit"))
res = d.get(digit) if (d.get(digit) != None) else "It's a number"
print("{} is {}".format(digit, res))

# game
d = {}
digit = same
print("{} is {}".format(digit, d.get(digit))
      if (d.get(digit) != None) else "It's a number"))

# Even odd
n = int(input("Enter a Number:"))
if (n <= 0):
    print("{} is invalid input:".format(n))
else:
    if (n % 2 == 0):
        print("{} is even".format(n))
    else:
        print("{} is odd".format(n))

n = int(input("Enter a number:"))
if (n <= 0):
    print("{} is invalid input:".format(n))
elif (n % 2 == 0):
    print("{} is even".format(n))
elif (n % 2 != 0):
    print("{} is odd".format(n))

```

program for accepting any digit and print its name

```

In [8]: n = int(input("enter a number"))
if (n == 0):
    print("{} is zero".format(n))
elif (n == 1):
    print("{} is one".format(n))
elif (n == 2):
    print("{} is two".format(n))
elif (n == 3):
    print("{} is three".format(n))
elif (n == 4):
    print("{} is four".format(n))

```

```

elif(n==5):
    print("{} is five".format(n))
elif(n==6):
    print("{} is six".format(n))
elif(n==7):
    print("{} is seven".format(n))
elif(n==8):
    print("{} is eight".format(n))
elif(n==9):
    print("{} is nine".format(n))
elif(n in [-1,-2,-3,-4,-5,-6,-7,-8,-9]):
    print("{} is -ve digit".format(n))
elif(n not in [-1,-2,-3,-4,-5,-6,-7,-8,-9] and n not in [0,1,2,3,4,5,6,7,8,9]):
    print("{} is number".format(n))

```

854 is number

```

In [16]: #digit
d={0:"zero",1:"one",2:"two",3:"three",4:"four",5:"five",6:"six",7:"seven",8:"eig
digit=int(input("enter a digit"))
res=d.get(digit)
if(res!=None):
    print("{} is {}".format(digit,res))
else:
    print("{} is a number".format(digit))

```

-7 is a number

```

In [18]: #digit
d={0:"zero",1:"one",2:"two",3:"three",4:"four",5:"five",6:"six",7:"seven",8:"eig
digit=int(input("enter a digit"))
res=d.get(digit)
if(d.get(dict)!=None):
    print("{} is {}".format(digit,res))
else:
    print("{} is a number".format(digit))

```

-8 is a number

```

In [22]: #digit
d={0:"zero",1:"one",2:"two",3:"three",4:"four",5:"five",6:"six",7:"seven",8:"eig
digit=int(input("enter a digit"))
print("{} is {}".format(digit,d.get(digit)))
if(d.get(digit)!=None):
    print("{} is {}".format(digit,res))
else:
    print("{} is a number".format(digit))

```

123 is None

123 is a number

even or odd

```

In [25]: n=int(input("enter a number:"))
if(n<=0):
    print("{} is invalid number".format(n))
else:
    if(n%2==0):
        print("{} is a even number".format(n))
    else:
        print("{} is odd number".format(n))

```

5879 is odd number

```
In [28]: n=int(input("enter a number:"))
         if(n<=0):
             print("{} is invalid number".format(n))
         elif(n%2==0):
             print("{} is a even number".format(n))
         elif(n%2!=0):
             print("{} is a odd number".format(n))
```

1245697 is a odd number

In []: