
DBAndTableManagement
db_config
id BIGINT
name VARCHAR(255)
driver_class VARCHAR(255)
driver_url VARCHAR(255)
username VARCHAR(255)
password VARCHAR(255)
test_query VARCHAR(1024)
record_status VARCHAR(1)
Indexes
column_mapping
id BIGINT
table_mapping_id BIGINT
db_config_id BIGINT
column_name VARCHAR(255)
mapped_name VARCHAR(255)
col_type_name VARCHAR(100)
col_data_type INT
col_order INT
format_pattern VARCHAR(255)
static_mapping LONGTEXT
referenced_table BIGINT
referenced_id_col BIGINT
referenced_value_col BIGINT
active_for_manager TINYINT(1)
active_for_user TINYINT(1)
Indexes
PRIMARY
fk_column_mapping_persistable_object
fk_column_mapping_table_mapping
fk_column_mapping_db_config
fk_column_mapping_table_mapping_referenced_table
fk_column_mapping_column_mapping_referenced_id_col
fk_column_mapping_column_mapping_referenced_value_col
persistable_object
id BIGINT
obj_type INT
creator VARCHAR(50)
create_date TIMESTAMP
modifier VARCHAR(50)
modify_date TIMESTAMP
Indexes
PRIMARY
fk_persistable_object_creator
fk_persistable_object_modifier
table_mapping
id BIGINT
db_config_id BIGINT
catalog VARCHAR(255)
schema VARCHAR(255)
table_name VARCHAR(255)
mapped_name VARCHAR(255)
mapped_type INT
active_for_manager TINYINT(1)
active_for_user TINYINT(1)
table_mappingcol VARCHAR(45)
Indexes
PRIMARY
fk_table_mapping_persistable_object
fk_table_mapping_db_config
ReportBuilder
report_column
id BIGINT
dataset_id BIGINT
design_id BIGINT
design_version_id BIGINT
col_type INT
column_mapping_id BIGINT
report_column_id BIGINT
col_order INT
sort_order INT
sort_type TINYINT(1)
group_level INT
column_width INT
column_align VARCHAR(10)
column_dir VARCHAR(3)
column_header VARCHAR(255)
is_custom TINYINT(1)
formula LONGTEXT
Indexes
PRIMARY
fk_report_column_column_mapping
fk_report_column_report_column
fk_report_column_report_dataset
report_category
id BIGINT
name VARCHAR(255)
description VARCHAR(1024)
Indexes
PRIMARY
report_design
id BIGINT
version_id BIGINT
name VARCHAR(100)
description LONGTEXT
category_id BIGINT
query_text LONGTEXT
select_part LONGTEXT
result_data LONGTEXT
format_file LONGTEXT
is_current TINYINT(1)
record_status VARCHAR(1)
Indexes
PRIMARY
fk_report_design_report_category
report_dataset
id BIGINT
design_id BIGINT
design_version_id BIGINT
table_mapping_id BIGINT
base_report_id BIGINT
base_report_version_id BIGINT
ds_order INT
operator INT
Indexes
PRIMARY
fk_report_dataset_report_design_base_rpt
fk_report_dataset_report_design_id
fk_report_dataset_table_mapping
report_filter
id BIGINT
report_column_id BIGINT
report_column_dataset_id BIGINT
report_column_design_id BIGINT
report_column_design_version_id BIGINT
prefix VARCHAR(45)
operator VARCHAR(45)
suffix VARCHAR(45)
operand1 VARCHAR(255)
operand2 VARCHAR(255)
filter_type INT
operand1_column_id BIGINT
operand1_column_dataset_id BIGINT
operand1_column_design_id BIGINT
Indexes
PRIMARY
fk_report_filter_report_column_operand1
fk_report_filter_report_column_id
report_execution_history
id BIGINT
version_id BIGINT
execution_result LONGTEXT
is_current TINYINT(1)
record_status VARCHAR(1)
report_design_id BIGINT
report_design_version_id BIGINT
Indexes
PRIMARY
fk_report_execution_history_report_design
fk_report_execution_history_persistable_object
group_aggregation
id BIGINT
parent_column_id BIGINT
parent_column_dataset_id BIGINT
parent_column_design_id BIGINT
parent_column_design_version_id BIGINT
aggregated_report_column_id BIGINT
aggregated_report_column_dataset_id BIGINT
aggregated_report_column_design_id BIGINT
aggregated_report_column_design_version_id BIGINT
aggregation_function VARCHAR(45)
place INT
Indexes
PRIMARY
fk_group_aggregation_report_column_parent
fk_group_aggregation_report_column_aggregated


Security
users
id BIGINT
username VARCHAR(50)
password VARCHAR(50)
enabled TINYINT(1)
email VARCHAR(200)
Indexes
PRIMARY
fk_usr_persistable_object
id_UNIQUE
email_UNIQUE
authorities
username VARCHAR(50)
authority VARCHAR(50)
Indexes
ix_auth_username
persistent_logins
username VARCHAR(64)
series VARCHAR(64)
token VARCHAR(64)
last_used TIMESTAMP
Indexes
PRIMARY
group_authorities
group_id BIGINT
authority VARCHAR(50)
Indexes
fk_group_authorities_group
groups
id BIGINT
group_name VARCHAR(50)
Indexes
PRIMARY
fk_groups_persistable_object
id_UNIQUE
group_name_UNIQUE
group_members
id BIGINT
username VARCHAR(50)
group_id BIGINT
Indexes
PRIMARY
fk_group_members_group
acl_class
id BIGINT
class VARCHAR(100)
Indexes
PRIMARY
unique_uk_2
report_format
id BIGINT
version_id BIGINT
format_file LONGTEXT
is_current TINYINT(1)
record_status VARCHAR(1)
report_design_id BIGINT
report_design_version_id BIGINT
Indexes
PRIMARY
fk_report_format_report_design
fk_report_format_persistable_object
acl_entry
id BIGINT
acl_object_identity BIGINT
ace_order INT
sid BIGINT
mask INT
granting TINYINT(1)
audit_success TINYINT(1)
audit_failure TINYINT(1)
Indexes
PRIMARY
unique_acl_object_identity_order
fk_acl_entry_acl_sid
acl_object_identity
id BIGINT
object_id_class BIGINT
object_id_identity BIGINT
parent_object BIGINT
owner_sid BIGINT
entries_inheriting TINYINT(1)
Indexes
PRIMARY
unique_class_identity
fk_aoi_owner
fk_aoi_acl_sid
acl_sid
id BIGINT
principal TINYINT(1)
sid VARCHAR(100)
Indexes
PRIMARY
unique_principal_sid
user_message
id BIGINT
username VARCHAR(50)
message LONGTEXT
type INT
show TINYINT(1)
available_from TIMESTAMP
Indexes
fk_user_message_persistable_object
PRIMARY
id_UNIQUE
fk_user_message_users


Quartz Scheduler
QRTZ_FIRED_TRIGGERS
SCHED_NAME VARCHAR(120)
ENTRY_ID VARCHAR(95)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
INSTANCE_NAME VARCHAR(200)
FIRED_TIME BIGINT(13)
PRIORITY INT
STATE VARCHAR(16)
JOB_NAME VARCHAR(200)
JOB_GROUP VARCHAR(200)
IS_NONCONCURRENT VARCHAR(1)
REQUESTS_RECOVERY VARCHAR(1)
Indexes
QRTZ_TRIGGERS
SCHED_NAME VARCHAR(120)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
JOB_NAME VARCHAR(200)
JOB_GROUP VARCHAR(200)
DESCRIPTION VARCHAR(250)
NEXT_FIRE_TIME BIGINT(13)
PREV_FIRE_TIME BIGINT(13)
PRIORITY INT
TRIGGER_STATE VARCHAR(16)
TRIGGER_TYPE VARCHAR(8)
START_TIME BIGINT(13)
END_TIME BIGINT(13)
CALENDAR_NAME VARCHAR(200)
MISFIRE_INSTR SMALLINT(2)
JOB_DATA BLOB
Indexes
QRTZ_BLOB_TRIGGERS
SCHED_NAME VARCHAR(120)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
BLOB_DATA BLOB
Indexes
QRTZ_CRON_TRIGGERS
SCHED_NAME VARCHAR(120)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
CRON_EXPRESSION VARCHAR(120)
TIME_ZONE_ID VARCHAR(80)
Indexes
QRTZ_JOB_DETAILS
SCHED_NAME VARCHAR(120)
JOB_NAME VARCHAR(200)
JOB_GROUP VARCHAR(200)
DESCRIPTION VARCHAR(250)
JOB_CLASS_NAME VARCHAR(250)
IS_DURABLE VARCHAR(1)
IS_NONCONCURRENT VARCHAR(1)
IS_UPDATE_DATA VARCHAR(1)
REQUESTS_RECOVERY VARCHAR(1)
JOB_DATA BLOB
Indexes
QRTZ_PAUSED_TRIGGER_GRPS
SCHED_NAME VARCHAR(120)
TRIGGER_GROUP VARCHAR(200)
Indexes
QRTZ_CALENDARS
SCHED_NAME VARCHAR(120)
CALENDAR_NAME VARCHAR(200)
CALENDAR BLOB
Indexes
QRTZ_SIMPROP_TRIGGERS
SCHED_NAME VARCHAR(120)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
STR_PROP_1 VARCHAR(512)
STR_PROP_2 VARCHAR(512)
STR_PROP_3 VARCHAR(512)
INT_PROP_1 INT
INT_PROP_2 INT
LONG_PROP_1 BIGINT
LONG_PROP_2 BIGINT
DEC_PROP_1 DECIMAL(13,4)
DEC_PROP_2 DECIMAL(13,4)
BOOL_PROP_1 VARCHAR(1)
BOOL_PROP_2 VARCHAR(1)
Indexes
QRTZ_SIMPLE_TRIGGERS
SCHED_NAME VARCHAR(120)
TRIGGER_NAME VARCHAR(200)
TRIGGER_GROUP VARCHAR(200)
REPEAT_COUNT BIGINT(7)
REPEAT_INTERVAL BIGINT(12)
TIMES_TRIGGERED BIGINT(10)
Indexes
QRTZ_SCHEDULER_STATE
SCHED_NAME VARCHAR(120)
INSTANCE_NAME VARCHAR(200)
LAST_CHECKIN_TIME BIGINT(13)
CHECKIN_INTERVAL BIGINT(13)
Indexes
QRTZ_LOCKS
SCHED_NAME VARCHAR(120)
LOCK_NAME VARCHAR(40)
Indexes