

Final Report of Node.Js

on

"LpuPay"

Submitted by

Md Asif Ayub (Roll: A05) Reg no: 11702328

To

Neha Sharma

**Couse Code:** 

**INT222** 

Section: KM014

School of Computer Science & Engineering Lovely Professional University, Phagwara

#### TABLE OF CONTENTS

•	Website Name03
•	Introduction04
•	Brief overview of what Functionality inside the website05
•	Now It's Time for Code Explanation7
	1. Index.html of some code7
	2. Index.js some code8
	3. Package-lock.json some code9
	4. Package.json some code10
	5gitignore files11

# **My Projects GitHub Link**

https://github.com/mdasifayub/LpupayNode.js

### **Website Name**

# "LpuPay"

This document is Report of Node.Js Frame work!!!

• It's works on localhost 3000!!

### Introduction

• **LpuPay web** is a like professional payment board that helps the employer, agent and customer to receive a payment or send a payment by the using of paypal and you can use debit card or credit card also.

Brief overview of what Functionality inside the website:

ShortTermCourse: Full Stack Development Using MERN

Buy For \$25


Buy



This is Front-end part which includes buy button:


By clicking buy button you can move on payment page.

# You can See Payment Page:



You can also cancel the payment by clicking on cancel payment button

Or you can pay with credit or debit card also.




#### • Account page

You can create a personal or business account for accepting and sending the money.

# Now It's Time for Code Explanation: -

#### Index.html



#### • Some code of index.js

```
刘 File Edit Selection View Go Run Terminal Help
                                                                                                                                                                    tე II ...
                                                       JS index.js X ♦ .gitignore
                                        JS index.js > \( \begin{cases} \text{client_secret} \)
     > OPEN EDITORS
                                          1 const express = require("express");
const paypal = require("paypal-rest-sdk");
      .gitignore
                                              paypal.configure({
      o index.html
                                                mode: "sandbox", //sandbox or live
      JS index.js
                                                client_id:
      {} package-lock.json
                                                'AUpMfNt1bPGYWDEjc8Nqd1b5BAkMYxayzUqTK0vBYxNxtKSA0shviuyvj0h15xC3Dh79hd7VNcwDcARl',
      {} package.json
                                                client secret:
                                              'EFUHo1u2UpWjFe89ZJKZY_MRAdG3btn1rroCu2fL-4koMjQiw2LWIxXd2rlszzqA3oElQ2mMtaR172wQ',
                                              const PORT = process.env.PORT || 3000;
                                              const app = express();
                                              app.get("/", (req, res) => res.sendFile(__dirname + "/index.html"));
                                         18 app.post("/pay", (req, res) => {
                                                const create_payment_json = {
                                                 intent: "sale",
                                                  payer: {
                                                    payment_method: "paypal",
                                                  redirect_urls: {
                                                    return_url: "https://paypalnode.herokuapp.com/success",
                                                    cancel_url: "https://paypalnode.herokuapp.com/cancel",
                                                  transactions: [
                                                      item_list: {
     > OUTLINE
                                                        items: [
₹% > TIMELINE
     > NPM SCRIPTS
& main ⊕ ⊗0∆0
                                                                                                                                   Ln 9, Col 86 Spaces: 2 UTF-8 LF JavaScript 🔊 🚨
```


#### Some code of package-lock.json

```
🌂 File Edit Selection View Go Run Terminal Help
                                                                                                                                                                       ţე <u>II</u> ...
      EXPLORER
                                                                        1) package-lock.json X
    > OPEN EDITORS
                                         {} package-lock.json > ...
    ∨ LPUPAY
                                                  "name": "paypalproject",
                                                  "version": "1.0.0",
      .gitignore
                                                  "lockfileVersion": 1,
      o index.html
                                                  "requires": true,
      JS index.js
                                                  "dependencies": {
      {} package-lock.json
                                                    "@sindresorhus/is": {
      {} package.json
                                                      "version": "0.14.0",
                                                      "resolved": "https://registry.npmjs.org/@sindresorhus/is/-/is-0.14.0.tgz",
                                                      "integrity": "sha512-9NET910DNaIPngYnLLPeg+Ogzqsi9uN4mSboU5y6p8SSDzMTVEsJZrawi+BoDNUVBa2DhJqQYUFvMDfgU062
                                                    "@szmarczak/http-timer": {
                                                      "version": "1.1.2",
                                                      "resolved": "https://registry.npmjs.org/@szmarczak/http-timer/-/http-timer-1.1.2.tgz",
                                                      "integrity": "sha512-XIB2XbzHTN6ieIjfINV9hlVcfPU26s2vafYNQcZHNXHOxiaRZYEDKEwdl129Zyg50+foYV2jCgtrqSA6qNuN
                                                      "requires": {
                                                        "defer-to-connect": "^1.0.1"
                                                    "abbrev": {
                                                      "version": "1.1.1",
                                                      "resolved": "https://registry.npmjs.org/abbrev/-/abbrev-1.1.1.tgz",
                                                      "integrity": "sha512-nne9/IiQ/hzIhY6pdDnbBtz7DjPTKrY00P/zvPSm5pOFkl6xuGrGnXn/VtTNNfNtAfZ9/1RtehkszU9qcTii
                                                    "accepts": {
                                                      "version": "1.3.7",
                                                      "resolved": "https://registry.npmjs.org/accepts/-/accepts-1.3.7.tgz",
                                                      "integrity": "sha512-I180Qs2WjYlJIBNzNkK6KYqlVMTbZLXgHx2oT0pU/fjRHyEp+PEfEPY0R3WCwAGVOtauxh1hOxNgIf5bv7dQ
                                                      "requires": {
                                                        "mime-types": "~2.1.24",
    ) OUTLINE
                                                        "negotiator": "0.6.2"
    > TIMELINE
    > NPM SCRIPTS
P main → ⊗0 Δ0
                                                                                                                                         Ln 4, Col 24 Spaces: 2 UTF-8 LF JSON R Q
```

## • Package.json code

```
th □ ···
                                                                                         {} package.json X
     > OPEN EDITORS
                                                  {} package.json > ...
                                                            "name": "paypalproject",
"version": "1.0.0",
       .gitignore
                                                             "description": "",
       o index.html
                                                             "main": "index.js",
       JS index.js
                                                            Debug
"scripts": {
       {} package-lock.json
       {} package.json
                                                             "keywords": [],
                                                            "author": "",
"license": "ISC",
                                                             "dependencies": {
                                                               "express": "^4.17.1",
"nodemon": "^2.0.6",
"paypal-rest-sdk": "^1.8.1"
     > OUTLINE
     > TIMELINE
     > NPM SCRIPTS
° main → ⊗0 △0
```

# .Gitignore



My Projects GitHub Link
https://github.com/mdasifayub/LpupayNode.js

