

HTML Snippet Analysis and Refactoring

<https://gemini.google.com/app/d07dc593ee4d5a7b>

User prompt: <div class="h-[300vh] w-[calc(100vw-20px)] py-40 overflow-hidden antialiased relative flex flex-col self-auto [perspective:1000px] [transform-style:preserve-3d]"><div class="max-w-7xl relative mx-auto py-20 md:py-40 px-4 w-full left-0 top-0 text-center"><div class="grid place-items-center"><h1 class="text-2xl md:text-7xl font-bold dark:text-white">Stop Juggling Systems. Start Scaling Your Network.</h1><p class="max-w-4xl text-base md:text-xl mt-8 dark:text-neutral-200 text-center">Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation, chasing payments, managing different router brands, and preventing revenue loss are constant struggles. You need a single solution that just works. XenFi is the ISP management software built to solve these exact problems. We replace your complex, multi-system setup with one powerful, automated platform, giving you back your time and boosting your profits.</p></div></div><div style="opacity: 1; transform: translateY(500px);" class=""><div class="flex flex-row-reverse space-x-reverse space-x-20 mb-20"><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Main Dashboard Light</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Main Dashboard Dark</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Router Dashboard Light</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Router Dashboard Dark</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Bandwidth Dashboard Light</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Bandwidth Dashboard Dark</h2></div><div style="transform: translateX(-1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Top Data Users Light</h2></div><div style="transform: translateX(-1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Top Data Users Dark</h2></div><div style="transform: translateX(-1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Remote Access Light</h2></div><div style="transform: translateX(-1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div></div></div></div>

```
url=%2Fscreenshots%2F06_voucher_table_light.png&w=1200&q=75"><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Voucher Table Light</h2></div></div><div class="flex flex-row-reverse space-x-reverse space-x-20"><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Voucher Table Dark</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Voucher PDF Download Light</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Voucher PDF Download Dark</h2></div></div></div></div>
```

Response: This is the HTML snippet for a landing page section featuring **XenFi**, an ISP (Internet Service Provider) and hotspot management software platform.

It is built using **Next.js** (`/_next/image`), **Tailwind CSS**, and UI components (specifically styled after Aceternity UI's *Hero Parallax* component).

Content Overview

- **Headline:** "Stop Juggling Systems. Start Scaling Your Network."
- **Core Pitch:** Replaces manual PPPoE user creation, multi-system setups, and payment chasing with a single automated management platform.
- **Featured Product Views:** Includes image cards showcasing dashboard views in light and dark themes:
 - Main Dashboard
 - Router Dashboard
 - Bandwidth Dashboard
 - Top Data Users
 - Remote Access
 - Voucher Tables & PDF Downloads

How to Clean & Format This Markup

If you're looking to clean up this code for a standard JSX/React project using standard Tailwind styling without `hardcodedInline` styles (`style="transform: ..."`), here is a streamlined component version:

```
import React from "react";
import Image from "next/image";

const screenshots = [
  { title: "Main Dashboard Light", src: "/screenshots/01_main_dashboard_light.png" },
  { title: "Main Dashboard Dark", src: "/screenshots/01_main_dashboard_dark.png" },
  { title: "Router Dashboard Light", src: "/screenshots/02_router_dashboard_light.png" },
  { title: "Router Dashboard Dark", src: "/screenshots/02_router_dashboard_dark.png" },
  { title: "Bandwidth Dashboard Light", src: "/screenshots/03_bandwidth_dashboard_light.png" },
  { title: "Bandwidth Dashboard Dark", src: "/screenshots/03_bandwidth_dashboard_dark.png" },
  { title: "Top Data Users Light", src: "/screenshots/04_top_data_users_light.jpg" },
  { title: "Top Data Users Dark", src: "/screenshots/04_top_data_users_dark.jpg" },
  { title: "Remote Access Light", src: "/screenshots/05_remote_light.png" },
  { title: "Voucher Table Light", src: "/screenshots/06_voucher_table_light.png" },
  { title: "Voucher Table Dark", src: "/screenshots/06_voucher_table_dark.png" },
  { title: "Voucher PDF Download Light", src: "/screenshots/07_voucher_pdf_download_light.png" },
  { title: "Voucher PDF Download Dark", src: "/screenshots/07_voucher_pdf_download_dark.png" },
];

export default function HeroParallaxHeader() {
  return (
```

```

<section className="relative flex flex-col py-20 md:py-40 antialiased">
  { /* Header Text */ }
  <div className="max-w-7xl mx-auto px-4 w-full text-center">
    <div className="grid place-items-center">
      <h1 className="text-2xl md:text-7xl font-bold dark:text-white">
        Stop Juggling Systems. Start Scaling Your Network.
      </h1>
      <p className="max-w-4xl text-base md:text-xl mt-8 dark:text-neutral-200">
        Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation,
        chasing payments, managing different router brands, and preventing revenue loss are constant strug
        You need a single solution that just works.
      </p>
      <p className="max-w-4xl text-base md:text-xl mt-4 dark:text-neutral-200">
        <strong>XenFi</strong> is the ISP management software built to solve these exact problems.
        We replace your complex, multi-system setup with one powerful, automated platform—giving
        you back your time and boosting your profits.
      </p>
    </div>
  </div>

  { /* Grid Display of Screenshots */ }
  <div className="max-w-7xl mx-auto mt-16 px-4 grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
    {screenshots.map((item, index) => (
      <div
        key={index}
        className="group relative h-64 w-full overflow-hidden rounded-xl bg-neutral-900 border border-neut
      >
        <Image
          src={item.src}
          alt={item.title}
          fill
          className="object-cover object-left-top transition-transform duration-300 group-hover:scale-105'
        />
        <div className="absolute inset-0 bg-black/60 opacity-0 group-hover:opacity-100 transition-opacity
          <h3 className="text-white font-medium text-sm">{item.title}</h3>
        </div>
      </div>
    ))}
  </div>
</section>
);
}

```

User prompt: How can I recreate this as a full 3D scroll-parallax effect using Framer Motion in Next.js?

Response: Here is how you can recreate this 3D scroll-parallax effect (popularized by Aceternity UI's *Hero Parallax* component) using **Framer Motion**, **Tailwind CSS**, and **Next.js**.

The magic behind this effect comes from combining three Framer Motion concepts:

1. `useScroll`: Tracks the page scroll position relative to the container.
2. `useTransform`: Maps scroll progress (0 to 1) to rotation, translation, and 3D depth angles.
3. `useSpring`: Smooths out trackpad and scroll wheel movements so motion feels fluid rather than jittery.

Step 1: Install Dependencies

Ensure you have Framer Motion installed in your Next.js project:

```
npm install framer-motion clsx tailwind-merge
```

Step 2: Create the HeroParallax Component

Create `components/ui/hero-parallax.tsx` (using the `'use client'` directive since scroll listeners run on the client):

```

'use client';

import React, { useRef } from 'react';
import Image from 'next/image';
import {
  motion,
  useScroll,

```

```

    useTransform,
    useSpring,
    MotionValue,
  } from 'framer-motion';

export interface ProductCardProps {
  title: string;
  thumbnail: string;
}

export const HeroParallax = ({
  products,
}: {
  products: ProductCardProps[];
}) => {
  // Split products into three distinct rows for alternating scroll directions
  const firstRow = products.slice(0, 5);
  const secondRow = products.slice(5, 10);
  const thirdRow = products.slice(10, 15);

  const containerRef = useRef<HTMLDivElement>(null);

  // Track page scroll progress inside the container
  const { scrollYProgress } = useScroll({
    target: containerRef,
    offset: ['start start', 'end start'],
  });

  // Physics spring config to smooth out raw scroll input
  const springConfig = { stiffness: 300, damping: 30, bounce: 0 };

  // Smooth transforms
  const rotateX = useSpring(
    useTransform(scrollYProgress, [0, 0.2], [15, 0]),
    springConfig
  );
  const opacity = useSpring(
    useTransform(scrollYProgress, [0, 0.2], [0.2, 1]),
    springConfig
  );
  const rotateZ = useSpring(
    useTransform(scrollYProgress, [0, 0.2], [20, 0]),
    springConfig
  );
  const translateY = useSpring(
    useTransform(scrollYProgress, [0, 0.2], [-700, 500]),
    springConfig
  );

  // Row horizontal translations (alternating directions)
  const translateX = useSpring(
    useTransform(scrollYProgress, [0, 1], [0, 1000]),
    springConfig
  );
  const translateXReverse = useSpring(
    useTransform(scrollYProgress, [0, 1], [0, -1000]),
    springConfig
  );

  return (
    <div
      ref={containerRef}
      className="h-[300vh] py-40 overflow-hidden antialiased relative flex flex-col self-auto [perspective:1000px]"
    >
      <Header />
      <motion.div
        style={{
          rotateX,
          rotateZ,
          translateY,
          opacity,
        }}
        className=""
      />
    >

```

```

    {/* Row 1: Moves Right */}
    <div className="flex flex-row-reverse space-x-reverse space-x-20 mb-20">
      {firstRow.map((product) => (
        <ProductCard
          product={product}
          translate={translateX}
          key={product.title}
        />
      ))}
    </div>

    {/* Row 2: Moves Left */}
    <div className="flex flex-row mb-20 space-x-20">
      {secondRow.map((product) => (
        <ProductCard
          product={product}
          translate={translateXReverse}
          key={product.title}
        />
      ))}
    </div>

    {/* Row 3: Moves Right */}
    <div className="flex flex-row-reverse space-x-reverse space-x-20">
      {thirdRow.map((product) => (
        <ProductCard
          product={product}
          translate={translateX}
          key={product.title}
        />
      ))}
    </div>
  </motion.div>
</div>
);
};

export const Header = () => {
  return (
    <div className="max-w-7xl relative mx-auto py-20 md:py-40 px-4 w-full left-0 top-0 text-center">
      <div className="grid place-items-center">
        <h1 className="text-2xl md:text-7xl font-bold dark:text-white text-neutral-900">
          Stop Juggling Systems. <br /> Start Scaling Your Network.
        </h1>
        <p className="max-w-4xl text-base md:text-xl mt-8 dark:text-neutral-200 text-neutral-600">
          Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation,
          chasing payments, managing different router brands, and preventing revenue loss are constant struggl
          XenFi replaces your complex setup with one powerful, automated platform.
        </p>
      </div>
    </div>
  );
};

export const ProductCard = ({
  product,
  translate,
}: {
  product: ProductCardProps;
  translate: MotionValue<number>;
}) => {
  return (
    <motion.div
      style={{
        x: translate,
      }}
      whileHover={{
        y: -20,
      }}
      key={product.title}
      className="group/product h-96 w-[30rem] relative flex-shrink-0 rounded-xl overflow-hidden"
    >
      <Image
        src={product.thumbnail}

```

```

        height="600"
        width="600"
        className="object-cover object-left-top absolute h-full w-full inset-0"
        alt={product.title}
      />
      <div className="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer
      <h2 className="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white font-medium
        {product.title}
      </h2>
    </motion.div>
  );
};

```

Step 3: Implement on Your Page

Now import the component and pass your array of screenshots:

```

// app/page.tsx
import { HeroParallax } from "@components/ui/hero-parallax";

const products = [
  { title: "Main Dashboard Light", thumbnail: "/screenshots/01_main_dashboard_light.png" },
  { title: "Main Dashboard Dark", thumbnail: "/screenshots/01_main_dashboard_dark.png" },
  { title: "Router Dashboard Light", thumbnail: "/screenshots/02_router_dashboard_light.png" },
  { title: "Router Dashboard Dark", thumbnail: "/screenshots/02_router_dashboard_dark.png" },
  { title: "Bandwidth Dashboard Light", thumbnail: "/screenshots/03_bandwidth_dashboard_light.png" },
  { title: "Bandwidth Dashboard Dark", thumbnail: "/screenshots/03_bandwidth_dashboard_dark.png" },
  { title: "Top Data Users Light", thumbnail: "/screenshots/04_top_data_users_light.jpg" },
  { title: "Top Data Users Dark", thumbnail: "/screenshots/04_top_data_users_dark.jpg" },
  { title: "Remote Access Light", thumbnail: "/screenshots/05_remote_light.png" },
  { title: "Voucher Table Light", thumbnail: "/screenshots/06_voucher_table_light.png" },
  { title: "Voucher Table Dark", thumbnail: "/screenshots/06_voucher_table_dark.png" },
  { title: "Voucher PDF Download Light", thumbnail: "/screenshots/07_voucher_pdf_download_light.png" },
  { title: "Voucher PDF Download Dark", thumbnail: "/screenshots/07_voucher_pdf_download_dark.png" },
];

export default function Page() {
  return (
    <main className="bg-neutral-950 min-h-screen">
      <HeroParallax products={products} />
    </main>
  );
}

```

Key Technical Details

- h-[300vh] Height:** Creates a tall scrolling track so the user spends plenty of scroll distance moving through the 3D rotation before reaching the normal section content below.
- [perspective:1000px] & [transform-style:preserve-3d]:** These CSS utilities on the wrapper activate 3D spatial rendering for children in Tailwind CSS.
- useSpring:** Wrapping raw transformations in useSpring prevents the animation from feeling robotic by adding natural momentum and inertia when scrolling stops.

User prompt: <div class="h-[300vh] w-[calc(100vw-20px)] py-40 overflow-hidden antialiased relative flex flex-col self-auto [perspective:1000px] [transform-style:preserve-3d]"><div class="max-w-7xl relative mx-auto py-20 md:py-40 px-4 w-full left-0 top-0 text-center"><div class="grid place-items-center"><h1 class="text-2xl md:text-7xl font-bold dark:text-white">Stop Juggling Systems. Start Scaling Your Network.</h1><p class="max-w-4xl text-base md:text-xl mt-8 dark:text-neutral-200 text-center">Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation, chasing payments, managing different router brands, and preventing revenue loss are constant struggles. You need a single solution that just works. XenFi is the ISP management software built to solve these exact problems. We replace your complex, multi-system setup with one powerful, automated platform, giving you back your time and boosting your profits.</p></div></div><div style="opacity: 1; transform: translateY(500px);" class=""><div class="flex flex-row-reverse space-x-reverse space-x-20 mb-20"><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div><div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Main Dashboard Light</h2></div><div style="transform: translateX(1000px);" class="group/product h-96 w-[30rem] relative flex-shrink-0"></div></div></div>

7/25

hover/product:opacity-80 bg-black pointer-events-none"></div><h2 class="absolute bottom-4 left-4 opacity-0 group-hover/product:opacity-100 text-white">Voucher PDF Download Dark</h2></div></div></div></div> Give the equivalent plain HTML & plain CSS3 code for the above snippet

Response: Here is the equivalent markup written in standard **plain HTML5 and plain CSS3**, removing all Tailwind utility classes, Next.js inline styles, and framework dependencies.

HTML

```
<section class="parallax-container">
  <!-- Hero Header -->
  <div class="hero-header">
    <div class="header-content">
      <h1 class="hero-title">Stop Juggling Systems. Start Scaling Your Network.</h1>
      <p class="hero-description">
        Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation,
        chasing payments, managing different router brands, and preventing revenue loss are constant struggles.
        You need a single solution that just works.<br><br>
        XenFi is the ISP management software built to solve these exact problems. We replace your
        complex, multi-system setup with one powerful, automated platform, giving you back your time
        and boosting your profits.
      </p>
    </div>
  </div>

  <!-- Parallax Grid Stage -->
  <div class="parallax-stage">

    <!-- Row 1 (Right Aligned) -->
    <div class="card-row row-reverse">
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Main Dashboard Light</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Main Dashboard Dark</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Router Dashboard Light</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Router Dashboard Dark</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Bandwidth Dashboard Light</h2>
      </div>
    </div>

    <!-- Row 2 (Left Aligned) -->
    <div class="card-row row-forward">
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Bandwidth Dashboard Dark</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Top Data Users Light</h2>
      </div>
      <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Top Data Users Dark</h2>
      </div>
      <div class="product-card">
```

```

        
        <div class="card-overlay"></div>
        <h2 class="card-title">Remote Access Light</h2>
    </div>
    <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Voucher Table Light</h2>
    </div>
</div>

<!-- Row 3 (Right Aligned) -->
<div class="card-row row-reverse">
    <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Voucher Table Dark</h2>
    </div>
    <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Voucher PDF Download Light</h2>
    </div>
    <div class="product-card">
        
        <div class="card-overlay"></div>
        <h2 class="card-title">Voucher PDF Download Dark</h2>
    </div>
</div>
</div>
</section>

```

CSS3

```

/* Container & 3D Perspective Setup */
.parallax-container {
    min-height: 300vh;
    width: calc(100vw - 20px);
    padding-top: 10rem;
    padding-bottom: 10rem;
    overflow: hidden;
    position: relative;
    display: flex;
    flex-direction: column;
    perspective: 1000px;
    -webkit-font-smoothing: antialiased;
}

/* Header Styling */
.hero-header {
    max-width: 80rem;
    margin-left: auto;
    margin-right: auto;
    padding-top: 5rem;
    padding-bottom: 5rem;
    padding-left: 1rem;
    padding-right: 1rem;
    width: 100%;
    position: relative;
    text-align: center;
}

.header-content {
    display: grid;
    place-items: center;
}

.hero-title {
    font-size: 1.5rem;
    font-weight: 700;
    color: #ffffff;
}

```

```
@media (min-width: 768px) {
  .hero-title {
    font-size: 4.5rem;
  }
}

.hero-description {
  max-width: 56rem;
  font-size: 1rem;
  margin-top: 2rem;
  color: #e5e5e5;
  text-align: center;
}

@media (min-width: 768px) {
  .hero-description {
    font-size: 1.25rem;
  }
}

/* 3D Stage Assembly */
.parallax-stage {
  transform-style: preserve-3d;
  opacity: 1;
  /* Base position, typically updated dynamically via scroll listeners */
  transform: translateY(500px);
}

/* Card Rows Layout */
.card-row {
  display: flex;
  column-gap: 5rem;
  margin-bottom: 5rem;
}

.card-row.row-reverse {
  flex-direction: row-reverse;
}

.card-row.row-forward {
  flex-direction: row;
}

/* Individual Product Cards */
.product-card {
  height: 24rem;
  width: 30rem;
  position: relative;
  flex-shrink: 0;
  border-radius: 0.75rem;
  overflow: hidden;
  /* Initial translation offset prior to JS animation */
  transform: translateX(0);
  transition: transform 0.3s ease;
}

.product-card img {
  position: absolute;
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
  width: 100%;
  height: 100%;
  object-fit: cover;
  object-position: left top;
}

/* Dark Overlay on Hover */
.card-overlay {
  position: absolute;
  top: 0;
  right: 0;
  bottom: 0;
}
```

```

    left: 0;
    width: 100%;
    height: 100%;
    background-color: #000000;
    opacity: 0;
    pointer-events: none;
    transition: opacity 0.3s ease;
}

.product-card:hover .card-overlay {
    opacity: 0.8;
}

/* Hover Title */
.card-title {
    position: absolute;
    bottom: 1rem;
    left: 1rem;
    color: #ffffff;
    font-size: 1rem;
    font-weight: 500;
    opacity: 0;
    transition: opacity 0.3s ease;
}

.product-card:hover .card-title {
    opacity: 1;
}

```

User prompt: Redo everything using different class names

Response: Here is the exact same structure and functionality rewritten using completely distinct BEM-style (Block Element Modifier) class names.

Plain HTML5

```

<section class="network-showcase">
  <!-- Headline & Intro Section -->
  <header class="network-showcase__header">
    <div class="network-showcase__content">
      <h1 class="network-showcase__heading">
        Stop Juggling Systems. Start Scaling Your Network.
      </h1>
      <p class="network-showcase__summary">
        Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation,
        chasing payments, managing different router brands, and preventing revenue loss are constant struggles.
        You need a single solution that just works.<br><br>
        XenFi is the ISP management software built to solve these exact problems. We replace your
        complex, multi-system setup with one powerful, automated platform, giving you back your time
        and boosting your profits.
      </p>
    </div>
  </header>

  <!-- Animated Parallax viewport -->
  <div class="network-showcase__viewport">

    <!-- Top Row (Right-to-Left Layout) -->
    <div class="showcase-strip showcase-strip--align-end">
      <article class="preview-tile">
        </div>
        <h2 class="preview-tile__caption">Main Dashboard Light</h2>
      </article>

      <article class="preview-tile">
        </div>
        <h2 class="preview-tile__caption">Main Dashboard Dark</h2>
      </article>

      <article class="preview-tile">
        </div>
    <h2 class="preview-tile__caption">Router Dashboard Light</h2>
</article>

<article class="preview-tile">
  
  <div class="preview-tile__shade"></div>
  <h2 class="preview-tile__caption">Router Dashboard Dark</h2>
</article>

<article class="preview-tile">
  
  <div class="preview-tile__shade"></div>
  <h2 class="preview-tile__caption">Bandwidth Dashboard Light</h2>
</article>
</div>

<!-- Middle Row (Left-to-Right Layout) -->
<div class="showcase-strip showcase-strip--align-start">
  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Bandwidth Dashboard Dark</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Top Data Users Light</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Top Data Users Dark</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Remote Access Light</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Voucher Table Light</h2>
  </article>
</div>

<!-- Bottom Row (Right-to-Left Layout) -->
<div class="showcase-strip showcase-strip--align-end">
  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Voucher Table Dark</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Voucher PDF Download Light</h2>
  </article>

  <article class="preview-tile">
    
    <div class="preview-tile__shade"></div>
    <h2 class="preview-tile__caption">Voucher PDF Download Dark</h2>
  </article>
</div>
</div>
</section>

```

Plain CSS3

```
/* Container Frame */
.network-showcase {
  min-height: 300vh;
  width: calc(100vw - 20px);
  padding: 10rem 0;
  overflow: hidden;
  position: relative;
  display: flex;
  flex-direction: column;
  perspective: 1000px;
  -webkit-font-smoothing: antialiased;
}

/* Header & Text Block */
.network-showcase__header {
  max-width: 80rem;
  margin: 0 auto;
  padding: 5rem 1rem;
  width: 100%;
  position: relative;
  text-align: center;
}

.network-showcase__content {
  display: grid;
  place-items: center;
}

.network-showcase__heading {
  font-size: 1.5rem;
  font-weight: 700;
  color: #ffffff;
}

@media (min-width: 768px) {
  .network-showcase__heading {
    font-size: 4.5rem;
  }
}

.network-showcase__summary {
  max-width: 56rem;
  font-size: 1rem;
  margin-top: 2rem;
  color: #e5e5e5;
  text-align: center;
}

@media (min-width: 768px) {
  .network-showcase__summary {
    font-size: 1.25rem;
  }
}

/* 3D Transform Viewport */
.network-showcase__viewport {
  transform-style: preserve-3d;
  opacity: 1;
  transform: translateY(500px);
}

/* Horizontal Card Strips */
.showcase-strip {
  display: flex;
  column-gap: 5rem;
  margin-bottom: 5rem;
}

.showcase-strip--align-end {
  flex-direction: row-reverse;
}
```

```

.showcase-strip--align-start {
  flex-direction: row;
}

/* Individual Preview Cards */
.preview-tile {
  height: 24rem;
  width: 30rem;
  position: relative;
  flex-shrink: 0;
  border-radius: 0.75rem;
  overflow: hidden;
  transform: translateX(0);
  transition: transform 0.3s ease;
}

.preview-tile__image {
  position: absolute;
  inset: 0;
  width: 100%;
  height: 100%;
  object-fit: cover;
  object-position: left top;
}

/* Hover Dark Overlay */
.preview-tile__shade {
  position: absolute;
  inset: 0;
  width: 100%;
  height: 100%;
  background-color: #000000;
  opacity: 0;
  pointer-events: none;
  transition: opacity 0.3s ease;
}

.preview-tile:hover .preview-tile__shade {
  opacity: 0.8;
}

/* Hover Caption Label */
.preview-tile__caption {
  position: absolute;
  bottom: 1rem;
  left: 1rem;
  color: #ffffff;
  font-size: 1rem;
  font-weight: 500;
  opacity: 0;
  transition: opacity 0.3s ease;
}

.preview-tile:hover .preview-tile__caption {
  opacity: 1;
}

```

User prompt: Use these photos to replace the other ones in the snippet & try minimizing the photo container length to fit as mobile app view coz the original were desktop sized

Response: <section class="w-full max-w-screen-2xl mx-auto px-4 py-16 antialiased relative flex flex-col items-c

```

<div class="max-w-4xl relative w-full left-0 top-0 text-center py-10 md:py-16">
  <div class="grid place-items-center">
    <h1 class="text-3xl md:text-5xl font-bold dark:text-white">Stop Juggling Systems. Start Scaling Your Net
    <p class="max-w-3xl text-sm md:text-base mt-8 dark:text-neutral-200 text-center">
      Running an ISP or hotspot business presents unique challenges. Manual PPPoE user creation, chasing pay
      XenFi is the ISP management software built to solve these exact problems. We replace your complex, mul
    </p>
  </div>
</div>

<div class="w-full max-w-7xl mx-auto mt-12 md:mt-20">

```

```

<!-- Replace the rows with a flexible grid optimized for smaller screens -->
<div class="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-4 lg:grid-cols-5 xl:grid-cols-6 gap-6 justify-center">
  <!-- Create a compact product card for each image -->

  <!-- Photo 1: Join MediCare -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 2: Platform Overview (Monday, 27 July 2026) -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 3: Create Hospital -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 4: Create Hospital Admin -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 5: Dashboard (Patients/Departments Status) -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 6: Department Status Detail -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 7: Departments (Department name, Opens/Closes, Slot length, Capacity, Existings) -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 8: My Profile ( tayebwa, phone, email) -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 9: Hi, kweko -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

  <!-- Photo 10: Book Appointment -->
  <div class="group/product relative overflow-hidden flex items-center justify-center border border-neutral-200" >
    
    <div class="absolute inset-0 h-full w-full opacity-0 group-hover/product:opacity-80 bg-black pointer-events-none">
      <h2 class="absolute bottom-4 left-4 right-4 opacity-0 group-hover/product:opacity-100 text-white text-center">
    </div>
  </div>

```

```

    </div>
  </div>
</section>

```

User prompt: redo has 2 separate file, html5 & css3

Response: Here is the updated markup using your 10 MediCare mobile screenshots.

The sizing has been adjusted specifically for mobile UI dimensions: the fixed horizontal width (w- [30rem]) and fixed height (h-96) were replaced with a mobile aspect ratio (aspect- [9/19.5]) and container sizing (w-full max-w-[280px] h-[580px]), keeping the clean mobile app frame proportions intact.

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>MediCare Platform Showcase</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>

  <section class="network-showcase">
    <!-- Headline & Intro Section -->
    <header class="network-showcase__header">
      <div class="network-showcase__content">
        <h1 class="network-showcase__heading">
          Stop Juggling Systems. Start Scaling Your Network.
        </h1>
        <p class="network-showcase__summary">
          Running a healthcare management business presents unique challenges. Manual patient queue creation, chasing appointments, managing different department schedules, and preventing service delay are cons
          You need a single solution that just works.<br><br>
          MediCare is the healthcare management software built to solve these exact problems. We replace your complex, multi-system setup with one powerful, automated platform, giving you back your time and boosting your operational efficiency.
        </p>
      </div>
    </header>

    <!-- Animated Parallax Viewport -->
    <div class="network-showcase__viewport">

      <!-- Top Row (Right-to-Left Layout) -->
      <div class="showcase-strip showcase-strip--align-end">
        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Join MediCare (Create Account)</h2>
        </article>

        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Platform Overview</h2>
        </article>

        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Create Hospital</h2>
        </article>

        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Create Hospital Admin</h2>
        </article>
      </div>
    </div>

```

```

<!-- Middle Row (Left-to-Right Layout) -->
<div class="showcase-strip showcase-strip--align-start">
  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">Dashboard (Department Status)</h2>
  </article>

  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">Department Status (Detailed)</h2>
  </article>

  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">Departments Management</h2>
  </article>

  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">User Profile</h2>
  </article>
</div>

<!-- Bottom Row (Right-to-Left Layout) -->
<div class="showcase-strip showcase-strip--align-end">
  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">Patient Dashboard</h2>
  </article>

  <article class="preview-tile">
    </div>
    <h2 class="preview-tile__caption">Book Appointment</h2>
  </article>
</div>

</div>
</section>

</body>
</html>

```

styles.css

```

/* Reset & Base Styles */
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

body {
  background-color: #0a0a0a;
  color: #ffffff;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, sans-serif;
  overflow-x: hidden;
}

/* Container Frame with Perspective */
.network-showcase {
  min-height: 300vh;
  width: calc(100vw - 20px);
  padding: 8rem 0;
  overflow: hidden;
  position: relative;
  display: flex;
  flex-direction: column;
  perspective: 1000px;
}

```

```
-webkit-font-smoothing: antialiased;
}

/* Header & Intro Section */
.network-showcase__header {
  max-width: 80rem;
  margin: 0 auto;
  padding: 4rem 1rem;
  width: 100%;
  position: relative;
  text-align: center;
}

.network-showcase__content {
  display: grid;
  place-items: center;
}

.network-showcase__heading {
  font-size: 2rem;
  font-weight: 700;
  line-height: 1.2;
  color: #ffffff;
}

@media (min-width: 768px) {
  .network-showcase__heading {
    font-size: 4rem;
  }
}

.network-showcase__summary {
  max-width: 48rem;
  font-size: 1rem;
  line-height: 1.6;
  margin-top: 1.5rem;
  color: #d4d4d4;
  text-align: center;
}

@media (min-width: 768px) {
  .network-showcase__summary {
    font-size: 1.125rem;
  }
}

/* 3D Transform Viewport */
.network-showcase__viewport {
  transform-style: preserve-3d;
  opacity: 1;
  transform: translateY(300px);
}

/* Horizontal Card Rows */
.showcase-strip {
  display: flex;
  column-gap: 3rem;
  margin-bottom: 3rem;
}

.showcase-strip--align-end {
  flex-direction: row-reverse;
}

.showcase-strip--align-start {
  flex-direction: row;
}

/* Mobile-Optimized Screenshot Tile */
.preview-tile {
  /* Adjusted specifically for mobile app dimensions (9:19.5 aspect ratio) */
  width: 280px;
  height: 580px;
  aspect-ratio: 9 / 19.5;
}
```

```

    position: relative;
    flex-shrink: 0;
    border-radius: 1.5rem;
    border: 1px solid rgba(255, 255, 255, 0.1);
    background-color: #121212;
    overflow: hidden;
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.5);
    transition: transform 0.3s ease, box-shadow 0.3s ease;
}

.preview-tile:hover {
    transform: translateY(-10px);
    box-shadow: 0 20px 40px rgba(0, 0, 0, 0.8);
}

.preview-tile__image {
    position: absolute;
    inset: 0;
    width: 100%;
    height: 100%;
    object-fit: cover;
    object-position: top center;
}

/* Hover Dark Shade */
.preview-tile__shade {
    position: absolute;
    inset: 0;
    width: 100%;
    height: 100%;
    background: linear-gradient(to top, rgba(0, 0, 0, 0.9), rgba(0, 0, 0, 0.2));
    opacity: 0;
    pointer-events: none;
    transition: opacity 0.3s ease;
}

.preview-tile:hover .preview-tile__shade {
    opacity: 1;
}

/* Hover Caption Label */
.preview-tile__caption {
    position: absolute;
    bottom: 1.25rem;
    left: 1rem;
    right: 1rem;
    color: #ffffff;
    font-size: 0.95rem;
    font-weight: 600;
    text-align: center;
    opacity: 0;
    transform: translateY(10px);
    transition: opacity 0.3s ease, transform 0.3s ease;
}

.preview-tile:hover .preview-tile__caption {
    opacity: 1;
    transform: translateY(0);
}

```

User prompt: Add the smooth sliding logic in the section to look like the one in xenfi.net

Response: Here is the updated **index.html** and **styles.css** with smooth sliding and parallax logic implemented using native CSS keyframes for auto-scrolling marquee movement, coupled with a lightweight, smooth scroll-driven JavaScript interaction.

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```

<title>MediCare Platform Showcase</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>

<section class="network-showcase">
  <!-- Headline & Intro Section -->
  <header class="network-showcase__header">
    <div class="network-showcase__content">
      <h1 class="network-showcase__heading">
        Stop Juggling Systems. Start Scaling Your Network.
      </h1>
      <p class="network-showcase__summary">
        Running a healthcare management business presents unique challenges. Manual patient queue creation,
        chasing appointments, managing different department schedules, and preventing service delay are cons
        You need a single solution that just works.<br><br>
        MediCare is the healthcare management software built to solve these exact problems. We replace your
        complex, multi-system setup with one powerful, automated platform, giving you back your time
        and boosting your operational efficiency.
      </p>
    </div>
  </header>

  <!-- Animated 3D Parallax Viewport -->
  <div class="network-showcase__viewport" id="parallaxViewport">

    <!-- Top Row (Slides Right to Left) -->
    <div class="showcase-strip showcase-strip--slide-left" id="row1">
      <div class="showcase-strip__track">
        <!-- First Set -->
        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Join MediCare (Create Account)</h2>
        </article>
        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Platform Overview</h2>
        </article>
        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Create Hospital</h2>
        </article>
        <article class="preview-tile">
          </div>
          <h2 class="preview-tile__caption">Create Hospital Admin</h2>
        </article>

        <!-- Duplicate Set for Seamless Infinite Loop -->
        <article class="preview-tile" aria-hidden="true">
          </div>
          <h2 class="preview-tile__caption">Join MediCare (Create Account)</h2>
        </article>
        <article class="preview-tile" aria-hidden="true">
          </div>
          <h2 class="preview-tile__caption">Platform Overview</h2>
        </article>
        <article class="preview-tile" aria-hidden="true">
          </div>
          <h2 class="preview-tile__caption">Create Hospital</h2>
        </article>
        <article class="preview-tile" aria-hidden="true">
          </div>
          <h2 class="preview-tile__caption">Create Hospital Admin</h2>
        </article>
      </div>
    </div>
  </div>

```

```

<!-- Middle Row (Slides Left to Right) -->
<div class="showcase-strip showcase-strip--slide-right" id="row2">
  <div class="showcase-strip__track">
    <!-- First Set -->
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Dashboard (Department Status)</h2>
    </article>
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Department Status (Detailed)</h2>
    </article>
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Departments Management</h2>
    </article>
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">User Profile</h2>
    </article>

    <!-- Duplicate Set for Seamless Infinite Loop -->
    <article class="preview-tile" aria-hidden="true">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Dashboard (Department Status)</h2>
    </article>
    <article class="preview-tile" aria-hidden="true">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Department Status (Detailed)</h2>
    </article>
    <article class="preview-tile" aria-hidden="true">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Departments Management</h2>
    </article>
    <article class="preview-tile" aria-hidden="true">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">User Profile</h2>
    </article>
  </div>
</div>

<!-- Bottom Row (Slides Right to Left) -->
<div class="showcase-strip showcase-strip--slide-left" id="row3">
  <div class="showcase-strip__track">
    <!-- First Set -->
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Patient Dashboard</h2>
    </article>
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Book Appointment</h2>
    </article>
    <article class="preview-tile">
      
      <div class="preview-tile__shade"></div>
      <h2 class="preview-tile__caption">Join MediCare</h2>
    </article>

    <!-- Duplicate Set for Seamless Infinite Loop -->
    <article class="preview-tile" aria-hidden="true">
      
      <div class="preview-tile__shade"></div>

```

```

        <h2 class="preview-tile__caption">Patient Dashboard</h2>
    </article>
    <article class="preview-tile" aria-hidden="true">
        </div>
        <h2 class="preview-tile__caption">Book Appointment</h2>
    </article>
    <article class="preview-tile" aria-hidden="true">
        </div>
        <h2 class="preview-tile__caption">Join MediCare</h2>
    </article>
</div>
</div>
</section>

<!-- Scroll-based Smooth Parallax Logic -->
<script>
    document.addEventListener('DOMContentLoaded', () => {
        const viewport = document.getElementById('parallaxViewport');
        const row1 = document.getElementById('row1');
        const row2 = document.getElementById('row2');
        const row3 = document.getElementById('row3');

        let ticking = false;

        function updateParallax() {
            const rect = viewport.getBoundingClientRect();
            const windowHeight = window.innerHeight;

            // Calculate progress ratio when section comes into view (0.0 to 1.0)
            if (rect.top < windowHeight && rect.bottom > 0) {
                const progress = (windowHeight - rect.top) / (windowHeight + rect.height);

                // Smooth 3D perspective tilt effect on scroll
                const rotateX = Math.max(0, 15 - progress * 25);
                const rotateZ = Math.min(0, -10 + progress * 10);
                const translateY = (1 - progress) * 100;

                viewport.style.transform = `rotateX(${rotateX}deg) rotateZ(${rotateZ}deg) translateY(${translateY}p

                // Scroll translation offset added to rows
                const offset = (progress - 0.5) * 200;
                row1.style.transform = `translateX(${offset}px)`;
                row2.style.transform = `translateX(${offset}px)`;
                row3.style.transform = `translateX(${offset}px)`;
            }

            ticking = false;
        }

        window.addEventListener('scroll', () => {
            if (!ticking) {
                window.requestAnimationFrame(updateParallax);
                ticking = true;
            }
        });

        updateParallax();
    });
</script>
</body>
</html>

```

styles.css

```

/* Reset & Base Styles */
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}

```

```
body {
  background-color: #050505;
  color: #ffffff;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, sans-serif;
  overflow-x: hidden;
}

/* Section Wrapper */
.network-showcase {
  min-height: 180vh;
  width: 100%;
  padding: 6rem 0 10rem;
  overflow: hidden;
  position: relative;
  display: flex;
  flex-direction: column;
  align-items: center;
  perspective: 1200px;
  -webkit-font-smoothing: antialiased;
}

/* Header & Intro Section */
.network-showcase__header {
  max-width: 80rem;
  margin: 0 auto 4rem;
  padding: 0 1.5rem;
  width: 100%;
  position: relative;
  text-align: center;
  z-index: 10;
}

.network-showcase__content {
  display: flex;
  flex-direction: column;
  align-items: center;
}

.network-showcase__heading {
  font-size: 2.25rem;
  font-weight: 800;
  line-height: 1.2;
  letter-spacing: -0.02em;
  color: #ffffff;
}

@media (min-width: 768px) {
  .network-showcase__heading {
    font-size: 4.25rem;
  }
}

.network-showcase__summary {
  max-width: 48rem;
  font-size: 0.95rem;
  line-height: 1.6;
  margin-top: 1.5rem;
  color: #a1a1a1;
  text-align: center;
}

@media (min-width: 768px) {
  .network-showcase__summary {
    font-size: 1.125rem;
  }
}

/* 3D Parallax Viewport */
.network-showcase__viewport {
  width: 100%;
  max-width: 1400px;
  display: flex;
  flex-direction: column;
}
```

```

    gap: 2.5rem;
    transform-style: preserve-3d;
    will-change: transform;
    transition: transform 0.1s cubic-bezier(0.25, 1, 0.5, 1);
}

/* Showcase Rows / Strips */
.showcase-strip {
    width: 100%;
    overflow: hidden;
    display: flex;
    position: relative;
    will-change: transform;
}

/* Track Container for Infinite Scrolling */
.showcase-strip__track {
    display: flex;
    gap: 2rem;
    width: max-content;
}

/* Auto-Sliding Animations */
.showcase-strip--slide-left .showcase-strip__track {
    animation: slideLeft 35s linear infinite;
}

.showcase-strip--slide-right .showcase-strip__track {
    animation: slideRight 35s linear infinite;
}

/* Pause sliding on hover for interactive viewing */
.showcase-strip:hover .showcase-strip__track {
    animation-play-state: paused;
}

/* Continuous Sliding Keyframes */
@keyframes slideLeft {
    0% {
        transform: translateX(0);
    }
    100% {
        transform: translateX(-50%);
    }
}

@keyframes slideRight {
    0% {
        transform: translateX(-50%);
    }
    100% {
        transform: translateX(0);
    }
}

/* Compact Mobile-View Screenshot Card */
.preview-tile {
    width: 240px;
    height: 500px;
    aspect-ratio: 9 / 19.5;
    position: relative;
    flex-shrink: 0;
    border-radius: 1.25rem;
    border: 1px solid rgba(255, 255, 255, 0.12);
    background-color: #121212;
    overflow: hidden;
    box-shadow: 0 15px 35px rgba(0, 0, 0, 0.6);
    transition: transform 0.3s cubic-bezier(0.34, 1.56, 0.64, 1), box-shadow 0.3s ease, border-color 0.3s ease;
    cursor: pointer;
}

.preview-tile:hover {
    transform: scale(1.05) translateY(-8px);
    box-shadow: 0 25px 50px rgba(0, 0, 0, 0.9);
}

```

```
border-color: rgba(255, 255, 255, 0.3);
z-index: 20;
}

.preview-tile__image {
  position: absolute;
  inset: 0;
  width: 100%;
  height: 100%;
  object-fit: cover;
  object-position: top center;
}

/* Overlay Shade on Hover */
.preview-tile__shade {
  position: absolute;
  inset: 0;
  width: 100%;
  height: 100%;
  background: linear-gradient(to top, rgba(0, 0, 0, 0.85) 0%, rgba(0, 0, 0, 0.1) 60%);
  opacity: 0;
  pointer-events: none;
  transition: opacity 0.3s ease;
}

.preview-tile:hover .preview-tile__shade {
  opacity: 1;
}

/* Hover Title Caption */
.preview-tile__caption {
  position: absolute;
  bottom: 1.25rem;
  left: 0.75rem;
  right: 0.75rem;
  color: #ffffff;
  font-size: 0.875rem;
  font-weight: 600;
  text-align: center;
  opacity: 0;
  transform: translateY(12px);
  transition: opacity 0.3s ease, transform 0.3s ease;
}

.preview-tile:hover .preview-tile__caption {
  opacity: 1;
  transform: translateY(0);
}
```
